





1-800-367-1492 · www.cpcsigns.com









Pavement Markings

Raised Pavement Markers



























2-Way White/Yellow RPMMPSA290WY








SERIES 290

- Apply with standard bitumen and epoxy adhesives.
- Durable, lightweight, molded-in body color thermoplastic.
- Highly reflective Diamond Grade™ microprismatic optics.
- Long-life visibility, particularly at night and in wet weather.
- Apply to asphalt or concrete surfaces in non-snowplow regions.
- Impact and abrasion resistant.
- Increase awareness with an added rumble effect.
- 100 per carton. In-Stock colors available individually.



SERIES 290 with PSA

- Applied with pressure sensitive adhesive.
- Designed for application on asphalt and portland cement concrete road surfaces.
- These markers provide highly effective, long-life visibility, particularly at night and in wet weather.

Ceramic Traffic Buttons & Jiggle Bars

Ceramic Markers




Retro-Reflective Ceramic Markers combine the power of brilliant and exceptional night time visibility with a self cleaning glazed surface for excellent daytime visibility. Non-Reflective

are maintenance free and feature a heat fired glazed surface that promotes **Oval Button** self-cleaning and RPMMCBO4WN excellent daytime Non-Reflective visibility.



Jiggle Bar RPMMJB6W 1-Way Retro-Reflective Material: Ceramic Color: White Size: 6"x 6"



Jiggle Bar RPMMJB6WW 2-Way Retro-Reflective Material: Ceramic Color: White Size: 6"x 6'



Jiggle Bar **RPMMJB6Y** 1-Way Retro-Reflective Material: Ceramic Color: Yellow Size: 6"x 6"




Jiggle Bar **RPMMJB6YY** 2-Way Retro-Reflective Material: Ceramic Color: Yellow Size: 6"x 6"




Material: Ceramic Color: White

Size: 4'

Jiggle Bar RPMMJB6WN Non-Reflective Material: Ceramic Color: White Size: 6"x 6'



Jiggle Bar RPMMJB6YN Non-Reflective Material: Ceramic Color: Yellow Size: 6"x 6"



Round Button RPMMCB(X)W 1-Way Retro-Reflective Material: Ceramic Color: White Sizes(X): 6" or 8'



Round Button RPMMCB(X)Y 1-Way Retro-Reflective Material: Ceramic Color: Yellow Sizes(X): 6" or 8'



Round Button RPMMCB4Y 1 Way Retro-Reflective Material: Ceramic Color: Yellow Size: 4"



Round Button RPMMCB4W 1 Way Retro-Reflective Material: Ceramic Color: White Size: 4'



Round Button RPMMCB(X)WN Non-Reflective Material: Ceramic Color: White Sizes(X): 4", 6" or 8'



Round Button RPMMCB(X)YN Non-Reflective Material: Ceramic Color: Yellow Sizes(X): 4", 6" or 8"



Round Button RPMMCB(X)WWW 2-Way Retro-Reflective Material: Ceramic Color: White Sizes(X): 6" or 8'



Round Button RPMMCB(X)YYY 2-Way Retro-Reflective Material: Ceramic Color: Yellow Sizes(X): 6" or 8'



Round Button RPMMCB4YYY 2 Way Retro-Reflective Material: Ceramic Color: Yellow Size: 4"



Round Button RPMMCB4WWW 2 Way Retro-Reflective Material: Ceramic Color: White Size: 4"

4" Traffic Buttons



RPMMTD10500(W)N White RPMMTD10500(Y)N Yellow RPMMTD10500(B)N Black

- Raised hexagon pattern increases strength and adhesive surface area.
- Buttons made from polypropylene
- ♦ White (W), Yellow (Y), and Black (B)



 Polyurethane body allows marker to straighten itself after impact.

RPMMC(W) 1 Way RPMMC(WW) 2 Way

- Reflective surface is protected by clear plastic cover.
 Also available with double cover
- Marker comes with adhesive attached

Chip Seal Temp Markers

- ♦ White (W) or Yellow (Y), 1-way or 2-way
- 500/Box (Sold in box quantities only)

Rumble Strips



RPMRS(XX)ROAD0424 - 4" x 24" x 1/2" | 1.25 lbs Color (XX): (WH) White | (YE) Yellow *Yellow is Quick Ship*



- The Road Rumbler is made from a specially formulated glass-filled polymer material.
- Physical and audible warning for motorists.
- Superior road surface adhesion.
- Unique raised dot grip system and special grooves for improved adhesion.
- Adhere with marker adhesive, bottom of this page.



3708 Rumble Strip RPMRS(XX)3708(##)

Colors (XX): (BK) Black | (BU) Blue | (RE) Red | (WH) White | (YE) Yellow Lengths (##): (01) 12" | (04) 4' | (05) 5' | (06) 6' | (08) 8'

- The 3708 Rumble Strip is solid uni-body marker which eliminates any hollow areas that can crack or crush when impacted by vehicle.
- Ideal to delineate gores, bike and pedestrian lanes, and road shoulders to help prevent dangerous run-off-the-road accidents.
- Install with hot melt bitumen or 2-part epoxy.





Recycled Rubber Speed Bumps & Parking Curbs



Made of 100% recycled rubber tires

- ♦ Embedded reflective glass beads
- Removable, flexible, durable
- Installs with 14" rebar spikes (1/2" masonry bit required)



Stock#	Description	Size	Spikes	weight
RPMRRSB48	RSB48 Speed Bump		3	35 lbs.
RPMRRSB72	Speed Bump	6' x 2.25" x 11"	5	52 lbs.
RPMRRPC6YEBK	Yellow Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRPC6WHBK	White Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRPC6BUBK	RRPC6BUBK Handicap Blue Parking Curb		4	38 lbs.
RPMRRRSPIKE Rebar Spike Pointed		14"		1.22 lbs.



Marker Adhesives

Stock#	Description	# 4"x4" Markers	Coverage
RPMABITUMEN	Adhesive Bituminous - 55# Carton	165	2600 sq in
RPMAEPOXYKITGAL02	Adhesive Epoxy Kit - 2 Gallon (1 ea A/B)	200	3200 sq in
RPMAEPOXYKITGAL10	Adhesive Epoxy Kit - 10 Gallon (5 ea A/B)	1000	16000 sq in
RPMAEPOXYKITQT02	Adhesive Epoxy Kit - 2 Quart (1 ea A/B)	50	800 sq in
RPMAEPOXYKITTUBE	Adhesive Epoxy Tube Kit (1 ea A/B)	8-12	128 to 192 sq in

Description	# Marke	ers
Adhesive Butyl Single Pad - Sizes: (44) 4" x 4" (88) 8" x 8" (8ROUND) 8" Diameter Round		
Bundy Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow 14		
X Super Bundy Thermoplastic Adhesive - Size: 2" x 39" Color: Grey		
Super Bundy Thermoplastic Adhesive - Size: 8" x 8" Color: Grey		
HOTSPOTBK5 Hotspot Thermoplastic Adhesive - Size: 5" x 5" Color: Black		
RPMAHOTSPOT(XX)5BOX Hotspot Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow		
HOTSPOTBK8BOX Hotspot Thermoplastic Adhesive - Size: 8" x 8" Color: Black		
	Adhesive Butyl Single Pad - Sizes: (44) 4" x 4" (88) 8" x 8" (8ROUND) 8" Diameter Round Bundy Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow Super Bundy Thermoplastic Adhesive - Size: 2" x 39" Color: Grey Super Bundy Thermoplastic Adhesive - Size: 8" x 8" Color: Grey Hotspot Thermoplastic Adhesive - Size: 5" x 5" Color: Black Hotspot Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow	Adhesive Butyl Single Pad - Sizes: (44) 4" x 4" (88) 8" x 8" (8ROUND) 8" Diameter Round Bundy Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow 140 Super Bundy Thermoplastic Adhesive - Size: 2" x 39" Color: Grey 40 Super Bundy Thermoplastic Adhesive - Size: 8" x 8" Color: Grey 40 Hotspot Thermoplastic Adhesive - Size: 5" x 5" Color: Black 1 Hotspot Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow 150

3M Stamark Pavement Markings



380 ES Series Extended Season High Performance Tape

Solid Non-Linered: RPMTRA380IES - white | RPMTRA381IES - yellow Sizes: 20 yds (48") | 30 yds (4", 5", 6", 8", 10", 12", 16", 18", 24") | 80 yds (8") | 100 yds (4", 5", 6")

Solid Non-Linered: RPMTRA385IES - black *Sizes: 25 yds (4", 6", 8", 12", 24")*

Contrast Non-Linered: RPMTRA380I5ES - white Sizes: 50 yds (7", 8", 9", 11" includes 1½" black border)

May be applied in temperatures as cool as 40 degrees F.

380 AW Series ALL Weather High Performance Tape

Solid Non-Linered: RPMTRA380AW - white | RPMTRA381AW - yellow Sizes: 20 yds (48") | 25 yds (10", 12", 16", 18", 24") | 60 yds (8")

Contrast Non-Linered: RPMTRA380AW5 - white

Includes "extended season" adhesive for application during normal season, or during early/late season with surface prep adhesive.

270 ES Series Intersection Durable Tape

Solid Non-Linered: RPMTRA270ES - white | RPMTRA271ES - yellow Sizes: 20 vds (48") | 30 vds (4".6".8".12".16".18".24".36") | 100 vds (4".6")

Exceptionally durable, long-lasting visibility, ideal for intersections.

710 Series Wet Reflective Removable Tape

Solid Non-Linered: RPMTRA710 - white | RPMTRA711 - yellow Sizes: 20 yds (48") | 40 yds (4", 6", 8") | 120 yds (4", 5", 6")

Contrast Non-Linered: RPMTRA7105 - white | RPMTRA7115 - yellow Sizes: 65 yds (7", 8", 9" includes 1½" black border)

Solid Non-Linered: RPMTRA715 - black Sizes: 40 yds (6", 8") | 120 yds (6", 8")

- Designed to perform for the duration of a normal construction season.
- Superior adhesion and conformability, fast and easy to apply and remove, and eliminates grinding.

--- 380IES Series • 380AW Series • 270ES Series • 710 Series Pre-Cut Legends, Symbols and Arrows













































Rail Road Crossing Package Contains: (2) 72" tall R's (1) ROLL 16" x 42 ft RX¹²³⁴













HotTape® Lines, Legends & Arrows

HotTape® Legends and Arrows

- Available in standard FHWA designs that are compliant with the Manual on Uniform Traffic Control Devices (MUTCD) including lines, arrows, bike lane markings, railroad markings and word legends such as "STOP", "ONLY", and "SCHOOL" plus many legends shown above on this page.
- Call a Customer Service Representative for Details.

HotTape® Lines

RPMTP90(##)03(XX) - 3ft length x various widths

Width (##): (04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24" **Colors (XX): (WH) White | (YE) Yellow (NOTE: Also available in 90-mil rolls and 125-mil lines)**

For HotTape® Application (Cylinder SOLD Separately)

RPMTPMTORCH - Magnum Heat Torch w/ 30' Hose **RPMTPMTTROLLEY** - Hot Tape Magnum Tank Trolley

PreMark® Lines, Legends & Arrows

PreMark® Lines, Legends and Arrows

- Available in the FHWA Standard sizes as shown in the Manual on Uniform Traffic Control Devices (MUTCD) similar to many legends shown above on this page as well as custom designs.
- Call a Customer Service Representative for Details.

PreMark® Lines

RPMTPPM125(##)03(XX) - 3ft length x various widths

Width (##): (04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24" Colors (XX): (WH) White | (YE) Yellow

For Premark Application use: (Cylinder SOLD Separately)

RPMTPPM2000EXHTORCH - Pre-Mark Flint 2000 EX Heat Torch 5" Nozzle RPMTPPMC20LPGCYL - Pre-Mark C-20 Mark LPG Cylinder (20lb capacity) RPMTPPMC40LPGCYL - Pre-Mark C-40 Mark LPG Cylinder (40lb capacity)

Inverted Tip Marking Paints, Wands and Machines

Water Based Marking Paint

Unleaded • APWA Approved • Cap-On Spray Mechanism

Stock# RPMPITIPWB(XX

Colors (XX): (RE) Brilliant Red APWA (WH) Brilliant White APWA | (FBU) Flo Caution Blue

(FOR) Flo Orange | (FPI) Flo Pink | (FPU) Flo Purple (FGR) Flo Safety Green | (FRE) Flo Safety Red

(YE) Utility Yellow APWA

Solvent Based Marking Paint

More durable than water based paint • Unleaded APWA Approved • Cap-On Spray Mechanism

Stock# RPMPITIPSB(X)

Colors (XX): (BK) Asphalt Black | (BU) Blue APWA (FBU) Flo Blue | (FPI) Flo Hot Pink (FGR) Flo Neon Green | (FOR) Flo Orange (FROR) Flo Red/Orange | (FRE) Flo Safety Red (GR) Green AWPA | (YE) Hi Vis Yellow APWA (RE) Red APWA | (WH) Utility White AWPA (PU) Flo Purple

Marking Chalk

More permanent than water based paint Unleaded • Non-Clogging Tip

Stock# RPMPITIPMC(XX

Colors (XX): (BU) Blue | (GR) Green | (OR) Orange (RE) Red | (WH) White | (YE) Yellow

Athletic Field Striping Paint

Water Based • VOC Compliant • Unleaded • APWA Colors

Stock# RPMPITIPAFSA(XX)

Colors (XX): (WH) White | (YE) Yellow | (OR) Orange (FLOR) Flo Orange | (RBU) Royal Blue | (TGR) Turf Green

Pavement Striping Paint

30 Minute Dry Time • VOC Compliant • Unleaded

Stock#

RPMPITIPPS(XX

Colors (XX): (CUBK) Cover-Up Black (FRE) Fire Lane Red | (HBU) Handicap Blue (HWH) Highway White | (HYE) Highway Yellow





20 oz. Krylon Cans

Sold by Case (12 Cans/Case)



34" Line-Up Striping Wand RPMPITIPPSWAND

Pavement Striping Machine RPMPITIPPSM

- Makes 2"-4" Line
- 18 gauge steel
- 7" Wheels
- Stores a full case of paint

APWA Uniform Color Code

- White: Proposed Excavation
- Pink: Temporary Survey Markings
- Red: Electric Power Lines, Cables, Conduit and Lighting
- Yellow: Gas, Oil, Steam, Petroleum or Gaseous Materials
- Orange: Communication, Alarm or Signal Lines, Cables or Conduit
- Blue: Potable Water
- Purple: Reclaimed Water, Irrigation and Slurry Lines
- Green: Sewers and Drain Lines

Construction Grade Pavement Tape

Athletic Field Striping Machine

RPMPITIPAFSM

- 18 gauge steel 10" Wheels
- Stores a full



Marking Flags

RSP950(XXXX)4521 Fluorescent Colors:

(FLGR) Flo Green | (FLLI) Flo Lime (FLOR) Flo Orange | (FLPK) Flo Pink (FLRR) Flo Rocket Red

RSP951(XX)4521 Standard Colors:

(BK) Black | (BU) Blue | (CL) Clear (GR) Green | (OR) Orange (PU) Purple | (RE) Red | (SL) Silver (WH) White | (YE) Yellow

♦ 4" x 5" flag w/21" wire staff is a Top Seller.



Many other variations and custom printed flags are available (min qty of 1,000 on flag orders)



Reflective Glass Beads





- "Drop On" Glass Beads
- AASHTO Type I Specifications
- 50 Lb. Bags



Reflective temporary construction grade pavement tape withstands tough weather and road conditions. 4" X 50 yards



- Glass beads are dropped or sprayed upon pavement markings to produce a reflectorized
- High end glass beads suitable for state DOT jobs and exceed city/county/parking lot specifications.

Graphic Word & Symbol Stencils



Golf Cart **RPMS033628GOLF** 36"x28" | 1/16" thick



Roller Blading In-Line Skating **RPMS031620ROLLINSKT** 16"x20" | 1/16" thick



Baby & Stork **RPMS034524STORK** 45"x24" | 1/16" thick



Baby & Carriage RPMS033236BABYCAR 32"x36" | 1/16" thick



No Parking **RPMS0326NP** 26" Diameter | 1/8" thick



No Skateboards **RPMS0326NOSKT** 26" Diameter | 1/16" thick



Clean Up! Trash Your Trash RPMS031012TRASH 10"x12" | 1/16" thick



Maltese Cross RPMS033737MALCROSS 37"x37" | 1/8" thick



Fire Hydrant w/Arrow RPMS031833FIREHYDA 18"x33" | 1/8" thick



Clean In Clean Out RPMS036060CLEAN 60"x60" | 1/16" thick



No Roller Skating **RPMS03NOROLLBLADE** 26" Diameter | 1/16" thick



RPMS037272SPEEDHUMP 72"x72" | 1/8" thick



Electric Charging Station/Parking Stalls RPMS034035ELECCHRG 40"x35" | 1/8" thick



RPMS034344ELECCHRG
43"x44" | 1/16" thick



Alt Parking Stall

RPMS0346ALTPARKSTALL

46" Diameter | 1/8" thick



STOP - Military Style **RPMS05(XX)MILITARYSTP** (60) 60" | (96) 96" | 1/8" thick



S-T-O-P **RPMS0560STOP** 60" High | 1/8" thick



RPMS0596STOP 96" High | 1/8" thick



RPMS0536YIELD 36" High | 1/8" thick



Sewer Grate RPMS032436SEWER 24"x36" | 1/8" thick



RPMS033630COMCAR 36"x30" | 1/16" thick



Motorcycle Parking RPMS033625MOTORPARK 36"x25" | 1/8" thick



Electric Charging Station/Parking Stalls

RPMS0345ELECCHRG

45" Diameter | 1/16" thick



RPMS039628BUCKLE 96"x28" | 1/8" thick



Barricade Stripe **RPMS030672BS** 6"x72" | 1/8" thick



Electric Charging Station Parking Stalls

RPMS032056ELECCHRG

20"x56" | 1/8" thick



Low-Emitting & Fuel Efficient Vehicle RPMS034824LOWEMFUELV 48"x24" | 1/8" thick



Compact Car RPMS033648COMCAR 36"x48" | 1/8" thick



RPMS08XXCIRCLEPLAY
Custom Size 4"-30" | 1/8" thick



Tic Tac Toe with 4 X' & 4 O's **RPMS081212TTTKIT** 12"x12" | 1/8" thick



Child Running RPMS032548CRUN 25"x48" | 1/8" thick



Pedestrian Crossing RPMS034060PEDCROSS 36"x60" | 1/8" thick



No Pedestrians **RPMS0342NOPEDESTRIAN** 42" Diameter | 1/16" thick



Recycle RPMS0336RECYCLE 36" Diameter | 1/8" thick



No Smoking **RPMS0336NS** 36" Diameter | 1/8" thick



McDonald's Kit
RPMSMCDONALDSKIT

34" Letters | 42" Circles 1/8" or 1/16" thick 2023 | Catalog#16




RPMS033655LEAFROAD 36"x55" | 1/16" thick



Double Leaf - Low Emitting Fuels **RPMS034040DBLELEAF** 40"x40" | 1/8" thick



Crosswalk Awareness RPMS03(XX)LOOK (12) 12" or (16) 16" letters 1/8" thick



Crosswalk Bar RPMS01(XXXX)CROSSBAR 24" or 36" x72" | 1/8" thick


Federal Spec. Arrow Stencils




Multi-Purpose 22" Straight Arrow RPMS0222ARROWS 1/8" thick




Multi-Purpose 24" Curved Arrow RPMS0224ARROWC 1/8" thick



5' Straight Arrow RPMS0205ARROWS 5' Curved Arrow RPMS0205ARROWC 1/8" thick



6' Straight Arrow - 2 PCS RPMS0206ARROWS 6' Curved Arrow - 2 PCS RPMS0206ARROWC 1/8" thick









Curved/Straight Combo Tail RPMS021207ARROWCOMF Size: 44" x 7' | 1/8" thick





RPMSPA0236ARROWC

Size: 36" x 144" Piece Stencils 1/8" thick

PENN DOT Spec Arrows

RPMSPA0220ARROWS

2 Piece Size: 20" x 144" Stencils 1/8" thick





California Loop RPMSCA01LOOPXXXX (35 SIZES AVAILABLE) 1/8" thick





Lane Reduction Arrow RPMS0218ARROWLRF 18' long x 5'6" wide | 1/8" thick




U-Turn Arrow RPMS0208ARROWUF 8' long x 9'2" wide | 1/8" thick

Universal Arrow Stencils










4" Outlined Straight Arrow RPMS0204ARROWSOUT 1/8" thick




RPMS0204ARROWCOUT 1/8" thick




6' Kit - 3PC RPMS0206ARROWKIT3 Straight Arrow - 37" Curve Arrow - 43" 1/8" thick





20" Wide x 42" High | 1/8" thick



36" Wide x 90" High | 1/8" thick







4" High Letters		
RPMS0504COM	COMPACT	
RPMS0504CUS	CUSTOMER	
RPMS0504FIRE	FIRE	
RPMS0504GUEST	GUEST	
RPMS0504H	HANDICAP	
RPMS0504LANE	LANE	
RPMS0504LOAD	LOADING	
RPMS0504MGR	MANAGER	
RPMS0504MIN	MIN	
RPMS0504ND	NO DIVING	
RPMS0504NP	NO PARKING	
RPMS0504NROLL	NO ROLLER BLADING	
RPMS0504NR	NO RUNNING	
RPMS0504ONLY	ONLY	
RPMS0504P	PARKING	
RPMS0504RESI	RESIDENT	
RPMS0504RES	RESERVED	
RPMS0504SKT	SKATEBOARDING	
RPMS0504VIS	VISITOR	
RPMS0504WFWS		

WAIT FOR WALK SIGNAL

RPMS0504ZONE

6" High Letters		
RPMS0506ACC	ACCESSIBLE	
RPMS0506COM	COMPACT	
RPMS0506EXIT	EXIT	
RPMS0506FIRE	FIRE	
RPMS0506H	HANDICAP	
RPMS0506LANE	LANE	
RPMS0506LOAD	LOADING	
RPMS0506ND	NO DIVING	
RPMS0506NR	NO RUNNING	
RPMS0506NSK	NO SKATEBOARDING	
RPMS0506NS	NO SMOKING	
RPMS0506NP	NO PARKING	
RPMS0506ONLY	ONLY	
RPMS0506P	PARKING	
RPMS0506RES	RESERVED	
RPMS0506SL		

STOP - LOOK

RPMS0506VAN	VAN
RPMS0506VIS	VISITOR
RPMS0506ZONE	ZONE

		>>>>>>>	
8" Hi	igh Letters	9" Hig	h Letters
RPMS0508ASST	ASST	Piece	NO
RPMS0508CARS	CARS	RPMS0509NP	
RPMS0508CHIEF	CHIEF	KFM30309NF	PARKING
RPMS0508COM	COMPACT	Piece	GI OIV
RPMS0508CUS	CUSTOMER	Stench	SLOW
RPMS0508DOC	DOCTOR	RPMS0509SS	SPEED
RPMS0508FIRE	FIRE	401111	al de la company
RPMS0508H	HANDICAP		gh Letters
RPMS0508LANE	LANE	RPMS0512COM	COMPACT
RPMS0508LOAD	LOADING	RPMS0512CUS	CUSTOMER
RPMS0508MGRA	MGR	RPMS0512DO	DO
RPMS0508NP	NO PARKING	RPMS0512DRIVE	DRIVE
RPMS0508ONLY	ONLY	RPMS0512ENTER	ENTER
RPMS0508P	PARKING	RPMS0512EXIT	EXIT
RPMS0508PRES	PRESIDENT	RPMS0512FIRE	FIRE
RPMS0508RES	RESERVED	RPMS0512LANE	LANE
RPMS0508SEN	SENIOR	RPMS0512LOAD	LOADING
RPMS0508STA	STAND	RPMS0512NO	NO
RPMS0508TAXI	TAXI	RPMS0512NOT	NOT
RPMS0508VICE	VICE	RPMS0512ONLY	ONLY
RPMS0508VIS	VISITOR	RPMS0512P	PARKING
RPMS0508ZONE	ZONE	RPMS0512RES	RESERVED
10" L	ligh Lattors	RPMS0512STOP	STOP
	ligh Letters	RPMS0512THRU	THRU
RPMS0510ASST	ASST	RPMS0512VIS	VISITOR
RPMS0510CARS	CARS	RPMS0512ZONE	ZONE
RPMS0510CHIEF	CHIEF	40"11"	1.1.4

RPMS0510ASST	ASST
RPMS0510CARS	CARS
RPMS0510CHIEF	CHIEF
RPMS0510COM	COMPACT
RPMS0510CUS	CUSTOMER
RPMS0510DOC	DOCTOR
RPMS0510FIRE	FIRE
RPMS0510H	HANDICAP
RPMS0510LANE	LANE
RPMS0510LOAD	LOADING
RPMS0510MGR	MANAGER
RPMS0510MGRA	MGR
RPMS0510NP	NO PARKING
RPMS0510OW	ONE WAY
RPMS0510ONLY	ONLY
RPMS0510P	PARKING
RPMS0510PRES	PRESIDENT
RPMS0510RESC	RESERVED (CONDENSED)
RPMS0510RES	RESERVED
RPMS0510SEN	SENIOR
RPMS0510STA	STAND
RPMS0510STOP	STOP
RPMS0510TAXI	TAXI
RPMS0510VICE	VICE
RPMS0510VIS	VISITOR
RPMS0510ZONE	ZONE

9" High Letters		
Piece Stencil RPMS0509NP	NO PARKING	
Piece Stencil RPMS0509SS	SLOW SPEED	

12" High Letters	
RPMS0512COM	COMPACT
RPMS0512CUS	CUSTOMER
RPMS0512DO	DO
RPMS0512DRIVE	DRIVE
RPMS0512ENTER	ENTER
RPMS0512EXIT	EXIT
RPMS0512FIRE	FIRE
RPMS0512LANE	LANE
RPMS0512LOAD	LOADING
RPMS0512NO	NO
RPMS0512NOT	NOT
RPMS0512ONLY	ONLY
RPMS0512P	PARKING
RPMS0512RES	RESERVED
RPMS0512STOP	STOP
RPMS0512THRU	THRU
RPMS0512VIS	VISITOR
RPMS0512ZONE	ZONE

18" High Letters	
RPMS0518DO	DO
RPMS0518DRIVE	DRIVE
RPMS0518ENTER	ENTER
RPMS0518EXIT	EXIT
RPMS0518FIRE	FIRE
RPMS0518IN	IN
RPMS0518LANE	LANE
RPMS0518NO	NO
RPMS0518NOT	NOT
RPMS0518ONE	ONE
RPMS0518ONLY	ONLY
RPMS0518OUT	OUT
RPMS0518P	PARKING
RPMS0518STOP	STOP
RPMS0518THRU	THRU
RPMS0518WAY	WAY
RPMS0518ZONE	ZONE



24" High Letters RPMS0524NO RPMS0524P PARKING RPMS0524DO DO RPMS0524NOT NOT FIRE RPMS0524FIRE RPMS0524LANE LANE RPMS0524ZONE ZONE RPMS0524ENTER **ENTER** RPMS0524EXIT **EXIT** RPMS0524DRIVE DRIVE RPMS0524THRU **THRU** RPMS0524LOAD LOADING ONE RPMS0524ONE WAY RPMS0524WAY RPMS0524STOP **STOP** RPMS0524ONLY ONLY RPMS0524SLOW SLOW RPMS0524AHEAD AHEAD







48" High Letters

1 & 2 Piece Stencils • Made from Durable 1/8" Poly Material























Bicycle Lane Stencils



Bike Lane (no helmet) RPMS03(XXXX)BLANE (1733)17"x33" | (2448) 24"x48" 1/8" thick



Bike Trail RPMS036540BTRAIL 65"x40" | 1/8" thick



Bike Lane (w/helmet) RPMS0340(XX)BLANEH 40"x(60)" or (72)" | 1/8" thick



Bicycle Diamond RPMS033672BICDIA 36"x72" | 1/8" thick



Bike Shared Lane RPMS0340(XXX)SHAREBIC 40" x (111)"or (69)" | 1/8" thick

Railroad Stencils



6'6" RR XING (PENNDOT SPEC)

"R" - **RPMSPA0366RR** "X" - RPMSPA03RRX

1/8" thick



6' Fed "R" for Railroad XING RPMS0306RRCROSSF

> "X" for Railroad XING RPMS0320RRX

1/8" thick



5' Fed "R" for Railroad XING RPMS0305RRCROSS

> "X" for Railroad XING RPMS0320RRX 8ft wide x 20 ft high 1/8" thick

Handicap/Disabled Stencils

is 2 Piece Stencil

12" x 18" ADA SYMBOLS • 6" Wording • 1 Piece Stencils • Made from Durable 1/8" Poly Material









Active Handicap - 1/8" thick RPMS033628H | 36"x28"

Active Handicap (NY SPEC) RPMSNY034536H | 45"x36' 1/8" thick



Walmart ADA Handicap RPMS508472WALADAH2 (8472) 84"x72" 1/8" thick



RPMS032032HB20"x32" Handicap Symbol w/Border

Stencils are 1/8" thick



RPMS031812H1 RPMS033224H2 RPMS034133H25 RPMS034236H35

12"x18" Handicap Symbol (1.25" Stroke) 32"x24" Handicap Symbol (2" stroke) 41"x33" Handicap Symbol (2.5" stroke) 42"x36"Handicap Symbol (3.5" stroke)

Stencils are 1/8" thick

Aluminum Barrier Mount Delineators



The Brite-Max Delineator is the best delineator on the market for combined safety and durability. The Aluminum body provides long life in all climates in both work zone and permanent installations.

- PRODUCT ID: BMJB(XXX)(X)(XX)(S/D)
- ◆ Reflective Size (XXX): (009) 3" x 3" Tab Size: 2" (012) 4.25" x 3.5" Tab Size: 2" | (015) 3" x 5" Tab Size: 3" (048) 6" x 8" Tab Size: 3" | (072) 6" x 12" Tab Size: 3" (096) 8" x 12" Tab Size: 3" | (100) 10" x 10" Tab Size: 3"
- Reflective Sheeting (X): (H) High Intensity Prismatic (3) DG3 Diamond Grade Cube
- Quick Ship Colors (XX): (WH) White | (YE) Yellow
 (FY) Fluorescent Yellow | (OR) Fluorescent Orange
- ♦ Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- ♦ **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- Compatibility: The Brite-Max Barrier Mount Delineators can be used for top or side mount applications on concrete barriers and wooden guardrail posts.



All non-stock standard reflective sheeting colors and types available by custom order.
Call customer service at 1-800-367-1492 for details.

 Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas.



SCAN QR codes with Smart Phone camera to view product videos.

Key features of Portable Concrete Barrier Markers

- Brite-Max BMJBs are becoming DOT approved nationwide in states which prefer durable aluminum over plastic!
- Plastic PCBMs meet specifications nationwide.
- Also known as a "Jersey" Barrier Marker. Typical applications include temporary and permanent concrete barriers, concrete bridge parapets and wooden guardrail posts. BMJB bases are pre-drilled for either adhesive or bolt mounting.
- ♦ Installation: BMJBs have 3/8" holes pre-drilled for permanent 5/16" hardware installations. Use adhesives for a quick, reliable and less labor intensive installation. Standard pavement marking adhesives are available for purchase. Also, Dapco brand 795A Adhesive (RPMAEPOXYTUBE1P) is available through special order by calling customer service at 1-800-367-1492.

Plastic Barrier Mount Delineators

Portable Concrete Barrier Markers

- PRODUCT ID: RDBM(XXX)(X)(XX)(S/D)
- Reflective Size (XXX): (PCBM09) 9" sq in (PCBM12) 12" sq in | (PCBM15) 15" sq in | (PCBML16) 32" sq in (LITTLEDOG) 72" sq in | (BIGDOG) 96" sq in

- **3M** Reflective Sheeting (X): (H) High Intensity Prismatic (3) DG3 Diamond Grade Cube (D) Orange VIP Diamond Grade
- Colors (XX): (WH) White | (YE) Yellow (OR) Fluorescent Orange
- Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- **Body Substrate:** UV-stabilized polymers for long life in both work zones and permanent installations.
- ◆ **Compatibility:** PCBMs can be used for top and/or side mount applications.



PCBM-9

- HIP White or Yellow Sheeting
- Side or Top Mount



PCBM-15

• HIP White

or Yellow

Sheeting Top Mount Only





PCBM-12

- White or Yellow HIP-or-DG3 Sheetina
- Side or Top Mount





- HIP White or Yellow Sheeting
- Top Mount Only







LITTLE DOG

- DG Oranae Fluorescent Sheeting
- Top Mount Only





BIG DOG

- DG Oranae Fluorescent Sheeting
- Top Mount Only





Flexible Hinged Barrier Markers

- PRODUCT ID: RDBMPCBMT9(H)(XX)(S/D)
- Reflective Sheeting Size: 9 sq in of High Intensity Prismatic
- **3M** Reflective Sheeting: (H) High Intensity Prismatic
- Colors (XX): (WH) White | (YE) Yellow
- Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- **Body Substrate:** UV-stabilized polymers for long life in both work zones and permanent installations.
- Compatibility: The PCBM-T9 is a hinged version of the PCBM-9 and is designed for use on top of movable barrier systems.



Flexible Hinged Barrier Markers

- PRODUCT ID: RDGRDFT(H)(XX)(S/D)
- **Reflective Sheeting: (H)** 12" sq in of High Intensity Prismatic
- Colors (XX): (WH) White | (YE) Yellow
- Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- Body Substrate: Marker body made of rigid PVC with coextruded 80 durometer polyurethane acting as working hinge.
- Compatibility: Designed for use on top of movable barrier systems.







JD Cube Barrier Markers

- PRODUCT ID: RDBMJD(1/2) (XX)
- **Size:** approx 3" x 5.25" x 2.5"
- Reflective Size: approx 9.5" sq. in.
- Reflective Sides (1/2): (1) Single-Sided | (2) Double-Sided
- Colors (XX): (WH) White | (YE) Yellow
- Body Substrate: ABS and Acrylic
- The JD Cube is bright! Exceeds all state and federal brightness standards.



MUTCD Guidance

About Delineators

- Delineators are beneficial at locations such as at lane-reduction transitions and curves and provide effective guidance at night and during adverse weather conditions. Refer to the MUTCD for more information.
- Retroreflective elements for delineators shall have a minimum dimension of 3 inches.
- Delineators are considered guidance devices rather than warning devices.
- Delineators may be used on long continuous sections of highway or through short stretches where there are changes in horizontal alignment.

Color Definitions

- WHITE: Lane markings or to mark the right pavement edge.
- **YELLOW:** Separate traffic moving in opposite directions, or mark the left pavement edge on one-way roadways.
- **RED:** Used to warn motorists of "Do Not Enter" or "Wrong Way". Also, delineators shall be red when used on a truck escape ramp.
- **BLUE:** Used to mark the location of fire hydrants on the shoulder or at the curb.
- **GREEN:** Used for snowplow markings.
- **ORANGE:** Used in construction work zone areas.

Brite-Max Butterfly Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.



The Aluminum body of Brite-Max Delineators provides long life in all climates and provide effective guidance at night, in low light and adverse weather conditions.



- Installation Type (XXX): (567) Slot installs on existing guardrail bolt (818) Hole installs on new guardrail
- **Reflectivity:** Provides 8.5" square inches of reflectivity.
- Reflective Sides (1/2): (1) Single-Sided* | (2) Double-Sided
- **3M** Reflective Sheeting (X): (H) High Intensity Prismatic (3) DG3 Diamond Grade Cube
- *NOTE: Industry Standard for Single-Sided Reflective placement on the side that bends towards the fork side as shown in images. Custom orders for non-standard single-sided reflective placement is available by custom order, call 1-800-367-1492.
- Reflective Colors (XX): (WH) White | (YE) Yellow | (FYE) Fluorescent Yellow
- Body Substrate: .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- Compatibility: Butterfly shape fits in the center channel for protection from accidental damage or vandalism.
- Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.
- **MUTCD Guidance:** Meets the minimum MUTCD requirements for reflectivity.
- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.



W-Beam/Butterfly Guardrail Delineators

- W-Beam/Butterfly Style Reflectors provide effective guidance at night, in low light and adverse weather conditions.
- **Compatibility:** Fit in the center channel of guardrails for protection from accidental damage or vandalism.



Round Steel - Bolt On

- PRODUCT ID: RDGRD18(X)(XX)
- Reflectivity: Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- Reflective Sides (X) Colors (XX): (1)(WH) Single-Sided White (1)(YE) Single-Sided Yellow (2)(WY) Double-Sided White/Yellow Bi-Directional
- Size: 3.25" Diameter
- Body Substrate: Galvanized steel bracket w/plastic reflector



RDGRD-AGR

Round Poly - Glue On

- PRODUCT ID: RDGRDAGR(X)(XX)
- ♦ Reflectivity: Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- Reflective Sides (X): (1) One-Sided | (2) Double-Sided
- Colors (XX): (WH) White | (YE) Yellow
- Size: 3.25" Diameter
- Body Substrate: Polycarbonate bracket w/plastic reflector



RDGRD-567 Butterfly Steel - Bolt On

- PRODUCT ID: RDGRD567(X)(H)(XX)
- Reflective Sheeting: 8" sq in of (H) High Intensity Prismatic
- Reflective Sides (X) Colors (XX): (1)(WH) Single-Sided White (1)(YE) Single-Sided Yellow (2)(WH) Double-Sided White (2)(YE) Double-Sided Yellow (2)(WHYE) Double-Sided White/Yellow Bi-Directional
- Body Substrate: Galvanized Steel



BMGRD-567 **Butterfly Aluminum Bolt On Existing Guardrail**

BMGRD-818

Butterfly Aluminum Bolt On New Guardrail

RDGRD-717

Butterfly Poly - Bolt On

- ◆ PRODUCT ID: RDGRD(XXX)(X) (H) (XX)
- ◆ Reflective Sheeting: 8" sq in of (H) High Intensity Prismatic
- ♦ Install Type (XXX): (717) Bolt Slot | (721) Glue-On
- Reflective Sides (X): (1) Single-Sided | (2) Double-Sided
- Colors (XX): (WH) White | (YE) Yellow
- Body Substrate: Polycarbonate



Brite-Max A-Style Barrier/Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.



The Brite-Max A-Style
Delineators offer a
unique style for
the ultimate
in delineation.







- ◆ PRODUCT ID: BMG(ASTYLE)(X)(XX)(S/D)
- ♦ A-STYLE (A04)

Reflectivity: 18.5" sq in

Body Size: 10.375" x 4" x 4" in bent position. **Installation:** (2) 4" x 1.25" mounting surfaces, (2) 1/4" diameter holes for fasteners and

(6) 1/4" x 1 1/4" obround holes to assist with adhesion. **Compatibility:** Concrete barriers top mounting only.

♦ A-STYLE (A025)

Reflectivity: 11" sq in

Body Size: 6.5" x 4" x 2.5" in bent position.
Installation: (2) 4" x 3/4" mounting surfaces,
(2) 1/4" diameter holes for fasteners and
(4) 3/16" x 3/4" obround holes to assist with adhesion.
Compatibility: Concrete barriers mounting on top and/or on the side or guardrail post mount.

- 3M Reflective Sheeting (X):
 (H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- Reflective Colors (XX): (WH) White | (YE) Yellow (FYE) Fluorescent Yellow

- ◆ Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided
- ♦ **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- MUTCD Guidance: Meets the minimum MUTCD requirements for reflectivity.
- ♦ **NOTE:** Adhesive and hardware, sold separately.
- Utilize Brite-Max A-Style Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.



Brite-Max Utility-View Reflectors

- ◆ PRODUCT ID: BMUV(X)(XX)(XXXX)
- 3M Reflective Sheeting (X):
 (H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- ◆ Colors (XX): (YE) Yellow | (FY) Fluorescent Yellow | (WH) White (RE) Red | (OR) Fluorescent Orange | (FG) Fluorescent Yellow-Green
- Size (XXXX): (01536) 1.5" x 36" | (01560) 1.5" x 60" | (0436) 4" x 36" (0460) 4" x 60" | (0636) 6" x 36" | (0660) 6" x 60"
- ♦ Material: .040" Aluminum
- The flexible bands are designed to wrap around utility poles, as well as marking transformer covers, and other potential hazards for pedestrians and motorists. Suitable for both rural and urban areas.
- ◆ **Compatibility:** 36" long reflectors fit 11.46" diameter utility poles and 60" long reflectors fit 19.09" diameter utility poles.
- Installation: Reflectors can be cut with tin snips to mark poles with other diameters. The .040" aluminum is both rigid and flexible, which allows quick and easy installation around wood utility poles using roof nails, staples, or screws. A combination of these fasteners as well as adhesives can be used to mount them to other surfaces. Tools, hardware and adhesives, sold separately.
- Utility-View Reflectors can be ordered with VHB tape on the back, in other colors and with reflective or non-reflective numbers to better identify locations.



Utility-View Reflective Flexible Bands help increase safety by increasing visibility both day and night.







Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.

The Brite-Max Multi-View Delineator is the best delineator on the market for combined safety and durability.



- PRODUCT ID: BMGS(XXXX)(X)(XX)(S/D)
- Single-View Sizes (XXXX): (0415) 4" x 15" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity (0427) 4" x 27" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity (0327) 3" x 27" body with 3" x 12" reflective sheeting provides 36" square inches of reflectivity
 - Multi-View Sizes (XXXX): (MV0415) 3.75" x 15" x .75" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity (MV0427) 3.75" x 27" x .75" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity
- **3M** Reflective Sheeting (X): (H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- Colors (XX): (WH) White | (YE) Yellow | (FY) Fluorescent Yellow
- Reflective Sides (S/D): (S) Single-Sided (D) Double-Sided
- Body Substrate: Non-hinged .080" Aluminum provides long life in all climates in both work zone and permanent installations.

- The **Single-View** is a durable, economical marker that provides an efficient way to delineate guardrails day and night.
- The long term durability of aluminum backing plus the extreme angularity of the Multi-View profile combine to form an unbeatable product.
- **Compatibility:** Easy to install on wooden guardrail posts. Guardrail reflectors can be either adhesively or bolt mounted to metal quardrails.
- NOTE: Adhesive and hardware, sold separately.
- Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.



Guardrail Mount Delineators

Fits over steel I-beam guardrail posts



- I-Flex Hinged
- PRODUCT ID: RDGRDIFLEX12(H)(XX)(S/D)
- Reflective Sheeting: 3" x 4" with 12" sq in (H) High Intensity Prismatic
- Reflective Colors (XX) (WH) White | (YE) Yellow
- ♦ Sides (S/D) : (S) Single (D) Double
- Bi-Directional: (WHYE)(D) Double-Sided White/Yellow
- Body Substrate: Resin body & polyurethane hinge



Hinged

- PRODUCT ID: RDGRDSFLEX (H)(XX)(S/D)
- Reflective Sheeting: (H) High Intensity Prismatic
- Reflective Colors (XX) (WH) White | (YE) Yellow
- ♦ Sides (S/D): (S) Single-Sided (D) Double-Sided
- Body Size: 4" x 8.75"
- Body Substrate: Resin body & polyurethane hinge



Hinged

individually PRODUCT ID: RDGRDFR(X)(H)(XX)(S/D)

Available

- Body Size (X): (3) 3" x 5.75" with 12" sq in of sheeting or (4) 4" x 5.75" with 16" sq in of sheeting
- Reflective Sheeting: (H) High Intensity Prismatic
- Reflective Colors (XX) (WH) White | (YE) Yellow
- Sides (S/D): (S) Single | (D) Double
- Body Substrate: PVC body & polyurethane hinge



Straight-Flex

Non-Hinged

- PRODUCT ID: RDGRP(OPTIONS)
- **Body Color:** White
- **Body Size:** 3" x 13"
- **Reflective Sheeting: High Intensity Prismatic**
- **Reflective Colors:** White | Yellow
- **Sides:** Single | Double
- Reflective Sizes: 3" x 5"
- **Body Substrate: Resin**




Flex-Post



- RDGRPF(OPTIONS) **Body Colors:**
- Yellow, White, Grey
- Body Sizes: 3"x27" | 4"x27"
- Profiles: 3" Dual Curve or 3" or 4" Single Curve
- **Reflective Sheeting: High Intensity Prismatic**
- **Reflective Colors:** White, Yellow, Orange
- **Reflective Sizes:** 3" x 8" | 3" x 12"



Ground Mount Flex Delineators & Markers



Double Flat

Used on trails, secondary roads, or as an emergency 911 marker.


RPOFDGGDF(##)(XX)

Lengths (##):

(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown (WH) White | (YE) Yellow





Utilimark

Design with a thicker middle for easier installation into hard soil.

RPOFDGGFT(##)(XX)

Lengths (##):

(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown (YE) Yellow (WH) White (OR) Orange | (RE) Red (GR) Green | (BU) Blue







Optional Anchors

Fiberglass Anchor RPOFDGGZAGAI

For stability in soft or sandy conditions. Includes (1) one pre-installed fiberglass anchor.


Fiberglass Anchor Kit RPOFDGGZAGAK

Includes (10) ten anchors plus rivets for installation onto flexible markers.

Rivet Gun RHRBALMGUN

For installation of anchors to flexible markers with kit rivets.





Boundary Marker

Economical survey marker is designed for marking trails and boundaries.

RPOFDGGBS(##)(XX)

Lengths (##):

(66) 66" | (72) 72"

Color (XX): (OR) Orange





Triple Rail

Use as a roadway delineator or as a marker for buried utilities

RPOFDGGTF(##)(XX)

Lengths(##):

(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown | (YE) Yellow (WH) White (OR) Orange | (RE) Red (GR) Green | (BU) Blue













911 Marker

Utilimark, Double Flat and Triple Rail Markers are ideal as an emergency 911 marker.

4" Reflective **Die Cut Series B Letters & Numbers** DC(H)WHL04B

(H) High Intensity Prismatic. Other sizes



Boundary Marker Use Boundary Marker, Utilimark

or Triple Rail Markers for marking property. Over 90 legends available.

Boundary Decals RPOFDGGZD(R/V)(XX)

(R) High Intensity Prismatic (V) Non-Reflective Vinyl

Legends (XX):

(WPSM) Witness Post Survey Marker (PB) Property Boundary (ROW) Right of Way









Recreation Decals Standard & Customized Decals Available

Available for agencies such as National Park Service, Bureau of Land Management, Corps of Engineers, Department of the Interior, Fish and Wildlife Service, NOAA, Bureau of Indian Affairs, and National Forest Service. Call for details.



and options available. Fire Hydrant Marker



Reflective Decals

Add Reflective Sheeting **Decals to Ground Mount** Delineators.

RPOFDGGZRS(H)(X)(####)

Colors (X):

(W) White | (Y) Yellow

Sizes (####):

(0303) 3" x 3" | (0306) 3" x 6" (0309) 3" x 9" | (0312) 3" x 12"

Reflective Sheeting:

(H) High Intensity Prismatic



Fiberglass Snow Pole Markers

Composite fiberglass snow poles improve roadway demarcation for motorists and snow removal crews.

RDSNOWGR(XXX)(##)

Thickness (XXX): (316) 3/16" | (38) 3/8" Lengths (##): (72) 72" | (84) 84" | (96) 96"



Snow Pole Decals RDSNOWGZDV(XX)

(WL) Water Line (SM) Survey Marker (TC) Telephone Cable (WM) Water Meter (SFM) Sewage Force Main (GS) Gas Service (B) Boundary (CU) Custom Decal



Use Utilimark and

Double Flat Markers as a Fire Hydrant Marker to locate hydrants in low visibility areas.

Fire Hydrant Decal RPOFDGGZD(R/V)FH

(R) High Intensity Prismatic (V) Non-Reflective Vinyl

Installation and Removal Tools Also Available. Call for Details.



Tubular Markers & Tube Delineators



Choose from one of the 3 most popular Tubular Markers







RPOFDSNTM236WH2Y White Body/Yellow Sheeting



RPOFDSNTM236YE2Y Yellow Body/Yellow Sheeting

w/One Pin System, 2.25" OD tube,

36" tall Marker and 2 HIP reflective bands.

Option: use one of our Easy Order Checklists found below to customize your order.







Surface Mount Tube Delineator







Surface Mount Tubular Marker

Easy Order Checklist - Standard Options

Follow the steps below to build your own standard tubular marker or tube delineator to suit your specific needs.

Standard Features: Surface Mount Base

STEP 1 Choose a Mounting Style

- ☐ **Ground Mount Base** 2-Part System: 1. Drivable Ground Anchor and 2. Replaceable Flex Delineator
- ☐ Surface Mount Base One Pin System: Simple installation base is included with replaceable tube for low maintenance cost.

STEP 2 Choose a Tube Style

- ☐ **Tubular Marker** 2.25" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes.
- ☐ **Tubular Marker** 3" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes. (available in 36" height only)
- ☐ **Tube Delineator -** 2.25" OD tube for use as a delineator. Comes with 3" x 12" HIP reflective decals.

STEP 3 Choose a Height

Height: □36" □42" □48"

STEP 4 Choose a Tube Color

Body Color: □ White □Yellow □Orange

STEP 5 Choose HIP Reflective Color

Tube Delineators

Tubular Markers

Side 1: □White □Yellow □Orange

2 Bands: □White □Yellow **□**Orange Side 2: □NONE □White □Yellow □Orange

In accordance with MUTCD **Tubular Markers versus Tube Delineators**

Tubular Markers and Tube Delineators are highly visible day

or night, remain flexible at extreme temperatures, and return

upright after impact. Approved by most state DOT's.

Delineator: a retroreflective device mounted on the roadway surface or at the side of the roadway in a series to indicate the alignment of the roadway, especially at night or in adverse weather.

Tubular Markers may be effectively used for emphasis of pavement marking patterns including • opposing lane dividers of traffic • dividing traffic when two or more lanes are kept open in the same direction • channelizing traffic in exit only applications • urban turn restrictions • indicating changes of alignment in the roadway • delineating edge of pavement drop off where space limitations do not allow the use of larger systems.

- Shall be made of a material that can be struck without causing vehicle damage.
- Day and low speed roadways (40 MPH or less). Requirements: 18" minimum height with at least (1) one 3" retro-reflective stripe.
- Night and high speed roadways (45 MPH or higher) Requirements: 28" minimum height with (2) two retro-reflective stripes that are between 2" - 3" wide.
- Channelizer Stripes shall begin 2" from the top and have 2" - 6" between stripes
- Marker Tube Diameter shall be a minimum of 2" with 2" - 3" outside diameters being the most common.
- Tubular Markers shall have permanently affixed bases or have weighted portable bases.
- Lane separators shall be crashworthy.
- In TTC work zones, Tubular Markers should only be used where space restrictions do not allow more visible devices.

Helpful Hint:

- White Reflective Sheeting separates same direction traffic flow or supplements right edge white lines.
- Yellow Reflective Sheeting separates opposite direction traffic flow or supplements left edge yellow lines.

Tubular Markers & Tube Delineators



Patented reactive spring system allows markers to withstand multiple impacts. The premium level of durability translates into an extended life cycle, decreased product maintenance costs, and reduced labor/personnel service demands.

IMPACT recovery





PART 1: Easy Order Checklist - Premium Tops

Follow the steps below to **build your own multi-purpose premium tubular marker or tube delineator** to suit your specific needs.

STEP 1 Choose a Tube Style

- ☐ **Tubular Marker** 2.375" OD tube for use as a channelizing device. Short squeezed top keeps out weather and debris. Comes with 2 bands of HIP reflective stripes.
- ☐ **Tube Delineator** 2.375" OD tube is flattened into a long squeezed top for use as a delineator. Comes with 1 or 2, 3" x 12" HIP reflective decals.

NOTE: The 2.375" Multi-Purpose Post is most commonly used with 3" and 4" Tuff Post also available.

STEP 2 Choose a Height

Height: □36" □48"

STEP 3 Choose a Tube Color

Body Color: □White □ Yellow □Orange

STEP 4 Choose a Reflective Color

Tube Delineators Tubular Markers

 Side 1: □White □Yellow □Orange
 2 Bands: □White □Yellow

 Side 2: □NONE □White □Yellow □Orange
 □Orange

STEP 5 Choose a Mounting Style

Mounting Style: □ Fixed □ Quick Release □ Drivable






Features Impact Recovery System's exclusive patented, anti-twist reactive spring system.

PART 2: Easy Order Checklist - Mounting Bases



Bases & Accessories for Quick Release Mounting Style





- ☐ Quick Release Base Surface Mount
 Body Color: ☐ Black ☐ Yellow ☐ White
- ☐ Portable One Base 100% Recycled Rubber
- Anchor Kit includes 4 lag screws (installs 1 base)
 See Marker Adhesives on page 105 for alternate anchor systems.
- ☐ Quick Release Replacement Pin
- ☐ Quick Release Lane Separator 40" long

Curb Style: ☐ Tuff Curb ☐ Tuff Curb XLP

Body Color: □ White □ Yellow

Reflectors: ☐ 2-Way Red/White ☐ 1 Way White

☐ 2-Way White/White ☐ 2-Way Yellow/Yellow

□ Lane Separator Tuff Curb End Cap - 18" long
Body Color: □ White □ Yellow

Bases & Accessories for Fixed Mounting Style

- ☐ Fixed Base Surface Mount Body Color: ☐ Black ☐ Yellow ☐ White
- Anchor Kit includes 4 lag screws (installs 1 base)
 See Marker Adhesives on page 105 for alternate anchor systems.
- ☐ Fixed Lane Separator 40" long

Curb Style: □Tuff Curb □Tuff Curb XLP

Body Color: □ White □ Yellow

Reflectors: □ 2-Way Red/White □ 1 Way White

□ 2-Way White/White □ 2-Way Yellow/Yellow

□ Lane Separator Tuff Curb End Cap - 18" long Body Color: □ Yellow □ White

Bases for Drivable Mounting Style

☐ **Drivable Base** - Ground Mount

Custom Products Corporation

P.O. Box 54091 Jackson, MS 39288-4091 www.cpcsigns.com



PRST STD U.S. Postage **PAID** Custom Products Corporation

PM01-CAT16







Mail:

P.O. Box 54091 Jackson, MS 39288-4091

Shipping:

1120 Flowood Dr. Jackson, MS 39232

EMAIL sales@cpcsigns.com



find us on social media













CPCGo! - mobile app

Sales:

1-800-367-1492 (Voice)

1-601-932-5854 (Voice)

1-800-206-3444 (Fax)

1-601-932-7178 (Fax)

WEBSITE

www.cpcsigns.com