





1-800-367-1492 · www.cpcsigns.com









COMPONENTS

CUSTOM STREET NAME PROGRAM

The modular nature of the custom street name program components allows you to customize and coordinate your street name signs, wayfinding signs, mailboxes, entrance signs, and more while creating a decorative look for your town or neighborhood.














Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Increase safety with time-tested HI-VIZ Conspicuity Yellow





U-Channel Posts

- Most popular and widely used post system.
- Manufactured from high tensile steel using recycled railroad tracks.
- Green posts are typically used in rural areas.
- Galvanized posts are more popular for use in urban areas.
- Powder painted posts are used for a decorative look in cities, towns, businesses, parks and recreation areas.
- Semi-gloss black powder coat is available as standard option.
- Use compatible breakaway systems, brackets, bases, caps & finials to personalize and complete your system.

| | Substrate | Color | Length | Weight/Foot | ITEM CODE | Post Punch |
|----------|-------------------|---------|--------|-------------------|-----------------|--------------------------------|
| | | | 3.5FT | 2LB | RPOCG0352* | *Base posts |
| | | | 6FT | 1.12LB Delineator | RPOCG061 | for breakaway feature. |
| | | | 7FT | 1.12LB Delineator | RPOCG071 | |
| 1130 | // | | 6FT | 2LB | RPOCG062 | |
| | 1 | Silver | 8FT | 2LB | RPOCG082 | Posts are punched |
| 1/2/1/1 | | Silver | 9FT | 2LB | RPOCG092 | full length with 3/8" holes |
| | Quick SHIP | | 10FT | 2LB | RPOCG102 | on 1" centers. |
| | Punched Galva- | | 12FT | 2LB | RPOCG122 | |
| | nized Steel | | 12FT | 3LB | RPOCG123 | |
| | Post | | 14FT | 3LB | RPOCG143 | |
| | Substrate | Color | Length | | ITEM CODE | Post Punch |
| | SHIP) | | 3.5FT | 2LB | RPOCP0352* | *Base posts |
| | | | 6FT | 1.12LB Delineator | RPOCP061 | for breakaway feature. |
| | | | 6FT | 2LB | RPOCP062 | Posts are punched full length |
| 12 3 / 1 | | Painted | 7FT | 2LB | RPOCP072 | |
| | | Green | 8FT | 2LB | RPOCP082 | with 3/8" holes |
| | Steel Post | | 10FT | 2LB | RPOCP102 | on 1" centers. |
| | | | 12FT | 2LB | RPOCP122 | |
| | Substrate | Color | Length | | ITEM CODE | Post Punch |
| 15 | | Silver | 3.5FT | 2LB | RPOCG0352* | *Base posts |
| | | | 6FT | 2LB | OPOZARPOCP062BK | for breakaway feature. |
| | | Powder | 8FT | 2LB | OPOZARPOCP082BK | Posts are punched |
| | Punched | Painted | 10FT | 2LB | OPOZARPOCP102BK | full length with 3/8" holes |
| | Steel Post | Black | 12FT | 2LB | OPOZARPOCP122BK | on 1" centers. |
| | | | 12FT | 3LB | OPOZARPOCP123BK | |

U-CHANNEL POSTS · BRACKETS · HARDWARE

U-Channel Post Anchors & Break-A-Way Systems



Safety Splice System



- Ingeniously simple design by Chicago Heights Steel.
- **FHWA & AASHTO** approved.
- Two special bolts & spacers join base post to top post.

| Description | Couples Anchor to Post | ITEM CODE | | | |
|----------------------|---------------------------|--------------------|--|--|--|
| Safety Splice System | 1 to 21/2 lbs | RPOCZSAFETYSPLICE | | | |
| | 3 to 4 lbs | RPOCZSAFETYSPLICE3 | | | |



Lap Splice System

- Economical breakaway system by Marion Steel.
- FHWA & AASHTO approved.
- Two special bolts & spacers join base post to top post.

| Description | Couples Anchor to Post | Color | ITEM CODE |
|---|---------------------------|--------|-----------------|
| Lap Splice System Size: 3/8" x 3/4" x 5" | 2 to 21/2 lbs | Silver | RPOCZLAPSPLICE |
| Lap Splice System Size: 1/2" x 3/4" x 5" | 3 to 4 lbs | Gold | RPOCZLAPSPLICEG |




Snap'n Safe Surface Mount



- Made of cast gray iron, and withstands winds of 120 mph.
 - EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) bolts.
- Installation hardware included.

| Description | escription | | Couples Anchor to Post | | Color | ITEM CODE |
|---|------------|--|------------------------------|--|--------|-------------------|
| Snap'n Safe Surface Mou U-Channel P | | | 2 to 4 lbs | | Silver | RPOCZSMUSNAPNSAFE |
| | | | | | | |







Galvanized anchor plate keeps post firmly in place.

| W ₁₁ // " * | \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ \\ | |
|--|--|----------------|
| Description | Fits Post Size | ITEM CODE |
| Anchor Plate Size: 7" x 4" Weight: 0.5 lbs | 2 to 4 lbs | BA080APLATEUCH |



Snap'n Safe Coupler



- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply insert Coupler in anchor and bottom of sign post and assemble with (4) bolts.
- Installation hardware included.

| Description | Couples Anchor to Post | Color | ITEM CODE |
|---|---------------------------|--------|----------------|
| Snap'n Safe Coupler for U-Channel Posts | 2 to 4 lbs | Silver | RPOCZSNAPNSAFE |



Anchor Screws




| Description | Size | For Surface Types | Color | ITEM CODE |
|-------------------------------|---------------|----------------------|--------|-------------|
| | 1/2" x 4" | Concrete | | RHSMSCA1240 |
| Surface Mount Anchor Screw | 3/8" x 2-1/2" | 1/2" Concrete | Silver | RHSMSCA3825 |
| | 3/8" x 4" | Asphalt | | RHSMSCA3840 |



Sign Savers

Installing 3" x 3" Sign Savers between the sign and post or between sign and a chain link fence prevents bending of signs from over tightening.









Surface Mount Breakaway Bases









U-Channel Post Brackets















5½" 90°/180° Caps





| - | 11 |
|---|-------------|
| | 180° Cap |
| у | |
| | |

| sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under. | | | | | | |
|--|-------------------|--------|---------------------------|--|--|--|
| Description | Fits Post Type | Color | ITEM CODE | | | |
| 5-1/2" | | Silver | RPB91U(F/X)-OL90 (50/BOX) | | | |
| 90° Cap | | Powder | OSIZ1U90P91U(F/X)OLBK | | | |

| | limits of 25 MPH or under. | | | | |
|--------------------|----------------------------|-------------------------|----------------------------------|--|--|
| Description | Fits Post Type | Color | ITEM CODE | | |
| 5-1/2" | U-Channel | Silver | RPB91U(F/X)-OL90 (50/BOX) | | |
| 90° Cap | | Powder Painted Black | OSIZ1U90P91U(F/X)OLBK | | |
| E 1/2" | | Silver | RPB91U(F/X)-NU180 (30/BOX) | | |
| 5-1/2" 180° Cap | Powder | OSIZ1U180P91U(F/X)NUBK | | | |

Painted Black





up to .125" or (X) Extruded sign blades. Aluminum Jumbo brackets support the



| Description | Fits Post Type | Color | ITEM CODE | |
|-------------|-------------------|-------------------------|----------------------------|--|
| 12" Jumbo | U-Channel | Silver | RPB412U(F/X)OL90 (30/BOX) | |
| 90° Cap | | Powder Painted Black | OSIZ1U90J412U(F/X)OLBK | |
| 12" Jumbo | | Silver | RPB412U(F/X)NU180 (30/BOX) | |
| 180° Cap | | Powder Painted Black | OSIZ1U180J412U(F/X)NUBK | |








5½" Crosspieces

5-1/2" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

OSIZ1U180P91U(F/X)NUBK



| Description | For Post Type | Color | ITEM CODE |
|----------------------|---------------|-------------------------|----------------------|
| 5-1/2" Crosspiece | Universal | Silver | RPB990(F/X) (50/BOX) |
| | | Powder Painted Black | OSIZ1CRP990(F/X)BK |



stack signs at roadway intersections. 12" slot includes hardware for (F) Flat

up to .125" or (X) Extruded sign blades. Aluminum Jumbo brackets support the larger street name signs with 6" high copy.

| Description | For Post Type | Color | ITEM CODE |
|-------------------------|---------------|-------------------------|------------------------------|
| 12" | | Silver | RPB412C(F/X) (10/BOX) |
| 12" Jumbo Crosspiece | Universal | Powder Painted Black | OSIZ1CRJ412C(F/X)BK |





4" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

Use the aluminum cross separator to stack signs at roadway intersections.

| Description | For Post Type | Color | ITEM CODE |
|-----------------------------------|---------------|-------------------------|------------------------------|
| Aluminum | | Silver | RPB457(F/X) (100/BOX) |
| 45° or 180° Cross Separator | Universal | Powder Painted Black | OSIZ1CRP457(F/X)BK |





3%" Econo 180° Cap

3-3/8" slot includes hardware for Flat sign blades.

Super Economy Aluminum Bracket for tight budgets or short-term projects.

| Description | Fits Post Type | Color | ITEM CODE | |
|----------------|----------------|--------|-----------------------|--|
| Econo 180º Cap | U-Channel | Silver | RPBROKPRUF1 (100/BOX) | |









3%" Econo Crosspiece

3-3/8" slot includes hardware for Flat sign blades.

Use the aluminum econo crosspiece to stack signs at roadway intersections.



| Description | Fits Post Type | Color | ITEM CODE |
|------------------|----------------|--------|-------------------------|
| Econo Crosspiece | Universal | Silver | RPB390 (100/BOX) |




































Bracket Set Screws & Tools



- Secure street name sign to sign brackets.
- An Allen Wrench Tool required to install set screws.







| Description | Color | ITEM CODE |
|---|--------|--------------------|
| 5/16" Standard Set Screw (100/BOX) | | RHBSK56 |
| 5/16" Center Pin Set Screw (100/BOX) | Silver | RHBPRP38 |
| 5/16" Stainless Steel Set Screw (100/BOX) | | RHBSSK56 |
| Stainless Steel Set Screw (single) | Black | OZHRHBSSK56BLACK |
| Stainless Steel Set Screw (3 pack) | Zinc | OZHRHBSSK56BLACKPK |
| T-Style Allen Wrench Tool for Set Screws | | RHBSSKT100 |
| L-Style Allen Wrench Tool for Set Screws | | RHBSSKF100 |



Vandal Resistant Bolts & Tool



| Description | ITEM CODE | |
|---|-------------|--|
| Button Head Vandal Resistant Bolt 5/16" x 3/4" (100/Box) | RHBHP76 | |
| 12 Point Vandal Resistant Bolt 5/16" x 1/2" (100/Box) | | |
| 12 Point Tool for RHBVPA12 | RHBVPA12T43 | |

Cherry-Mate Rivets & Rivet Gun







| Description | Fits Post Size | ITEM CODE |
|-----------------------|----------------|--------------|
| #18 Cherry-Mate Rivet | 1.12 lbs | RHRBALM8BP18 |
| #26 Cherry-Mate Rivet | 2 lbs | RHRBALM8BP26 |
| #30 Cherry-Mate Rivet | 21/2 lbs | RHRBALM8BP30 |
| #34 Cherry-Mate Rivet | 3 to 4 lbs | RHRBALM8BP34 |
| Rivet Gun | | RHRBALMGUN |

Semi-Custom Hardware Systems



Pre-Packaged Hardware

Make aluminum sign installation easy by using one of our semi-customized hardware systems. Choose a bolt, nut and washer style in each system to create your own semi-custom packages. Typically Sold in Boxes of 100

Make aluminum sign installation easy by using one of our hardware packages. Each package is pre-sized to ensure adequate fit to the post.

Vandal

Resistant

Packages

Standard System





RHB51625H 5/16" x 2-1/2" Zinc Hex Bolt



RHW516NYLON 5/16" Nylon Washer



RHW516LOC 5/16' Zinc Lock Washer



5/16" Zinc Nut

Vandal Resistant System

RHB51625OW

One-Way

Tamper Bolt

5/16" x 2-1/2'

RHB51625C 5/16" x 2-1/2" RHB51630CAT

5/16" x 3"

Zinc Carriage Bolt

RHW516NYLON

5/16" Nylon Washer

RHN516VPA - Econo

5/16" Breakaway

Vandal Proof Nut

RHN516VPAPREMIUM

5/16" Breakaway

Vandal Proof Nut

Made In The U.S.A.











RHTB25 5/16" x 2-1/2" Tuf Bolt



RHW516NYLON 5/16" Nylon Washer



5/16" Tufnut







Resistant Nut

RHTN31 5/16" Tufnut



RHW516 5/16" Zinc Washer



RHN516FLUTEDT2 **Tool For Fluted Nut**





Package for mounting signs to 1.12# delineator posts RH0112E01 1 sign to post

RH0112E10

10 signs to posts

Package for mounting signs to 2-3# u-channel posts RH023E01 1 sign to post

RH023E10

10 signs to posts

Package for mounting signs to 1.12# delineator posts RH0112V01 1 sign to post RH0112V10 10 signs to posts

Package for mounting signs to 2-3# u-channel posts RH023V01 1 sign to post RH023V10 10 signs to posts



Vandal





Package for mounting signs to 1.12# delineator posts RH0112PSV01 1 sign to post RH0112PSV10 10 signs to posts

Package for mounting signs to 2-3# u-channel posts RH023PSV01 1 sign to post RH023PSV10 10 signs to posts




















Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Increase safety with time-tested HI-VIZ **Conspicuity Yellow**



- Round Posts are commonly used for a decorative look.
- ◆ 2-3/8" O.D. round posts are good for small sign installation projects.
- ♦ 3" O.D. and 4" O.D. round posts are ideal for larger projects.
- Available in steel or aluminum and smooth or fluted styles.
- Semi-gloss black powder coat is available as standard option.
- Use compatible breakaway systems, brackets, bases, caps & finials to personalize and complete your system.

NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

| | | 200 | | | | | |
|----------|--------------------------|-------|---------------------------|-------------------|------------|-----------------------------------|--|
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes |
| | Smooth | | | | 10′(120") | RPORG10 TOP SELLER Ouick | |
| | Galvanized Steel Post | 23/8" | Ideal for Parking Lots | Silver | 12′(144") | RPORG12 | NONE |
| | Smooth | 0.D. | 16 Gauge | Powder | 10′(120") | OPOZARPORG10BK | NONE |
| | Steel Post | 0.5. | (.065") | Painted Black | 12′(144") | OPOZARPORG12BK | |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes |
| | | | _ | | 10' (120") | OPOR3S1014BK(XX) | |
| | Smooth Steel Post | | 14 Gauge (.0785") | | 12′ (144") | OPOR3S1214BK(XX) | (XX) No Holes (P0) or P8 Holes* = (P) (P2) (P3) |
| | | 3" | () | Powder Painted | 14′ (168") | OPOR3S1414BK(XX) | |
| | Smooth | O.D. | | Black | 10' (120") | OPOR3AS10125BK(XX) | 000 11 11 (50) |
| | Aluminum | | .125" | | 12′ (144″) | OPOR3AS12125BK(XX) Quick SHIP | (XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3) |
| | Post | | | | 14' (168") | OPOR3AS14125BK(XX) | (* / (* = / (* = / |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes |
| | | | | | 10′ (120″) | XRORTALRF1253120 | |
| | | | | Silver | 12'(144") | XRORTALRF1253144 | NONE NONE |
| | Fluted Aluminum | 3" | .125" | | 14' (168") | XRORTALRF1253168 | |
| | Post | O.D. | .123 | Powder | 10' (120") | OPOR3AF10125BK(XX) | (XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3) |
| 114.17 | | | | Painted | 12' (144") | OPOR3AF12125BK(XX) Quick SHIP | |
| The Land | | | | Black | 14' (168") | OPOR3AF14125BK(XX) | |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes |
| | Smooth | | 11 Carra | | 10′ (120") | OPOR4S1011BK(XX) | (VV) No Holos (DO) or |
| | Steel Post | | 11 Gauge (.125") | | 12′ (144") | OPOR4S1211BK(XX) Made to Order | (XX) No Holes (P0) or 8 Holes* = (P) (P2) (P3) |
| | | 4" | | Powder Painted | 14′ (168") | OPOR4S1411BK(XX) | |
| | Smooth | O.D. | | Black | 10′ (120″) | OPOR4AS10125BK(XX) | (XX) No Holes (P0) or |
| | Aluminum Post | | .125" | | 12′ (144″) | OPOR4AS12125BK(XX) Made to Order | 8 Holes* = (P) (P2) (P3) |
| | Post | | | | 14′ (168″) | OPOR4AS14125BK(XX) | |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes |
| | Fluted | 4" | | Powder | 10′ (120″) | OPOR4AF10125BK(XX) | (XX) No Holes (P0) or |
| | Aluminum | 0.D. | .125" | Painted Black | 12′ (144″) | OPOR4AF12125BK(XX) Made to Order | 8 Holes* = (P) (P2) (P3) |
| | | | | Diack | 14' (168") | OPOR4AF14125BK(XX) | |

ROUND POSTS • BRACKETS • HARDWARE

Round Post Anchors & Break-A-Way Systems



| Description | Color | ITEM CODE |
|--|----------------------------|-----------------|
| Surface Mount Assembly | | RPORZSM238SB200 |
| 1/2" x 4" Anchor Screws - Concrete | Cibran | RHSMSCA1240 |
| 3/8" x 2-1/2" Anchor Screws - Concrete | schor Screws - Concrete | |
| 3/8" x 4" Anchor Screws - Asphalt | | RHSMSCA3840 |
| Surface Mount Assembly | Powder Painted Black | OPOR238SSMBK |







- Made of cast gray iron, and withstands winds of 120 mph.
- FASY INSTALLATION: Simply insert Coupler in anchor and tighten with set screws.
- Installation hardware included.

| Description | Color | ITEM CODE |
|---|--------|----------------------|
| Snap'n Safe Coupler fits 8 to 12 gauge steel 2-3/8" round posts | Cil | RPORZSNAPNSAFE238081 |
| Snap'n Safe Coupler fits 13 to16 gauge steel 2-3/8" round posts | Silver | RPORZSNAPNSAFE238131 |



Breakaway System V-Loc Anchor Kits



- Flush Mount helps prevent vehicle rollovers.
- NCHRP-350 APPROVED: post breakaways when hit.
- Guaranteed Re-usability saves time and money.
- Stabilizer Bar & Bolt for anti-twist and turning.
- Yield and release method allocates time for post to pop up, allows drivers to drive thru.
- NOTE: V-loc soil mounts do not require concrete.

| | Ground Type | Fits Post Size | ITEM CODE | | |
|---|----------------------|--|-----------------|--|--|
| | Existing Concrete | | RPORZVR123820R | | |
| | Soft Soil | 2 ³ / ₈ " | RPORZVR323R | | |
| ı | Soil | O.D. | RPORZVRB23VR2 | | |
| | Soil w/clean-out bar | 0.5. | RPORZVRB23VR2B | | |
| | New Concrete | | RPORZVR1P330RNC | | |
| | Soft Soil | 3" o.d. | RPORZVR330R | | |
| | Existing Concrete | | RPORZVR330RC | | |



Surface Mount



| | Description | Fits Post Size | Color | For Post Substrate | ITEM CODE |
|---|-------------|-------------------|------------------|-----------------------|-------------|
| | Surface | 2 0 | | Aluminum | OPOR3ASMWBK |
| | Mount | | Powder | Steel | OPOR3SSMWBK |
| | Welded | 411 | Painted Black | Aluminum | OPOR4ASMWBK |
| İ | Base Plate | 4" o.d. | J.u.c.i. | Steel | OPOR4SSMWBK |



POZ-LOC® Socket System

POZ-LOC® Socket System - a simple, cost effective way to install small signs without digging, concrete, threading, or nuts and bolts. Simple to use, a socket assembly

| includes a 27" socket and wedge. Post Sold Separately. | | | |
|--|--------|--------------------|--|
| Description | Color | ITEM CODE | |
| Assembly (includes Socket & Wedge) | Silver | RPORZPOZLOCSW | |
| Socket Only | | RPORZPOZLOCZSOCKET | |
| Wedge Only | | RPORZPOZLOCZWEDGE | |



Snap'n Safe Surface Mount

- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) bolts.
- Installation hardware included.

| Description | Color | ITEM CODE |
|---|--------|---------------------|
| Snap'n Safe Surface Mount fits 8 to 16 gauge steel 2-3/8" round posts | Silver | RPORZSM238SNAPNSAFE |



Anchor Plate

Solve your round post anchoring problem with these anchor plates designed to keep post from turning and reducing the need for concrete.

| Description | Fits Post Size | ITEM CODE |
|---|------------------|----------------|
| Anchor Plate Size: 7.75" x 6.0" Weight: 0.3 lbs | 23/8" to 3" O.D. | BA080APLATE238 |
| Self Tapping Metal Scr | RH141HEX | |
| Driver for Screws | | RH141HEXSETTER |



Surface Mount Breakaway Bases



Universal Stub for Round, U-Channel and Square Post 1.75" or larger

| Description | Fits Post Type | Color | ITEM CODE |
|---|----------------|-------------------|---------------------|
| 15" Diameter Surface Mount Breakaway Base | Universal | Silver | RPOGPBSB100 |
| Replacement Stub | | | RPOGPBSB100ZRS |
| 15" Diameter Surface Mount Breakaway Base | | Powder Painted | OPOZEUGPBSB100BK |
| Replacement Stub | | Black | OPOZEUGPBSB100ZRSBK |
















5½" Post Caps



designed for street name sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under.

| Description | Fits Post Size | Color | ITEM CODE |
|-------------|----------------|-------------------------|-----------------------------|
| | 23/8" | Silver | RPB922(F/X) (50/BOX) |
| 5-1/2" | 0.D. | Powder Painted Black | OSIZ1R238P922(F/X)BK |
| Post Cap | 3" O.D. | Silver | RPB993(F/X) (50/BOX) |
| | | Powder Painted Black | OSIZ1R3P993(F/X)BK |











5-1/2" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

> Use the aluminum crosspieces to stack signs at roadway intersections.

| Description | For Post Type | Color | ITEM CODE |
|-------------|---------------|-------------------------|-----------------------------|
| 5-1/2" | | Silver | RPB990(F/X) (50/BOX) |
| Crosspiece | Universal | Powder Painted Black | OSIZ1CRP990(F/X)BK |



4" Cross Separators Adjustable 45° or 180°

4" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

Use the aluminum cross separator to stack signs at roadway intersections.

| Description | For Post Type | Color | ITEM CODE |
|----------------------|---------------|---------------|-----------------------|
| Aluminum | Universal | Silver | RPB457(F/X) (100/BOX) |
| 45° or 180° Cross | | Powder | OSIZ1CRP457(F/X)BK |
| Separator | | Painted Black | OSIZ ICKF 437 (F/X)BR |







3%" Econo Post Cap

3-3/8" slot includes hardware for Flat sign blades.

Super Economy Aluminum Bracket for tight budgets or short-term projects.

| Description | Fits Post Size | Color | ITEM CODE |
|----------------|----------------|--------|----------------------|
| Econo Post Cap | 23/8" O.D. | Silver | RPBROKPRUF2 (50/BOX) |







si

| 3-3/8" slot includes hardware for Flat sign blades. | |
|---|--|
| Jse the aluminum econo crosspiece to stack | |
| igns at roadway intersections. | |

| Description | Fits Post Type | Color | ITEM CODE |
|------------------|----------------|--------|------------------|
| Econo Crosspiece | Universal | Silver | RPB390 (100/BOX) |





Jumbo Post Caps

12" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

Aluminum Jumbo brackets support the larger street name signs with 6" high copy.

| Description | Fits Post Size | Color | ITEM CODE |
|-------------|----------------|-------------------------|-------------------------------|
| | 23/8" | Silver | RPB412R(F/X)238 (25/BOX) |
| 12" Jumbo | O.D. | Powder Painted Black | OSIZ1R238J412R(F/X)BK |
| Post Cap | 3" | Silver | RPB412R(F/X)3 (25/BOX) |
| | 0.D. | Powder Painted Black | OSIZ1R3J412R(F/X)BK |









Jumbo Crosspiece

Use these aluminum crosspieces to stack signs at roadway intersections. 12" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

> Aluminum Jumbo brackets support the larger street name signs with 6" high copy.

| Description | For Post Type | Color | ITEM CODE |
|-------------|---------------|-------------------------|------------------------------|
| 12" Jumbo | | Silver | RPB412C(F/X) (10/BOX) |
| Crosspiece | Universal | Powder Painted Black | OSIZ1CRJ412C(F/X)BK |





Bracket Set Screws & Tools

An Allen Wrench Tool required to install set screws.

Secure street name sign to sign brackets.



Description







| 5/16" Standard Set Screw (100/BOX) | /16" Standard Set Screw (100/BOX) | | | |
|---|-----------------------------------|--------------------|--|--|
| 5/16" Center Pin Set Screw (100/BOX) | Silver | RHBPRP38 | | |
| 5/16" Stainless Steel Set Screw (100/BOX) | | RHBSSK56 | | |
| Stainless Steel Set Screw (single) | Black | OZHRHBSSK56BLACK | | |
| Stainless Steel Set Screw (3 pack) | Zinc | OZHRHBSSK56BLACKPK | | |
| T-Style Allen Wrench Tool for Set Screws | | RHBSSKT100 | | |
| L-Style Allen Wrench Tool for Set Screws | | RHBSSKF100 | | |





Vandal Resistant Bolts & Tool



| Description | ITEM CODE |
|---|-------------|
| Button Head Vandal Resistant Bolt 5/16" x 3/4" (100/Box) | RHBHP76 |
| 12 Point Vandal Resistant Bolt 5/16" x 1/2" (100/Box) | RHBVPA12 |
| 12 Point Tool for RHBVPA12 | RHBVPA12T43 |



Sign Savers

Installing 3" x 3" Sign Savers between the sign and post or between sign and a chain link fence prevents bending of signs from over tightening.













U-bolt clamps for mounting a traffic sign on a round post. Includes hardware.

| Description | Fits Post Size | Color | ITEM CODE |
|--------------------------------|--------------------|-------------------------|--------------------|
| | 23/8" | Silver | RPBZUBCLAMP238 |
| U-Bolt Clamps (Set of 2) | 0.D. | Powder Painted Black | OTSBZR238UBCLAMPBK |
| | 3" | Silver | RPBZUBCLAMP3 |
| | O.D. | Powder Painted Black | OTSBZR3UBCLAMP3BK |
| | 4 " O.D. | Silver | RPBZUBCLAMP4 |
| | | Powder Painted Black | OTSBZR4UBCLAMP4BK |











| Description | Fits Post Size | Color | ITEM CODE |
|---------------------------------------|---------------------|----------------------------|----------------------|
| Da alcha Da alc | | Silver | RPBZBB832 |
| Back to Back Bracket (Set of 2) | 2 ¾" O.D. | Powder Painted Black | OTSBZR238PPBZBB832BK |









Single Brackets

Interlocking Bracket for mounting 1 sign to a round post.

| | Description | Fits Post Size | Color | ITEM CODE |
|------|----------------------------------|---|--------|--------------|
|)=== | Single Brackets (Set of 2) | 2 ³ / ₈ " 0.D. | Silver | RPBZ238 |
| 48 | | | | |







Sign Panel Brackets



- (4) Sign Panel Brackets required to support larger signs mounted between two posts.
- (2) Sign Panel Brackets required to cantilever mount a sign to one post (also know as flag mount)
- Hardware Included: (2) 5/16" Set Screws

| Description | Fits Post Size | Color | ITEM CODE |
|--------------------------------|----------------------|----------------------------|-------------|
| | 23/8" O.D. | | OSIZ5SPR2BK |
| | 3" O.D. | Powder Painted Black | OSIZ5SPR3BK |
| Aluminum Sign Panel Bracket | 4" O.D. | | OSIZ5SPR4BK |







Bell Wing Brackets

- **Aluminum Bell Wing Brackets** designed for wall, concrete, wood or any post such a signal or utility posts with 3/4" strapping, bolts or 5/16" lag screws or spikes.
- Sign attaches with 5/16" bolts.

| Н | Hardware NOT Included. | | | | | | |
|------|-----------------------------|----------------|---------|---------|--------------------|------------------|--------------------|
| Size | Description | Fits Post Type | | Color | ITEM CODE | | |
| 12" | | | | | RPBCTBW12 (50/BOX) | | |
| 18" | Dall Marina | Dall Win n | ARE JND | JARE | ARE | Silver | RPBCTBW18 (50/BOX) |
| 24" | Bell Wing Bracket | SQUARE | | | | QN QN | |
| 12" | (12" requires single strap) | | ROU | ROL | Powder | OSIZ2UNPCTBW12BK | |
| 18" | sirigie strup) | | | Painted | OSIZ2UNPCTBW18BK | | |



24"





#4 Wing Brackets



- The #4 Aluminum Wing Bracket is designed for wall or post mount of up to .125 gauge flat or extruded signs with 3/4" strapping or bolts, lag screws, or spikes in 2 - .4375 diameter holes.
- *Includes hardware to attach sign to bracket.*

| Description | Fits Post Type | | Color | ITEM CODE |
|---|----------------|--------|----------------------------|---------------|
| #4 Wines Dun alcoh | щ | Silver | RPBCT4 (50/BOX) | |
| #4 Wing Bracket Size: 4.5" tall x 2.5" wide | SQUARE | ROUND | Powder Painted Black | OSIZ2UNPCT4BK |


























OSIZ2UNPCTBW24BK





Round Post Brackets











24" Cantilever

Wing Brackets

Requires a "P2"

post hole punch

Aluminum Cantilever Wing Brackets are designed for Flat up to .125" or Extruded sign blades.

Strap or bolt to post, wall, concrete or wood.

> Includes hardware to attach sign to bracket.

NOTE: For fastest service a "P0" post hole pattern can be ordered and field drilled hole pattern needed for wing brackets.

> 36" Cantilever Wing Brackets Requires a "P3" post hole punch

30" Cantilever Wing Brackets Requires a "P3" post hole punch

| Description | Fits Post Type | | Color | Size | ITEM CODE | | | | | | | |
|-----------------|----------------|----------|------------------|--------------------------|----------------|--------|--------------|----------------|--------|--------|-----|--------------------------|
| | | Silver - | 14.4" | RPBCT8 (10/BOX) | | | | | | | | |
| | | | 24" | RPBCT800 (15/BOX) | | | | | | | | |
| | | | ROUND | ROUND | QNI | QNI | DNI | | Silver | Silver | 30" | RPBCT830 (10/BOX) |
| Cantilever | SQUARE | | | | | | | | JND | JND | QN | QN |
| Wing Bracket | sou | | | | 2 | 14.4" | OSIZ2UNCT8BK | | | | | |
| | | | | | | Powder | 24" | OSIZ2UNCT800BK | | | | |
| | | | Painted Black | 30" | OSIZ2UNCT830BK | | | | | | | |
| | | | | 36" | OSIZ2UNCT836BK | | | | | | | |



Hardware Sets

Hardware sets for mounting sign arm brackets and trim brackets to posts.




| Description | Mounts Bracket Type | | Post pe | Color | ITEM CODE |
|---------------------|--|---|---------------|------------------------------------|-----------|
| | 2 Sign Arm Brackets to Post | 3" 3" | | 51 I | OZHRH03 |
| Bracket Hardware | 2 Sign & 2 Logo Trim Brackets to Post | 2 Logo Trim Brackets O O O O O O O O O O O O O O O O O O O | O.D. ROUND | Black Chromate Dipped | OZHRH03L3 |
| Sets | 2 Sign Arm Brackets to Post | 4" | 4" | | OZHRH04 |
| | 2 Sign & 2 Logo Trim Brackets to Post | SMOOTH SQUARE | O.D. ROUND | Silver | OZHRH04L3 |





- Steel sign arm bracket is pre-punched with holes to match the hole pattern on a bent lip sign.
- Includes hardware to attach sign to bracket.
- NOTE: Sign arm brackets require a "P" post hole punch pattern.





| Description | | Post pe | Color | Size | ITEM CODE | | | | | | | | | | |
|-------------------------------|--------|------------|------------|------------|-------------------|-----|----------------|--|--|--|--|--|---|--|-----|
| Bracket with Ornate Dogwood | RE | | | 30" | OSIZ4UNJDOGWDLDBK | | | | | | | | | | |
| Lemon Drop Finial | SQUARE | OND | | 36" | OSIZ4UNCDOGWDLDBK | | | | | | | | | | |
| Bracket with | | Ö. | 4" O.D. RO | 4" O.D. RO | Powder Painted | 30" | OSIZ2UNSAJLDBK | | | | | | | | |
| Lemon Drop Finial | V - | | | | Black | 36" | OSIZ2UNSACLDBK | | | | | | | | |
| Bracket with Ornate Scroll | | 4 - | 4 - | - T | 4 | | V . | | | | | | _ | | 30" |
| Lemon Drop Finial | 3" | | | 36" | OSIZ4UNCSCROLLDBK | | | | | | | | | | |

Bent Lip Hardware • Tools

For mounting bent lip design street name signs to sign arm brackets.

| Description | ITEM CODE |
|---|-------------|
| Black Torx Head Screw | OZHRHBTH140 |
| Torx Head Screw Bit with Tamper Proof Center Pin | RHBTHB14 |
| 3.5" Torx Bit Extension | RHBTHB3 |







Sign Trim Brackets

- Trim bracket designs for use with .080" aluminum street name signs.
- Post hole punch patterns: Use "P3" for 6" trims and "P" for 9" trims.





Sign Trim Bracket


| ., | | | | | |
|----------------------|-------------------|---------------|------------------|-------------------------------------|--------------------|
| Description | Fits Post Type | | Color Fits | | ITEM CODE |
| | UARE | Ģ | | 6" x 36" with .75" corner radius | OSIZ3UNJTRIM36BK |
| Sign Trim Bracket | SMOOTH SQUARE | 4" O.D. ROUND | Powder Powder | 9" x 36" with 1.5" corner radius | OSIZ3UNCTRIM36BK |
| | | , 4" O.D | Painted Black | 9" x 42" with 1.5" corner radius | OSIZ3UNCTRIM42BK |
| Logo Trim | 8.4" | 3" & | | 6" x 6" | OSIZ3UNJTRIMLOGOBK |
| Bracket | 3 | | | 9" x 9" | OSIZ3UNCTRIMLOGOBK |

Round Post Bases, Caps & Finials









Includes hardware.

| Description | Fits Post Size | Color | ITEM CODE |
|--|-----------------|------------------|-------------------|
| ADAPTER23 Bracket Sign | = | Silver | RPBMPOADR2383 |
| Top Adapter Adapts 3" Post to 2-3/8" Cap | 3 " o.d. | Powder | OSIZ1RADAPTER23BK |
| ADAPTER34 Bracket Sign Top Adapter Adapts 4" Post to 3" Cap | 4 " o.d. | Painted Black | OSIZ1RADAPTER34BK |







Post Bases

- Aluminum bases for use with round posts to provide a decorative, finished style.
- Includes hardware when required with base style.





| Description | Fits Post Size | Color | ITEM CODE |
|------------------------------|--------------------|------------------|----------------|
| 8397 8-1/2" Tall Base | | | OPOZBR38397ABK |
| SB-23 4" Tall Base | | | OPOZBR3SB23BK |
| SB-93 16" Tall Base | 3" | Powder | OPOZBR3SB93BK |
| SB-33 24" Tall Base | O.D. | Painted Black | OPOZBR3SB33BK |
| 2PC3 24" Tall Base | | Diack | OPOZBR32PC3BK |
| 9993 27" Tall Base | | | OPOZBR39993BK |
| Description | Fits Post Size | Color | ITEM CODE |
| SB-24 3.5" Tall Base | | | OPOZBR4SB24BK |
| SB-94 16" Tall Base | | | OPOZBR4SB94BK |
| SB-64 18" Tall Base | 4 " o.d. | Powder | OPOZBR4SB64BK |
| 2PC4 24" Tall Base | | Painted Black | OPOZBR42PC4BK |
| SB-34 25" Tall Base | | Bluck | OPOZBR4SB34BK |
| 9994 27" Tall Base | | | OPOZBR49994BK |






Ball FINB

Closure Cap

Ball FINR











Spear

Pineapple

Acorn FINA

| Description | Fits Post Size | Color | ITEM CODE |
|------------------------|----------------|-------------------|---------------------|
| Deluxe Dome Cap | | | RPBRPCDD2 |
| Closure Cap | | Silver | RPBRPCLCAP238 |
| Dome Cap | 23/8" | | RPBRPCDC250 |
| Deluxe Dome Cap | O.D. | Powder | OPOZFR238DD2BK |
| Closure Cap | | Painted | OPOZFR238CPCLCAPBK |
| Dome Cap | | Black | OPOZFR238CPCDC250BK |
| Description | Fits Post Size | Color | ITEM CODE |
| Deluxe Dome Cap | | | RPBRPCDD3 |
| Closure Cap | | Silver | RPBRPCLCAP3 |
| Dome Cap | | | RPBRPCDC300 |
| Deluxe Dome Cap | | Powder Painted | OPOZFR3DD3BK |
| Closure Cap | 3" | | OPOZFR3CPCLCAP30BK |
| Dome Cap | و 0.D. | | OPOZFR238CPCDC300BK |
| Spear Finial | U.D. | | OPOZFR39516MDBK |
| Pineapple Finial | | | OPOZFR3657MDBK |
| Acorn FINA Finial | | Black | OPOZFR3FINA3BK |
| Ball FINR Finial | | | OPOZFR3FINR3BK |
| Ball FINB Finial | | | OPOZFR3FINB3BK |
| Description | Fits Post Size | Color | ITEM CODE |
| Deluxe Dome Cap | | | OPOZFR4DD4BK |
| Spear Finial | A11 | Powder | OPOZFR49516MDBK |
| Pineapple Finial | 4" | Painted | OPOZFR4657MDBK |
| Acorn FINA Finial | O.D. | Black | OPOZFR4FINA4BK |
| Ball FINB Finial | | | OPOZFR4FINB4BK |




















































Black Semi-Gloss Powder Painted items are available in 20 additional standard colors by custom ordering. Call for details.

Increase safety with time-tested HI-VIZ **Conspicuity Yellow**



Square Posts

- Square Posts are versatile, 4-sided sign mounting, at any height.
- ◆ 1.75" and 2" square posts are good for parking lots and small projects. 3" and 4" square posts are ideal for larger projects.
- Available in steel or aluminum and smooth styles.
- Semi-gloss black powder coat is available as standard option.
- Use compatible breakaway systems, brackets, bases, caps & finials to personalize and complete your system.

NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Post Punch | |
|---------|-----------------------|-------|---------------------------------------|-----------------------------------|--------------------------|---|--|--|
| A | Punched | | P | | 8′ (96") | RPOSG0814175 | | |
| | Galvanized | | Ideal for | Silver | 10'(120") | RPOSG1014175 Quick SHIP | | |
| : 5 | Steel Post | ` | Parking Lots | | 12'(144") | RPOSG1214175 | Posts are punched full | |
| | | 1.75" | 14 Causa | Powder | 8′ (96") | OPOZARPOSG0814175 | length with 7/16" holes on 1" centers. | |
| | Punched Steel Post | | 14 Gauge | Painted | 10'(120") | OPOZARPOSG1014175 | | |
| | 510011051 | | | Black | 12′(144") | OPOZARPOSG1214175 | | |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Post Punch | |
| | Punched | | | | 8′ (96") | RPOSG08142 | | |
| 00 | Galvanized | | Ideal for | Silver | 10′(120") | RPOSG10142 Quick | | |
| : 5 | Steel Post | ` | Parking Lots | | 12'(144") | RPOSG12142 | Posts are punched full length with 7/16" holes | |
| | D als a al | 2" | 14 Gauge | Powder | 8′ (96") | OPOZARPOSG08142 | on 1" centers. | |
| 00 | Punched Steel Post | | 14 dauge | Painted | 10'(120") | OPOZARPOSG10142 | | |
| | | | | Black | 12′(144") | OPOZARPOSG12142 | | |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes | |
| | Smooth Steel Post | 2" | Ideal for Parking Lots 16 Gauge | Powder Painted Black | 10'(120") | OPOS2S1016BKP0 | | |
| | | | | | 12′ (144") | OPOS2S1216BKP0 | NONE | |
| F 35. A | | e: | J | | | | 2 1 (1) 1 | |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes | |
| - | Smooth | | 11.6 | | 10′(120") | OPOS3S1014BK(XX) | (XX) No Holes (P0) or | |
| | Steel Post | | 14 Gauge | Powder | 12′(144") | OPOS3S1214BK(XX) Made to Order Order | 8 Holes* = (P) (P2) (P3) | |
| | | 3" | | Painted | 14′(168") | OPOS3S1414BK(XX) | | |
| | Smooth Aluminum | | .125" | Black | 10′(120″) | OPOS3A10125BK(XX) OPOS3A12125BK(XX) Custom Made to | (XX) No Holes (P0) or | |
| | Post | | .125 | | 12' (144") 14' (168") | OPOS3A12125BK(XX) OPOS3A14125BK(XX) | 8 Holes* = (P) (P2) (P3) | |
| | Substrate | Size | Wall Thickness | Color | Length | ITEM CODE | Bracket Holes | |
| | Jubstiate | 3126 | Wall HillCkiless | Coloi | 10'(120") | OPOS4S1011BK(XX) | Diacketifoles | |
| | Smooth | | 11 Gauge | | 12'(144") | OPOS4S1211BK(XX) Custom Made to | (XX) No Holes (P0) or | |
| | Steel Post | | 11 dauge | Powder | 14' (168") | OPOS4S1411BK(XX) | 8 Holes* = (P) (P2) (P3) | |
| 1300 | | 4" | | Painted | 10′ (120″) | OPOS4A10125BK(XX) | | |
| 100 | Smooth Aluminum | | .125" | Black | 10 (120) | OPOS4A12125BK(XX) Custom Made to | (XX) No Holes (P0) or | |
| | Post | | .125 | | , , | OPOS4A12125BK(XX) OPOS4A14125BK(XX) | 8 Holes* = (P) (P2) (P3) | |
| | | | | | 14'(168") | UPU34A14123BK(XX) | | |

Square Post Anchors & Break-A-Way Systems

RHBCORNERBOLT25 includes jam nut

Corner bolt to mount top post to base post, up to 2.5"

Base Post / Sleeves / Short Post

| • | Description | Substrate | Wall Thickness | Size | Color | Length | ITEM CODE |
|---|--|-------------------------------------|----------------|-------|--------|-----------|---------------|
| | Breakaway Anchor | | 14 Cauga | 1.75" | | 5′ (60") | RSPB3ZBUZTU60 |
| | Installation | Punched Galvanized Steel Post | 14 Gauge | 1./5 | | 6' (72") | RPOSG0614175 |
| | A POZ-LOC® Performance Post | | | | | 3′ (36") | RPOSG03122 |
| | anchor can be driven into the ground first, allowing crews | | | 2" | Silver | 2.5′(30") | RPOSG025122 |
| | to work at ground level for | | 12 Gauge | | | 3.5′(42") | RPOSG035122 |
| | quicker, cost-effective installations or replacement | | | 2.25" | | 3′(36") | RPOSG0312225 |
| | of damaged sign posts. | | | 2.50" | | 1.5′(18") | RPOSG0151225 |







Omni Anchor

- Slide the Omni Anchor Sleeve over your long square sign post and the 36" anchor shown in the chart (at right) to make a MASH compliant Sign Support.
- The system is ideal when signs are subject to being struck from traffic in both directions, such as intersections on divided highways.
- The Omni Sleeve Anchor fits over a 2.25" Telespar anchor to give exceptional anchoring and stability.
- Four 4" x 12" x 10 gauge wings are welded to a 12 gauge perforated anchor and then galvanized.

| Description | Fits Over Post Size | Wall Thickness | Color | ITEM CODE |
|-----------------|------------------------|-------------------|--------|---------------|
| 18" Omni Anchor | 2.25" | 12 Gauge | Silver | RPOSZEOMNI025 |



Snap'n Safe Surface Mount

- Made of cast gray iron, and withstands 120 mph winds.
- EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) corner bolts.
- Installation hardware included.

| Description | Fits Post Size | Color | ITEM CODE |
|--|----------------|--------|---------------------|
| Snap'n Safe Surface Mount fits square posts | 1.75" | | RPOSZSM175SNAPNSAFE |
| | 2" | Silver | RPOSZSM20SNAPNSAFE |
| | 2.25" | | RPOSZSM225SNAPNSAFE |
| | 2.5" | | RPOSZSM25SNAPNSAFE |




Barrier or Surface Mount Assembly



| Description | Fits Post Size | | Color | ITEM CC | DE |
|-------------------------------|----------------|---------------|------------------|-----------------|--------------|
| Barrier Mount | 2 Ell to 1 7 | 2.5" to 1.75" | | RPOSZCBM175250G | |
| Surface Mount | 2.5 to 1.7 | | | RPOSZS | MBASESQ17525 |
| Description | Size | | Surface Types | Color | ITEM CODE |
| | 1/2" x 4" | Ca | ncrete | | RHSMSCA1240 |
| Surface Mount Anchor Screw | 3/8" x 2-1/2" | Co | ncrete | Silver | RHSMSCA3825 |
| Alichol Sciew | 3/8" x 4" | A | sphalt | | RHSMSCA3840 |

| Description | Size | Color | Length | ITEM CODE |
|---|--------------|--------|-----------|--------------|
| | | | 8' (96") | RPOSG08142 |
| 14 Gauge Punched Galvanized Steel Post | 2" Silver | | 10′(120") | RPOSG10142 |
| darvarrized steer i ost | | Silver | 12'(144") | RPOSG12142 |
| 12 Gauge Punched Galvanized Steel Post Anchor | 2.25" | | 3′ (36") | RPOSG0312225 |







- Galvanized anchor plate keeps square post firmly in place.
- Anchor Plate Size: 7" x 4" Weight: 0.5 lbs

| Fits Post Size | ITEM CODE |
|----------------|----------------|
| 1.75" to 3" | BA080APLATEUCH |



Snap'n Safe Coupler

- Made of cast gray iron, withstands 120 mph winds. EASY INSTALLATION: Simply insert Coupler in anchor and bottom of sign post and assemble with (4) corner bolts.
- Installation hardware included.
- Device couples square anchor with square post.

| Description | Couples Anchor to Post | Color | ITEM CODE |
|---|---------------------------|--------|-------------------|
| Snap'n Safe Coupler for square posts | 2" to 1.75" | Silver | RPOSZSNAPNSAFE175 |
| | 2.25" to 2" | | RPOSZSNAPNSAFE2 |
| | 2.5" to 2.25" | | RPOSZSNAPNSAFE225 |
| | 3" to 2.5" | | RPOSZSNAPNSAFE25 |





Surface Mount Breakaway Bases





Universal Stub for Round, U-Channel and Square Post 1.75" or larger

| Description | Fits Post Type | Color | ITEM CODE |
|-------------------|----------------|------------------|---------------------|
| 15" Diameter Base | | Silver | RPOGPBSB100 |
| Replacement Stub | Universal | Silver | RPOGPBSB100ZRS |
| 15" Diameter Base | | Powder | OPOZEUGPBSB100BK |
| Replacement Stub | | Painted Black | OPOZEUGPBSB100ZRSBK |

Square Post Brackets

















5½" Post Caps



5-1/2" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

Standard aluminum brackets are designed for street name sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under.

| Description | Fits Post Size | Color | ITEM CODE |
|--------------------|----------------|-------------------------|------------------------------|
| 5-1/2" Post Cap | | Silver | RPB134SQ(F/X) (50/BOX) |
| | 1.75" | Powder Painted Black | OSIZ1S175P97(F/X)BK |
| | 2" | Silver | RPB97SQ(F/X) (50/BOX) |
| | | Powder Painted Black | OSIZ1S2P97(F/X)BK |









4" x 4" Wood Post Cap



3-1/2" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

Standard aluminum brackets are designed to be used on a 4" x 4" wood post for street name sign blades up to 6" tall; typically used in areas with speed limits of 25 MPH or under. Also, can be mounted to the side of post for wing mounting signs.


| Description | Fits Post Size | Color | ITEM CODE |
|-------------|----------------|-------------------------|--------------------|
| 3-1/2" | 4" X 4" | Silver | RPB827(F/X) |
| Post Cap | Wood | Powder Painted Black | OSIZ1WDP827(F/X)BK |





5½" Crosspieces





| Description | For Post Type | Color | ITEM CODE |
|----------------------|---------------|-------------------------|-----------------------------|
| E 1/2" | | Silver | RPB990(F/X) (50/BOX) |
| 5-1/2" Crosspiece | Universal | Powder Painted Black | OSIZ1CRP990(F/X)BK |



4" Cross Separators Adjustable 45° or 180°

4" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

Use the aluminum cross separator to stack signs at roadway intersections.

| Description | For Post Type | Color | ITEM CODE |
|-----------------------------------|---------------|-------------------------|------------------------------|
| Aluminum | | Silver | RPB457(F/X) (100/BOX) |
| 45° or 180° Cross Separator | Universal | Powder Painted Black | OSIZ1CRP457(F/X)BK |







Jumbo Post Caps



12" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

Aluminum Jumbo brackets support the larger street name signs with 6" high copy.

| Description | Fits Post Size | Color | ITEM CODE |
|-----------------------|----------------|-------------------------|---------------------------|
| 12" Jumbo Post Cap | | Silver | RPB412SQ(F/X)134 (30/BOX) |
| | 1.75" | Powder Painted Black | OSIZ1S175J412SQ(F/X)BK |
| | 2" | Silver | RPB412SQ(F/X)2 (30/BOX) |
| | | Powder Painted Black | OSIZ1S2J412SQ(F/X)BK |







Jumbo Crosspiece



Use these aluminum crosspieces to stack signs at roadway intersections. 12" slot includes hardware for (F) Flat up to .125" or (X) Extruded sign blades.

> Aluminum Jumbo brackets support the larger street name signs with 6" high copy.

| Description | For Post Type | Color | ITEM CODE |
|----------------------------------|---------------|-------------------------|------------------------------|
| 12" lumba | | Silver | RPB412C(F/X) (10/BOX) |
| 12" Jumbo Crosspiece Universa | Universal | Powder Painted Black | OSIZ1CRJ412C(F/X)BK |





Bracket Set Screws & Tools

Secure street name sign to sign brackets.

An Allen Wrench Tool required to install set screws.







| Description | Color | ITEM CODE |
|---|--------|--------------------|
| 5/16" Standard Set Screw (100/BOX) | | RHBSK56 |
| 5/16" Center Pin Set Screw (100/BOX) | Silver | RHBPRP38 |
| 5/16" Stainless Steel Set Screw (100/BOX) | | RHBSSK56 |
| Stainless Steel Set Screw (single) | Black | OZHRHBSSK56BLACK |
| Stainless Steel Set Screw (3 pack) | Zinc | OZHRHBSSK56BLACKPK |
| T-Style Allen Wrench Tool for Set Screws | | RHBSSKT100 |
| L-Style Allen Wrench Tool for Set Screws | | RHBSSKF100 |





Vandal Resistant Bolts & Tool



| Description | ITEM CODE |
|---|----------------|
| Button Head Vandal Resistant Bolt 5/16" x 3/4" (100/Box) | RHBHP76 |
| 12 Point Vandal Resistant Bolt 5/16" x 1/2" (100/Box) | RHBVPA12 |
| 12 Point Tool for RHBVPA12 | RHBVPA12T43 |













| Description | Fits Post Size | Color | ITEM CODE |
|---|----------------|----------------------------|------------------|
| U-Bolt Clamps Slotted (Set of 2) | 2" | Silver | RPBSUBCLAMP2 |
| | | Powder Painted Black | OTSBZS2UBCLAMPBK |
| | 3" 4" | Silver | RPBSUBCLAMP3 |
| | | Powder Painted Black | OTSBZS3UBCLAMPBK |
| | | Silver | RPBSUBCLAMP4 |
| | | Powder Painted Black | OTSBZS4UBCLAMPBK |



Sign Savers





| Description | Fits Post Type | ITEM CODE |
|-------------|----------------|------------|
| Sign Saver | Universal | BA080SAVER |
| | | |

Installing 3" x 3" Sign Savers between the sign and post or between sign and a chain link fence prevents bending of signs from over tightening.

Complete Hardware Packages include all Hardware and Sign Savers necessary to mount sign(s) to chain link fences.

RH0112PSV01 | 1 sign to fence RH0112PSV10 | 10 signs to fence

Cherry-Mate Rivets & Rivet Gun



| Cherry-Mate Rivets | HIVE | t duii |
|----------------------------------|----------------|--------------|
| Description | Fits Post Size | ITEM CODE |
| #26 Cherry-Mate Rivet | 1.5" | RHRBALM8BP26 |
| #30 Cherry-Mate Rivet | 1.75" | RHRBALM8BP30 |
| PVC Spacer: 1/2" x 1-1/2" for #3 | RHRBPVCSP150 | |
| #34 Cherry-Mate Rivet | RHRBALM8BP34 | |
| PVC Spacer: 1/2" x 1-3/4" for #3 | RHRBPVCSP175 | |
| Rivet Gun | RHRBALMGUN | |











- Sign Panel Brackets for mounting sign to square post(s).
- Mount a smaller sign on 1 post or a large sign between 2 posts.
- Hardware Included: (2) 5/16" Set Screws













Bell Wing Brackets

- Aluminum Bell Wing Brackets designed for wall, concrete, wood or any post such a signal or utility posts with 3/4" strapping, bolts or 5/16" lag screws or spikes.
- Sign attaches with 5/16" bolts. Hardware NOT Included.



| Description | Fits Post Type | | Color | Size | ITEM CODE |
|--------------------------------|----------------|--------|------------------|---------------------------|--------------------|
| | | Silver | 12" | RPBCTBW12 (50/BOX) | |
| Dall Maria | | | Silver | 18" | RPBCTBW18 (50/BOX) |
| Bell Wing Bracket | SQUARE | | 24" | RPBCTBW24 (25/BOX) | |
| (12" requires single strap) | sou | ROL | Powder | 12" | OSIZ2UNPCTBW12BK |
| Paint | Painted | 18" | OSIZ2UNPCTBW18BK | | |
| | | | Black | 24" | OSIZ2UNPCTBW24BK |







#4 Wing Brackets



- The #4 Aluminum Wing Bracket is designed for wall or post mount of up to .125 gauge flat or extruded signs with 3/4" strapping or bolts, lag screws, or spikes in 2 - .4375 diameter holes.
- Includes hardware to attach sign to bracket.

| Description | Fits Post Type | | Color | ITEM CODE |
|---|----------------|-------|----------------------------|-----------------|
| #4 Min or Duo alcoh | ij, | 0 | Silver | RPBCT4 (50/BOX) |
| #4 Wing Bracket Size: 4.5" tall x 2.5" wide | SQUARE | ROUND | Powder Painted Black | OSIZ2UNPCT4BK |



























30" Cantilever Wing Brackets

Requires a "P3" post hole punch

Square Post Brackets











24" Cantilever

Wing Brackets

Requires a "P2"

post hole punch

Aluminum Cantilever Wing Brackets

- are designed for Flat up to .125" or Extruded sign blades.
- Strap or bolt to post, wall, concrete or wood.
 - Includes hardware to attach sign to bracket.
 - NOTE: For fastest service a "P0" post hole pattern can be ordered and field drilled hole pattern needed for wing brackets.



| Description | Fits Post Type | | Color | Size | ITEM CODE |
|-------------------------|----------------|--|----------------------------|-------|--------------------------|
| Cantilever Wing Bracket | | | | 14.4" | RPBCT8 (10/BOX) |
| | | | Cilver | 24" | RPBCT800 (15/BOX) |
| | SQUARE | | Powder Painted Black | 30" | RPBCT830 (10/BOX) |
| | | | | 36" | RPBCT836 (10/BOX) |
| | | | | 14.4" | OSIZ2UNCT8BK |
| | | | | 24" | OSIZ2UNCT800BK |
| | | | | 30" | OSIZ2UNCT830BK |
| | | | | 36" | OSIZ2UNCT836BK |


Hardware Sets

Hardware sets for mounting sign arm brackets and trim brackets to posts.




| Description | Mounts Bracket Type | Fits Post Type | | Color | ITEM CODE | |
|---------------------|--|-------------------|---------------|------------------------------|-----------|--|
| | 2 Sign Arm Brackets to Post | 3" | 3" | Dis de | OZHRH03 | |
| Bracket Hardware | 2 Sign & 2 Logo Trim Brackets to Post | SMOOTH SQUARE | O.D. ROUND | Black Chromate Dipped | OZHRH03L3 | |
| Sets | 2 Sign Arm Brackets to Post | 4" | 4" | | OZHRH04 | |
| | 2 Sign & 2 Logo Trim Brackets to Post | SMOOTH SQUARE | O.D. ROUND | Silver | OZHRH04L3 | |

🛊 Sign Arm Brackets



- Steel sign arm bracket is pre-punched with holes to match the hole pattern on a bent lip sign.
- Includes hardware to attach sign to bracket.
- NOTE: Sign arm brackets require a "P" post hole punch pattern.





| Description | Fits Post Type | | Color | Size | ITEM CODE | | | | | | | |
|--------------------------------|-------------------|--------------------|-------|-------------------|-------------------|----------------|--|--|--|--|--|-----|
| Bracket with Ornate Dogwood | RE | | | 30" | OSIZ4UNJDOGWDLDBK | | | | | | | |
| Lemon Drop Finial | QUA | QND | | 36" | OSIZ4UNCDOGWDLDBK | | | | | | | |
| Bracket with | SMOOTH SQUARE | 3" & 4" O.D. ROUND | D. RO | Powder Painted | 30" | OSIZ2UNSAJLDBK | | | | | | |
| Lemon Drop Finial | SMO | | Black | 36" | OSIZ2UNSACLDBK | | | | | | | |
| Bracket with Ornate Scroll | & 4" | | | | | | | | | | | 30" |
| Lemon Drop Finial | .ε | | | 36" | OSIZ4UNCSCROLLDBK | | | | | | | |

Bent Lip Hardware • Tools

For mounting bent lip design street name signs to sign arm brackets.

| Description | ITEM CODE | | |
|---|-------------|--|--|
| Black Torx Head Screw | OZHRHBTH140 | | |
| Torx Head Screw Bit with Tamper Proof Center Pin | RHBTHB14 | | |
| 3.5" Torx Bit Extension | RHBTHB3 | | |







Sign Trim Brackets

- Trim bracket designs for use with .080" aluminum street name signs.
- Post hole punch patterns: Use "P3" for 6" trims and "P" for 9" trims.





Logo Trim Bracket

Sign Trim Bracket

| Description | Fits Post Type | | Color | Fits Sign Size | ITEM CODE |
|----------------------|-------------------|--------|--------------|-------------------------------------|--------------------|
| | UARE | Q. | | 6" x 36" with .75" corner radius | OSIZ3UNJTRIM36BK |
| Sign Trim Bracket | | | ROUND Powder | 9" x 36" with 1.5" corner radius | OSIZ3UNCTRIM36BK |
| | | 4" O.D | | 9" x 42" with 1.5" corner radius | OSIZ3UNCTRIM42BK |
| Logo Trim | 8.4" | 3" & | | 6" x 6" | OSIZ3UNJTRIMLOGOBK |
| Bracket | | | | 9" x 9" | OSIZ3UNCTRIMLOGOBK |

Square Post Bases, Caps & Finials



- 3SBQ | 4SBQ Aluminum bases for use with square posts to provide a decorative, finished style.
- The 2PCO4 base is designed to clamp around the post. The 3SBQ and 4SBQ bases are designed to slip over the post.



| Description | Fits Post Size | Color | ITEM CODE |
|---|----------------|----------------------------|----------------|
| 3SBQ Base 3" Tall x 8" Wide | 3" | Powder Painted Black | OPOZBS3SBQ13BK |
| Description | Fits Post Size | Color | ITEM CODE |
| 4SBQ Base 3.5" Tall x 9" Wide | 4" | Powder Painted Black | OPOZBS4SBQ14BK |
| 2PCQ4 20" Tall Base | | | OPOZBS42PCQ4BK |

| A | | corative Top Finial | A |
|-------------------------------|----------------|-------------------------|------------------|
| Description | Fits Post Type | Color | ITEM CODE |
| Danamativa | | Silver | RPBM317(F/X) |
| Decorative Sign Top Finial | Universal | Powder Painted Black | OPOZF1317(F/X)BK |

Drive Rivets



Economy Universal Head

RHRDRIVEA38E125NS - Aluminum

RHRDRIVEA38E125W(XX) - Painted Colors Aluminum



- Grip Range of .125" to .250"
- Fits 3/8" Hole Diameter
- Shank: 5/8" Length
- .093" Nylon Washer included
- Head: Universal 3/4" Diameter
- Drive Rivet is designed specifically for the sign to square post application and 12 GA or 14 GA post to single 12 GA anchor








- All the same features as the premium flush/tapered drive rivets with a longer shank than any other drive rivet.
- Long Shank: 3/4" Length
- .093" Nylon Washer included



Aluminum caps & finials for use with square posts to keep



| Deluxe i yiaiilid i ii | 11 | IVQL | 1110 14 1110 04 |
|------------------------|----------------|----------------------------|-------------------|
| Description | Fits Post Size | Color | ITEM CODE |
| | | Silver | RPBSP175PCAP |
| Pyramid Cap | 1.75" | Powder Painted Black | OPOZFS175CPPCAPBK |
| Description | Fits Post Size | Color | ITEM CODE |
| Pyramid Cap | | Silver | RPBSP2PCAP |
| Руганни Сар | | Powder | OPOZFS2CPPCAPBK |
| Deluxe Pyramid | 2" | Painted Black | OPOZFS2DP2BK |
| Slip over Cap | | Silver | RPBSDP2 |
| Description | Fits Post Size | Color | ITEM CODE |
| Deluxe Pyramid | | Silver | RPBSDP3 |
| Slip over Cap | 3" | Powder | OPOZFS3DP3BK |
| FINQC Cap | 3 | Painted | OPOZFS3FINQC3BK |
| FINQE End Cap | | Black | OPOZFS3FINQE3BK |
| Description | Fits Post Size | Color | ITEM CODE |
| Deluxe Pyramid | | Silver | RPBSDP4 |
| Slip over Cap | | | OPOZFS4DP4BK |
| FINQC Cap | - 4 | Powder | OPOZFS4FINQC4BK |
| FINQE End Cap | | Painted | OPOZFS4FINQE4BK |
| FINQ-P4 Spear Cap | | Black | OPOZFS4FINQP4BK |
| FINQ-B4 Ball Cap | | | OPOZFS4FINQB4BK |



Universal Head

Flush/Tapered Head

RHRDRIVES38P140W - Steel RHRDRIVEA38P140W(XX) - Aluminum (XX) Colors to Match Sheeting Available

- Grip Range of .140" to .330"
- Fits 3/8" Hole Diameter
 - Shank: 5/8" Length
- .093" Nylon Washer included
- Head: Flush/Tapered 1" diameter Drive Rivet is designed specifically for the sign to square post application and 12 GA or 14 GA post to single 12 GA anchor RHRDRIVES38P140N - Steel (NO Washer)

Grip Range of .140" - .330"

RHRDRIVEAS38P140W - Aluminum w/Steel Pin (.093" Nylon Washer included)

Fits 3/8" hole diameter

Head: 7/8" diameter












GP-8 Roll-A-Post & Base Kits

GP-6 Rock-It Base & Post Kits







Post holes accommodate multiple sign sizes. Telespar posts may be powder coated.

Durable, thick walled plastic bases; no rust, dents, or cracking.

Fill base with sand, filling with water is not recommended. Empty Weight: 10 lbs.

- Base Size: 23.35" at bottom, 8.20" at top, and 16.50" tall
- Roll it back on it's wheels for easy relocation; sturdy plastic wheels come pre-installed
- Base withstands strong winds without tipping over when filled with sand.
- Conveniently placed large fill hole and drain hole.
- Lightweight plastic reduces shipping costs.

Parking

Lots

Base to Post and Post to Sign mounting hardware included in kits.

Rock-It 18 KIT CODE Post Height Black Base RPOGP65TRB18 60" (5 FT) Fill capacity RPOGP66TRB18 72" (6 FT) (Silica Sand) 125-150 lbs. RPOGP68TRB18 96" (8 FT)

Heavyweight Telespar steel post makes attaching signs easy with no sign twisting. MADE IN USA * Post holes accommodate Ideal for

multiple sign sizes. Telespar posts may be powder coated.

Durable, thick walled plastic bases won't chip or crack.

Fill base with sand, filling with water is not recommended. Empty Weight: 10 lbs.

Base Size: 18" x 19.5" at bottom and 12.8" tall

Parking

Lots

- Molded-in Hand-grips make bases easy to pick up.
- Rock it back and roll: sturdy plastic recessed wheels make stands easy to move when weighted.
- Base withstands strong winds without tipping over when filled with sand.
- Conveniently placed large fill hole and drain hole.
- Lightweight plastic reduces shipping costs.
- Base to Post and Post to Sign mounting hardware included in kits.

GP-4 Pedestal Base & Post Kit



Ideal for **Parkina** Lots



Cast Iron Pedestal Base & Post Kit Kit Code: RPOGP4 | Weight: 33 lbs. 14" Diameter Cast Iron Base With 4' Pipe. Drilled for mounting signs: 12" x 18" | 18" x 24" | 24" x 24"

Add-On Options:

Hardware Package | Item Code: RH6GPE01 Use for mounting sign to Pedestal Pipe

Wheel Kit | Item Code: RPOGP5WHEELKIT Attaches to Base to make the base portable and easy to transport. Mounting Hardware Included.

Anchor Screws | Item Code: RHSMSCA1240 For permanent applications, mount to concrete surface with (3) anchor screws

GP-7 Volcano Base & Post Kits









- Durable, thick recycled rubber base with steel insert for square post attachment.
- Heavyweight Telespar steel post makes attaching signs easy with no sign twisting. Post holes accommodate multiple sign sizes. Ideal for Telespar posts may be powder coated.
- Base to Post and Post to Sign mounting hardware included in kits.

Emergency Management





Increase safety with time-tested HI-VIZ Conspicuity Yellow

Brackets for Signal or Utility Pole Mounting



24" Cantilever

Wing Brackets

post hole punch

Aluminum Cantilever Wing Brackets are designed for Flat up to .125" or Extruded sign blades.

- Strap or bolt to post, wall, concrete or wood.
 - Includes hardware to attach sign to bracket.
 - NOTE: For fastest service a "P0" post hole pattern can be ordered and field drilled hole pattern needed for wing brackets.




| Description | Fits Post Type | | Color | Size | ITEM CODE |
|-------------------------------|----------------|-------|----------------------------|-------|--------------------------|
| Cantilever Wing Bracket | | ROUND | | 14.4" | RPBCT8 (10/BOX) |
| | | | Powder Painted Black | 24" | RPBCT800 (15/BOX) |
| | SQUARE | | | 30" | RPBCT830 (10/BOX) |
| | | | | 36" | RPBCT836 (10/BOX) |
| | | | | 14.4" | OSIZ2UNCT8BK |
| | | | | 24" | OSIZ2UNCT800BK |
| | | | | 30" | OSIZ2UNCT830BK |
| | | | | 36" | OSIZ2UNCT836BK |







#4 Wing Brackets



Includes hardware to attach sign to bracket.

| Description | Fits Post Type | | Color | ITEM CODE |
|---|----------------|-------|----------------------------|-----------------|
| #4 Min or Dun alcoh | ų, | 0 | Silver | RPBCT4 (50/BOX) |
| #4 Wing Bracket Size: 4.5" tall x 2.5" wide | SQUARE | ROUND | Powder Painted Black | OSIZ2UNPCT4BK |







Bell Wing Brackets

- Aluminum Bell Wing Brackets designed for wall, concrete, wood or any post such a signal or utility posts with 3/4" strapping, bolts or 5/16" lag screws or spikes.
- Sign attaches with 5/16" bolts. Hardware NOT Included.



| Description | Fits Po | st Type | Color | Size | ITEM CODE | | |
|-----------------------------|---------|---------|--------|---------------------------|------------------|-----|------------------|
| | | | 12" | RPBCTBW12 (50/BOX) | | | |
| D - II \A#: | | Silver | 18" | RPBCTBW18 (50/BOX) | | | |
| Bell Wing Bracket | ARE | | 24" | RPBCTBW24 (25/BOX) | | | |
| (12" requires single strap) | SQUARE | ROUND | Powder | 12" | OSIZ2UNPCTBW12BK | | |
| sirigie strup) | | | | | Painted | 18" | OSIZ2UNPCTBW18BK |
| | | | Black | 24" | OSIZ2UNPCTBW24BK | | |



| Description | Color | ITEM CODE |
|---|--------|--------------------|
| 5/16" Standard Set Screw (100/BOX) | | RHBSK56 |
| 5/16" Center Pin Set Screw (100/BOX) | Silver | RHBPRP38 |
| 5/16" Stainless Steel Set Screw (100/BOX) | | RHBSSK56 |
| Stainless Steel Set Screw (single) | Black | OZHRHBSSK56BLACK |
| Stainless Steel Set Screw (3 pack) | Zinc | OZHRHBSSK56BLACKPK |
| T-Style Allen Wrench Tool for Set Screws | | RHBSSKT100 |
| L-Style Allen Wrench Tool for Set Screws | | RHBSSKF100 |
| 5/16" x 18 x 3/4" Stainless Steel Bolt | C:1 | RHSSHB516 |
| 5/16" Stainless Steel Nut | Silver | RHSSHN8 |



| Description | Fits Post Size | Color | ITEM CODE |
|-------------|--|---------|----------------|
| | 1/2" x 38" strap fits post from 1-3/4" to 12-1/4" in diameter. | Silver | RHSLA |
| Snap Lock | 22" strap fits post up to 7" in Diameter | Powder | OZHRHSLA07BK |
| Assembly | 31" strap fits post up to 10" in Diameter | Painted | OZHRHSLA10BK |
| | 38" strap fits post up to 12.25" in Diameter | Black | OZHRHSLA1225BK |
































Build Your Own Strapping, Brackets and Hardware Package

Follow the steps below to build your own semi-custom package to attached one sign to a post.



Description

5/16" x 18 x 3/4" Stainless Steel Bolt



Special Stainless Steel Alloys Available for Saltwater Environments. Call for Details

Color

Silver

ITEM CODE

RHSSHB516

RHSSHN8

ITEM CODE

RHSSTMODELC1

RHSSTMODELP1

RHSSTMODELC001

STEP

Hardware

Stainless Steel Strapping Packages





Snap Lock Assembly Packages

- Screw type hose clamp style for sign mounting.
- Needs only a screwdriver to tighten.





| Description | Fits Post Size | Color | ITEM CODE |
|------------------|-----------------|--------|--------------------|
| 1 Sign | 4 " o.p. | Silver | RHSLAMINUSPKG |
| Mount Package | or less | Black | OZHRHSLAMINUSPKGBK |





| Description | Fits Post Size | Color | ITEM CODE |
|--|--------------------|--------|--------------------|
| 2 Sign | | Silver | RHSLAMINUSPK2 |
| Mount Packages for Back to Back Applications | 4" O.D. or less | Black | OZHRHSLAMINUSPK2BK |







| ı | Description | Fits Post Size | Color | ITEM CODE |
|---|------------------|-----------------|--------|-------------------|
| | 1 Sign | over | Silver | RHSLAPLUSPKG |
| i | Mount Package | 4 " o.d. | Black | OZHRHSLAPLUSPKGBK |





| Description | Fits Post Size | Color | ITEM CODE |
|--|-----------------|--------|-------------------|
| 2 Sign | | Silver | RHSLAPLUSPK2 |
| Mount Packages for Back to Back Applications | over 4" O.D. | Black | OZHRHSLAPLUSPK2BK |









| Description | Fits Post Size | Color | ITEM CODE |
|----------------------------|----------------|--------|--------------------|
| 1 Sign Mount Package | 2-12¼" o.D. | Silver | RHSLACANTILEVERPKG |









| Description | Fits Post Size | Color | ITEM CODE |
|---|------------------|--------|--------------------|
| 2 Sign Mount Packages for Back to Back Applications | 2-121/4" o.D. | Silver | RHSLACANTILEVERPK2 |








Buckle Bracket Packages

| Description | Fits Post Size | Color | ITEM CODE |
|----------------------------|----------------|--------|-------------|
| 1 Sign Mount Package | 4-12" | Silver | RHSBB7 |
| | O.D. | Black | OZHRHSBB7BK |



























Brackets for Overhead Span Wire Mounting










Heavy-Duty Bracket


- Best Value: This CPC brand heavy-duty bracket offers the lowest price combined with the heavy-duty quality, when compared to the light and medium duty brackets available.
- Heavy-Duty, 4 and 8 gauge steel
- 3-way adjustable

- Net weight 4.8 lbs.
- Mounts on cables up to 3/8"
- Pre-assembled for quick, hassle free installation of metro street name signs.

How many Brackets are needed for your sign?

| Sign Length | Number of Brackets | Inset Distance from Edge of Sign |
|----------------|-----------------------|-------------------------------------|
| up to 42" | 1 | centered |
| 42"- 66" | 2 | 3" |
| 67" - 84" | 2 | 6" |
| 85" - 102" | 2 | 12" |
| 103" - 120" | 2 | 16" |
| over 120" | 3 | centered & 16" |







Light-Duty Bracket



- Made from cast aluminum
- Swivels 360°
- Mounts on cables up to 3/8"
- Recommended for Traffic Signs ONLY, up to 24" x 30"



Medium-Duty Bracket

- Made from plated steel and aluminum
- Swivels 360-degrees and adjusts for tilt.
- Mounts on cables up to 3/8"
- Pre-assembled for quick installation










SILVER COMPONENTS





Heavy-Duty Bracket



Attachment to Mast Arm Options:

 Use Stainless Steel Cables with Hardware provided in kits. Other cable lengths available.
 All kits come unassembled. Call for quote.









| | Fits Sign Sizes | Main Cable Mount Assembly KIT QTY | 50" Cable Assemblies KIT QTY | 1.5" diameter Schedule 40 Pipe LENGTH | 16" long Sign Mounting Clamps KIT QTY | Color | KIT CODE | C |
|----|-----------------------|---|------------------------------------|---|---|--------|----------------|----------|
| TS | up to 36" | 1 | 2 | 24" long | 2 | | RPBOHMWCM30036 | |
| Y. | 37"- 48" | 1 | 2 | 36" long | 2 | | RPBOHMWCM30048 | |
| | 49" - 66" | 1 | 2 | 40" long | 2 | Silver | RPBOHMWCM30066 | Po Pa |
| | 67" - 84" | 1 | 2 | 60" long | 4 | Silver | RPBOHMWCM30084 | B |
| | 85" - 96" | 1 | 2 | 72" long | 4 | | RPBOHMWCM30096 | |
| | 97" - 120" | 1 | 2 | 84" long | 4 | | RPBOHMWCM30120 | |
| | | | | | | | | |

| 9 | | | | |
|---|--------|----------------|----------------------------|---------------------|
| | Color | KIT CODE | Color | KIT CODE |
| | Silver | RPBOHMWCM30036 | Powder Painted Black | OSIZ84OHMWCM30036BK |
| | | RPBOHMWCM30048 | | OSIZ84OHMWCM30048BK |
| | | RPBOHMWCM30066 | | OSIZ84OHMWCM30066BK |
| | | RPBOHMWCM30084 | | OSIZ84OHMWCM30084BK |
| | | RPBOHMWCM30096 | | OSIZ84OHMWCM30096BK |
| | | RPBOHMWCM30120 | | OSIZ84OHMWCM30120BK |
| | | | | |

| | ITEM CODE | |
|--|--|--|
| Main Cable Mount Assembly The main assembly is the bracket at the center of the Mast-O-Bracket system. | RPBOHMWCMZ8214 | |
| Cable Assembly Length: 50" including threaded connector, 1.5" long 3/8"-16 TPI and 1.375" long 5/16" HEX. Nylon locking nut with washer provided. Free end of cable welded to prevent fraying. | RPBOHMWCMZ8213 (2 required per mount) | |

Sign Mounting Clamp: The number of sign mounting clamps are determined by the length of sign and should be spaced accordingly. *Refer to kits above.*

| | 8" Sign Mounting Clamp for using 12" signs with the Mast-o-Bracket. | RPBOHMWCMZ8300 | | |
|--|--|----------------|--|--|
| | 16" Sign Mounting Clamp for using 18" or larger signs with the Mast-o-Bracket. | RPBOHMWCMZ8301 | | |
| Schedule 40 Pipe (1.5" Diameter - No Slot) | | | | |
| | 24" long pipe for up to 36" sign | RPBOHMWCMZP24 | | |
| | 36" long pipe for 37"- 48" sign | RPBOHMWCMZP36 | | |
| | | | | |

RPBOHMWCMZP40

RPBOHMWCMZP60

RPBOHMWCMZP72

RPBOHMWCMZP84

40" long pipe for 49" - 66" sign

60" long pipe for 67"- 84" sign

72" long pipe for 85" - 96" sign

84" long pipe for 97" - 120" sign

Overhead Mast Arm Brackets



Medium-Duty Bracket

- Made from plated steel and aluminum
- Pre-assembled for quick hassle free installation
- May be ordered individually or in a box of 10



| Color | ITEM CODE |
|----------------------|-----------------|
| Silver | RPBOHCOM88 |
| Powder Painted Black | OSIZ84OHCOM88BK |

Use stainless steel strapping or snap lock assembly for mounting to mast arm.

Sold Separately, Page 44-45

Custom Products Corporation

P.O. Box 54091 Jackson, MS 39288-4091 www.cpcsigns.com

PRST STD U.S. Postage **PAID** Custom Products Corporation

CSNS CATALOG - CAT14

COMPONENTS

CUSTOM STREET NAME PROGRAM



Mail:

P.O. Box 54091 Jackson, MS 39288-4091

Shipping:

1120 Flowood Dr. Jackson, MS 39232

EMAIL

sales@cpcsigns.com



find us on social media













Sales:

1-800-367-1492 (Voice)

1-601-932-5854 (Voice)

1-800-206-3444 (Fax)

1-601-932-7178 (Fax)

WEBSITE

www.cpcsigns.com