



1-800-367-1492 • [www.cpcsigns.com](http://www.cpcsigns.com)



**School Zone Safety Products**

# School Zone Signs

Go to [www.cpcsigns.com](http://www.cpcsigns.com) to find more Special Legend School Signs.



## STOP/STOP School Crossing Hand Paddles

**SHP1818ST040(X)NH** - 18" x 18" .040" Aluminum Paddle Head  
Sheeting (X): (B) Non-Reflective | (E) Engineer Grade Prismatic  
(H) High Intensity Prismatic

Handle **HPHANDLE10** 10" Galvanized Steel Conduit (Sold Separately)  
Vynafom Grip **HPZFOAMGRIP** (Sold Separately)



**SIGN ALERT**

Add Blinking Solar LEDs to signs see page 16



S3030S313AG  
S3636S313AG



S3030S323AG  
S3636S323AG




S3030S45A(XX)3AG  
S3636S45A(XX)3AG  
\*Specify Speed



S2412W169P3AG  
S3018W169P3AG



S2412W167P3AG  
S3018W167P3AG



S2412W167P3AG  
S3018W167P3AG



S2412W167P3AG  
S3018W167P3AG



S1218R7321HA



SLSPBP73041218HA



S1218R7217HA




S1218R7360HA




S1218R7309HA



S1218R7323HA




S2430S52HA




S2430S53HA




S2430R210HA



S2418R26PHA



S2410S41PHA



S2430R211HA

**3 DAYS**

## Replacement Requirements\*

Damaged or missing school zone signs should be replaced or repaired within 3 working days of the agency having notice of them missing, down or damaged. Some signs may warrant faster replacement based on nature of sign. \*Maintenance of Signs and Sign Support: FHWA-SA-09-025

## Are Your Signs Bright Enough?

School Zone Signs MUST be Fluorescent Yellow-Green Diamond Grade. To stay in compliance with the MUTCD, we recommend using: **3M<sup>®</sup> FYG Diamond Grade Cubed** for all **School Zone Signs** for the best overall value and warranty.

## Fluorescent Yellow Green DG3 (FYG)



S2410S44PHA



S2410S46PHA



S2410S42PHA



S1236R16AH3AG



S1236R16H3AG



S3030S113AG  
S3636S113AG



S2418W162P3AG  
S3024W162P3AG

\*Specify FEET



S2412W166P3AG  
S3018W166P3AG



S2412W166P3AG  
S3018W166P3AG



S2412W162AP3AG  
S3018W162AP3AG



S2412W167P3AG  
S3018W167P3AG



S2412W169P3AG  
S3018W169P3AG



S2412W167P3AG  
S3018W167P3AG

## Athletic Marking Paint & Stencils



Athletic Marking Paints and Stencils available in standard and custom legends for all your traffic, parking lot, playground, and athletic field needs. [Pages 107-111](#)



## Stickers, Decals & Tags

### Bumper Stickers, Parking Permits, Polyester Decals & Vinyl Decals

Available in many standard colors and sizes with customized graphics for your school or college.



## Property Signs




S1218PC236HA



S1824PC230HA



S1824PC235HA



S1824PC200HA



S1218S36HA



S1218PC250HA





## In-Street Pedestrian Crosswalk Signage



- Quickly grabs motorists' attention and alerts them to pedestrians in crosswalk.
- Utilizes Highly Visible, Reflective Diamond Grade Fluorescent Yellow Green sheeting plus FYG posts.
- 12" x 36" Yield to Pedestrian -or- Stop for Pedestrian signs are constructed of durable plastic.

### 52" X-Tube Rigid Upright with Sign

PART #	LEGEND
RPOFPIPX50WHTSS603	YIELD to Ped - Double Faced
RPOFPIPX50WHTSS602	YIELD to Ped - Single Faced
RPOFPIPX50WHTSS605	STOP for Ped - Single Faced
RPOFPIPX50WHTSS604	STOP for Ped - Double Faced

Choose Sign from above to use with the Yeti Base

RPOFZPXTUBEASEYETI	"The Yeti" 40# Portable Base
RPOFZPXTUBEASE800QR	Quick Release Pin for 1.75" X-Tube Post



**Children and other pedestrians are at risk when crossing the street every single day.**

### 42" EFX FYG Flexible Safety Post with Sign

PART #	LEGEND
RPOFPIPG342FLGFX613	YIELD to Ped - Double Faced
RPOFPIPG342FLGFX612	YIELD to Ped - Single Faced
RPOFPIPG342FLGFX615	STOP for Ped - Double Faced
RPOFPIPG342FLGFX614	STOP for Ped - Single Faced

Choose Sign from above to use with the Banana Base or Fixed Base

RPOFZPBSEBANANA	35# Portable Banana Base
RPOFZPFG300BAFYG	Fixed Base
RHSMSCA3840	Asphalt Anchor Bolt
RHSMSCA3825	Concrete Anchor Bolt
RPOFZPFG300XPINS	Post Pins (Box of 50)



The 300 FYG Fixed Base for fixed installations where the post and base will remain on the road surface for an extended period of time.

Bases are constructed of a UV stable, high impact plastic. Safety posts are mounted to the base with two nylon locking pins. Bases are secured to the roadway with either epoxy or bolts.

## In-Street Pedestrian Crosswalk Signage



**In-Street Pedestrian Crosswalk Signage** provides enhanced conspicuity at un-signalized intersections in order to alert motorists to local laws concerning yielding to or stopping for pedestrians in crosswalks.

**FEATURES** exclusive patented, anti-twist reactive spring system.



IMPACT recovery SYSTEMS



Fixed Base



Quick Release Base



The One Base attaches to quick release post types.

### Quick Release Mounting Style Post w/Sign

PART #	Legend	Sign Faces
RPOFPIPDSTDQ	STOP for Ped	Double Faced
RPOFPIPDYDDQ	YIELD to Ped	Double Faced
RPOFPIPDYDSQ	YIELD to Ped	Single Faced
RPOFPIPSSTDQ	(SCHOOL) STOP for Ped	Double Faced
RPOFPIPSYDDQ	(SCHOOL) YIELD to Ped	Double Faced
RPOFPIPSYDSQ	(SCHOOL) YIELD to Ped	Single Faced

Choose Sign from above to use with a Base below

PART #	Description
RPOFZIQRFBASEBK	Quick Release Base - Surface Mount
RPOFZIQRPBASE	Portable One Base - 100% Recycled Rubber
RPOFZIQRPIN	Quick Release Replacement Pin

## Portable School Zone Signage



### Easy Fold Sandwich Boards

Find a full line of standard and custom options  
@ [www.cpcsigns.com](http://www.cpcsigns.com)

### Fixed Mounting Style Post w/Sign

PART #	Legend	Signs Faces
RPOFPIPDSTDF	STOP for Ped	Double Faced
RPOFPIPDSTSF	STOP for Ped	Single Faced
RPOFPIPDYDDF	YIELD to Ped	Double Faced
RPOFPIPDYDSF	YIELD to Ped	Single Faced
RPOFPIPSSTDF	(SCHOOL) STOP for Ped	Double Faced
RPOFPIPSYDDF	(SCHOOL) YIELD to Ped	Double Faced

Choose Sign from above to use with a Base below

PART #	Description
RPOFZISMFBK	Fixed Base - Surface Mount
RHSMSLS12	Anchor Kit with 4 lag screws (installs 1 base)

## Blinker Beacons™

### Vertically Mounted Dual Solar Flashing LED Beacons



- Adds visibility
- Solar Powered, no electric bills, virtually maintenance free
- Low cost installation (no trenching or wiring)
- Patented Auto Bright™ circuitry automatically adjusts brightness levels, maintaining optimal LED output and extending battery life



## School Zone Sign MUTCD Regulations

### Are Your Signs **BIG ENOUGH?**

MUTCD 2009  
CHAPTER 7B  
Table 7B-1  
p. 733

Larger signs are required  
throughout the 2009 MUTCD.

### Are Your Signs **BRIGHT ENOUGH?**

Fluorescent Yellow Green  
sheeting is required for ALL  
School Zone Warning Signs.


### COMPLIANCE REQUIRED

as signs are being replaced or refurbished  
because they are damaged, missing, or  
no longer serviceable for any reason.

For more information, call customer service, visit  
our website: [www.cpcsigns.com](http://www.cpcsigns.com) or the official  
MUTCD website: <http://mutcd.fhwa.dot.gov>


### Are Your Signs **CORRECT?**

There are new signs in every section of  
the 2009 MUTCD, as well as, many signs  
that are no longer an option.



S2-1

NO LONGER  
PERMITTED



S1-1



W16-9




W16-7




W16-2

The S2-1 School Advance Crossing sign has been replaced  
by the S1-1 School Crossing sign combined with the W16-9  
AHEAD, the W16-2 500 FEET, or the W16-7 Arrow Plaque.



S5-2



S5-3

The S5-3 END SCHOOL SPEED  
LIMIT or S5-2 END SCHOOL ZONE  
sign is required at the end of  
reduced school speed limit zone.



NO LONGER  
PERMITTED

The S3-1 School Bus  
Stop Ahead (words) has  
been replaced by the  
NEW S3-1 School Bus  
Stop Ahead Symbol.



NEW S3-1

LBCSCHOOL2



VOICE: 1-800-367-1492 • FAX: 1-800-206-3444  
sales@cpcsigns.com • www.cpcsigns.com

JACKSON, MISSISSIPPI