



1-800-367-1492 • www.cpcsigns.com



Pavement Markings

3M™ Raised Pavement Markers



SERIES 290

- ◆ Apply with standard bitumen and epoxy adhesives.
- ◆ Durable, lightweight, molded-in body color thermoplastic.
- ◆ Highly reflective Diamond Grade™ microprismatic optics.
- ◆ Long-life visibility, particularly at night and in wet weather.
- ◆ Apply to asphalt or concrete surfaces in non-snowplow regions.
- ◆ Impact and abrasion resistant.
- ◆ Increase awareness with an added rumble effect.
- ◆ 100 per carton. In-Stock colors available individually.



SERIES 290 with PSA

- ◆ Applied with pressure sensitive adhesive.
- ◆ Designed for application on asphalt and portland cement concrete road surfaces.
- ◆ These markers provide highly effective, long-life visibility, particularly at night and in wet weather.

Ceramic Traffic Buttons & Jiggle Bars



Retro-Reflective Ceramic Markers combine the power of brilliant and exceptional night time visibility with a self cleaning glazed surface for excellent daytime visibility.

Non-Reflective Ceramic Markers are maintenance free and feature a heat fired glazed surface that promotes self-cleaning and excellent daytime visibility.



Jiggle Bar
RPM MJB6WN
Non-Reflective
Material: Ceramic
Color: White
Size: 6"x 6"



Jiggle Bar
RPM MJB6YN
Non-Reflective
Material: Ceramic
Color: Yellow
Size: 6"x 6"



Round Button
RPM MCB(X)W
1-Way Retro-Reflective
Material: Ceramic
Color: White
Sizes(X): 6" or 8"



Round Button
RPM MCB(X)Y
1-Way Retro-Reflective
Material: Ceramic
Color: Yellow
Sizes(X): 6" or 8"



Round Button
RPM MCB4Y
1 Way Retro-Reflective
Material: Ceramic
Color: Yellow
Size: 4"



Round Button
RPM MCB4W
1 Way Retro-Reflective
Material: Ceramic
Color: White
Size: 4"



Round Button
RPM MCB(X)WN
Non-Reflective
Material: Ceramic
Color: White
Sizes(X): 4", 6" or 8"



Round Button
RPM MCB(X)YN
Non-Reflective
Material: Ceramic
Color: Yellow
Sizes(X): 4", 6" or 8"



Round Button
RPM MCB(X)WWW
2-Way Retro-Reflective
Material: Ceramic
Color: White
Sizes(X): 6" or 8"



Round Button
RPM MCB(X)YYY
2-Way Retro-Reflective
Material: Ceramic
Color: Yellow
Sizes(X): 6" or 8"



Round Button
RPM MCB4YYY
2 Way Retro-Reflective
Material: Ceramic
Color: Yellow
Size: 4"




Round Button
RPM MCB4WWW
2 Way Retro-Reflective
Material: Ceramic
Color: White
Size: 4"

4" Traffic Buttons



6" & 8" Ceramic Buttons AVAILABLE page 104




RPMMTD10500(W)N White
RPMMTD10500(Y)N Yellow
RPMMTD10500(B)N Black

- ◆ Raised hexagon pattern increases strength and adhesive surface area.
- ◆ Buttons made from polypropylene
- ◆ White (W), Yellow (Y), and Black (B)

Chip Seal Temp Markers



- ◆ Polyurethane body allows marker to straighten itself after impact.
- ◆ Reflective surface is protected by clear plastic cover. Also available with double cover
- ◆ Marker comes with adhesive attached
- ◆ White (W) or Yellow (Y), 1-way or 2-way
- ◆ 500/Box (Sold in box quantities only)



Rumble Strips



RPMRS(XX)ROAD0424 - 4" x 24" x 1/2" | 1.25 lbs
Color (XX): (WH) White | (YE) Yellow *Yellow is Quick Ship*



- ◆ The **Road Rumbler** is made from a specially formulated glass-filled polymer material.
- ◆ Physical and audible warning for motorists.
- ◆ Superior road surface adhesion.
- ◆ Unique raised dot grip system and special grooves for improved adhesion.
- ◆ Adhere with marker adhesive, bottom of this page.



3708 Rumble Strip RPMRS(XX)3708(##)

Colors (XX): (BK) Black | (BU) Blue | (RE) Red | (WH) White | (YE) Yellow
Lengths (##): (01) 12" | (04) 4' | (05) 5' | (06) 6' | (08) 8'

- ◆ The **3708 Rumble Strip** is solid uni-body marker which eliminates any hollow areas that can crack or crush when impacted by vehicle.
- ◆ Ideal to delineate gores, bike and pedestrian lanes, and road shoulders to help prevent dangerous run-off-the-road accidents.
- ◆ Install with hot melt bitumen or 2-part epoxy.



Recycled Rubber Speed Bumps & Parking Curbs



- ◆ Made of 100% recycled rubber tires
- ◆ Embedded reflective glass beads
- ◆ Removable, flexible, durable
- ◆ Installs with 14" rebar spikes (1/2" masonry bit required)



Stock#	Description	Size	Spikes	Weight
RPMRRSB48	Speed Bump	4' x 2.25" x 11"	3	35 lbs.
RPMRRSB72	Speed Bump	6' x 2.25" x 11"	5	52 lbs.
RPMRRPC6YEBK	Yellow Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRPC6WHBK	White Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRPC6BUBK	Handicap Blue Parking Curb	6' x 6" x 4.25"	4	38 lbs.
RPMRRSPIKE	Rebar Spike Pointed	14"		1.22 lbs.



Marker Adhesives

Stock#	Description	# 4"x4" Markers	Coverage
RPMABITUMEN	Adhesive Bituminous - 55# Carton	165	2600 sq in
RPMAEPOXYKITGAL02	Adhesive Epoxy Kit - 2 Gallon (1 ea A/B)	200	3200 sq in
RPMAEPOXYKITGAL10	Adhesive Epoxy Kit - 10 Gallon (5 ea A/B)	1000	16000 sq in
RPMAEPOXYKITQT02	Adhesive Epoxy Kit - 2 Quart (1 ea A/B)	50	800 sq in
RPMAEPOXYKITTUBE	Adhesive Epoxy Tube Kit (1 ea A/B)	8-12	128 to 192 sq in

Stock#	Description	# Markers
RPMABUTYLPAD(XX)	Adhesive Butyl Single Pad - Sizes: (44) 4" x 4" (88) 8" x 8" (8ROUND) 8" Diameter Round	1
RPMABUNDY(XX)5BOX	Bundy Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow	140
RPMASBUNDYGY0239BOX	Super Bundy Thermoplastic Adhesive - Size: 2" x 39" Color: Grey	40
RPMASBUNDYGY8BOX	Super Bundy Thermoplastic Adhesive - Size: 8" x 8" Color: Grey	40
RPMAHOTSPOTBK5	Hotspot Thermoplastic Adhesive - Size: 5" x 5" Color: Black	1
RPMAHOTSPOT(XX)5BOX	Hotspot Thermoplastic Adhesive - Size: 5" x 5" Colors: (BK) Black (BU) Blue (WH) White (YE) Yellow	150
RPMAHOTSPOTBK8BOX	Hotspot Thermoplastic Adhesive - Size: 8" x 8" Color: Black	80

3M™ Stamark Pavement Markings



- ✓ Superior daytime visibility
- ✓ High reflectivity at night
- ✓ Reinforced toughness
- ✓ Extended season productivity
- ✓ Easy application



Tapes also Available with Liner, Call for Details.

380 ES Series Extended Season High Performance Tape

Solid Non-Linered: RPMTRA380IES - white | RPMTRA381IES - yellow
 Sizes: 20 yds (48") | 30 yds (4", 5", 6", 8", 10", 12", 16", 18", 24") | 80 yds (8") | 100 yds (4", 5", 6")

Solid Non-Linered: RPMTRA385IES - black Sizes: 25 yds (4", 6", 8", 12", 24")

Contrast Non-Linered: RPMTRA380IES5 - white

Sizes: 50 yds (7", 8", 9", 11" includes 1½" black border)

- ◆ May be applied in temperatures as cool as 40 degrees F.

380 AW Series ALL Weather High Performance Tape

Solid Non-Linered: RPMTRA380AW - white | RPMTRA381AW - yellow

Sizes: 20 yds (48") | 25 yds (10", 12", 16", 18", 24") | 60 yds (8")

Contrast Non-Linered: RPMTRA380AW5 - white

- ◆ Includes "extended season" adhesive for application during normal season, or during early/late season with surface prep adhesive.

270 ES Series Intersection Durable Tape

Solid Non-Linered: RPMTRA270ES - white | RPMTRA271ES - yellow
 Sizes: 20 yds (48") | 30 yds (4", 6", 8", 12", 16", 18", 24", 36") | 100 yds (4", 6")

- ◆ Exceptionally durable, long-lasting visibility, ideal for intersections.

710 Series Wet Reflective Removable Tape

Solid Non-Linered: RPMTRA710 - white | RPMTRA711 - yellow
 Sizes: 20 yds (48") | 40 yds (4", 6", 8") | 120 yds (4", 5", 6")

Contrast Non-Linered: RPMTRA7105 - white | RPMTRA7115 - yellow
 Sizes: 65 yds (7", 8", 9" includes 1½" black border)

Solid Non-Linered: RPMTRA715 - black Sizes: 40 yds (6", 8") | 120 yds (6", 8")

- ◆ Designed to perform for the duration of a normal construction season.
- ◆ Superior adhesion and conformability, fast and easy to apply and remove, and eliminates grinding.

PAVEMENT MARKINGS

380IES Series • 380AW Series • 270ES Series • 710 Series Pre-Cut Legends, Symbols and Arrows


Symbols, Legends, Arrows Code

RPMTRMSL(XXXX)(XX)

1234 indicates availability in Series

Series Code

380IES¹ • 380AW² • 270ES³ • 710⁴



HotTape® Lines, Legends & Arrows

HotTape® Legends and Arrows

- ◆ Available in standard FHWA designs that are compliant with the Manual on Uniform Traffic Control Devices (MUTCD) including lines, arrows, bike lane markings, railroad markings and word legends such as "STOP", "ONLY", and "SCHOOL" plus many legends shown above on this page.
- ◆ Call a Customer Service Representative for Details.

HotTape® Lines

RPMTP90(##)03(XX) - 3ft length x various widths

Width (##): (04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24"

Colors (XX): (WH) White | (YE) Yellow (NOTE: Also available in 90-mil rolls and 125-mil lines)

For HotTape® Application (Cylinder SOLD Separately)

RPMTPMTORCH - Magnum Heat Torch w/ 30' Hose

RPMTPMTTROLLEY - Hot Tape Magnum Tank Trolley

PreMark® Lines, Legends & Arrows

PreMark® Lines, Legends and Arrows

- ◆ Available in the FHWA Standard sizes as shown in the Manual on Uniform Traffic Control Devices (MUTCD) similar to many legends shown above on this page as well as custom designs.
- ◆ Call a Customer Service Representative for Details.

PreMark® Lines

RPMTPPM125(##)03(XX) - 3ft length x various widths

Width (##): (04) 4" | (05) 5" | (06) 6" | (08) 8" | (12) 12" | (16) 16" | (18) 18" | (24) 24"

Colors (XX): (WH) White | (YE) Yellow

For PreMark Application use: (Cylinder SOLD Separately)

RPMTPPM2000EXHTORCH - Pre-Mark Flint 2000 EX Heat Torch 5" Nozzle

RPMTPPMC20LPGCYL - Pre-Mark C-20 Mark LPG Cylinder (20lb capacity)

RPMTPPMC40LPGCYL - Pre-Mark C-40 Mark LPG Cylinder (40lb capacity)



Inverted Tip Marking Paints, Wands and Machines

Water Based Marking Paint

Unleaded • APWA Approved • Cap-On Spray Mechanism

Stock# **RPMPITIPWB(XX)**

Colors (XX): (RE) Brilliant Red APWA
(WH) Brilliant White APWA | (FBU) Flo Caution Blue
(FOR) Flo Orange | (FPI) Flo Pink | (FPU) Flo Purple
(FGR) Flo Safety Green | (FRE) Flo Safety Red
(YE) Utility Yellow APWA

Solvent Based Marking Paint

More durable than water based paint • Unleaded
APWA Approved • Cap-On Spray Mechanism

Stock# **RPMPITIPSB(XX)**

Colors (XX): (BK) Asphalt Black | (BU) Blue APWA
(FBU) Flo Blue | (FPI) Flo Hot Pink
(FGR) Flo Neon Green | (FOR) Flo Orange
(FROR) Flo Red/Orange | (FRE) Flo Safety Red
(GR) Green APWA | (YE) Hi Vis Yellow APWA
(RE) Red APWA | (WH) Utility White APWA
(PU) Flo Purple

Marking Chalk

More permanent than water based paint
Unleaded • Non-Clogging Tip

Stock# **RPMPITIPMC(XX)**

Colors (XX): (BU) Blue | (GR) Green | (OR) Orange
(RE) Red | (WH) White | (YE) Yellow

Athletic Field Striping Paint

Water Based • VOC Compliant • Unleaded • APWA Colors

Stock# **RPMPITIPAFSA(XX)**

Colors (XX): (WH) White | (YE) Yellow | (OR) Orange
(FLOR) Flo Orange | (RBU) Royal Blue | (TGR) Turf Green

Pavement Striping Paint

30 Minute Dry Time • VOC Compliant • Unleaded

Stock# **RPMPITIPPS(XX)**

Colors (XX): (CUBK) Cover-Up Black
(FRE) Fire Lane Red | (HBU) Handicap Blue
(HWH) Highway White | (HYE) Highway Yellow



MULTIPLE CASE DISCOUNT

DROP SHIPS

- ◆ 20 oz. Krylon Cans
- ◆ Sold by Case (12 Cans/Case)



12" Hand-Held Wand
RPMPITIPHAND



34" Marking Wand
RPMPITIPMWAND



34" Marking Wand
w/flag holder RPMPITIPMWANDFH



34" Line-Up Striping Wand
RPMPITIPPSWAND

Pavement Striping Machine

RPMPITIPPSM

- ◆ Makes 2"-4" Line
- ◆ 18 gauge steel
- ◆ 7" Wheels
- ◆ Stores a full case of paint



APWA Uniform Color Code

- ◆ **White:** Proposed Excavation
- ◆ **Pink:** Temporary Survey Markings
- ◆ **Red:** Electric Power Lines, Cables, Conduit and Lighting Cables
- ◆ **Yellow:** Gas, Oil, Steam, Petroleum or Gaseous Materials
- ◆ **Orange:** Communication, Alarm or Signal Lines, Cables or Conduit
- ◆ **Blue:** Potable Water
- ◆ **Purple:** Reclaimed Water, Irrigation and Slurry Lines
- ◆ **Green:** Sewers and Drain Lines

Athletic Field Striping Machine

RPMPITIPAFSM

- ◆ 18 gauge steel
- ◆ 10" Wheels
- ◆ Stores a full case of paint



Marking Flags

◆ RSP950(XXXX)4521

Fluorescent Colors:
(FLGR) Flo Green | (FLLI) Flo Lime
(FLOR) Flo Orange | (FLPK) Flo Pink
(FLRR) Flo Rocket Red

◆ RSP951(XX)4521

Standard Colors:
(BK) Black | (BU) Blue | (CL) Clear
(GR) Green | (OR) Orange
(PU) Purple | (RE) Red | (SL) Silver
(WH) White | (YE) Yellow

- ◆ 4" x 5" flag w/21" wire staff is a Top Seller.



- ◆ Many other variations and custom printed flags are available (min qty of 1,000 on flag orders)



Reflective Glass Beads

Quick SHIP



RPMBEAD

BEST PRICE
40 Bag Pallet

- ◆ "Drop On" Glass Beads
- ◆ AASHTO Type I Specifications
- ◆ 50 Lb. Bags



Raised Pavement Markers available see page 104



RPMTRFOL200W0450 White
RPMTRFOL200Y0450 Yellow

Quick SHIP

Reflective temporary construction grade pavement tape withstands tough weather and road conditions. 4" X 50 yards

- ◆ Glass beads are dropped or sprayed upon pavement markings to produce a reflectorized marking.
- ◆ High end glass beads suitable for state DOT jobs and exceed city/county/parking lot specifications.

PAVEMENT MARKINGS



Graphic Word & Symbol Stencils

PAVEMENT MARKINGS

 <p>1 Piece Stencil</p> <p>Golf Cart RPM5033628GOLF 36"x28" 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Roller Blading In-Line Skating RPM5031620ROLLINSKT 16"x20" 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Baby & Stork RPM5034524STORK 45"x24" 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Baby & Carriage RPM5033236BABYCAR 32"x36" 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>No Parking RPM50326NP 26" Diameter 1/8" thick</p>
 <p>1 Piece Stencil</p> <p>No Skateboards RPM50326NOSKT 26" Diameter 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Clean Up! Trash Your Trash RPM5031012TRASH 10"x12" 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Maltese Cross RPM5033737MALCROSS 37"x37" 1/8" thick</p>	 <p>2 Piece Stencil</p> <p>Fire Hydrant w/Arrow RPM5031833FIREHYDA 18"x33" 1/8" thick</p>	 <p>2 Piece Stencil</p> <p>Clean In Clean Out RPM5036060CLEAN 60"x60" 1/16" thick</p>
 <p>1 Piece Stencil</p> <p>No Roller Skating RPM503NOROLLBLADE 26" Diameter 1/16" thick</p>	 <p>2 Piece Stencil</p> <p>Speed Hump RPM5037272SPEEDHUMP 72"x72" 1/8" thick</p>	 <p>2 Piece Stencil</p> <p>Electric Charging Station/Parking Stalls RPM5034035ELECCHRG 40"x35" 1/8" thick</p>	 <p>1 Piece Stencil</p> <p>Electric Charging Station/Parking Stalls RPM5034344ELECCHRG 43"x44" 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Alt Parking Stall RPM50346ALTPARKSTALL 46" Diameter 1/8" thick</p>
 <p>STOP - Military Style RPM505(XX)MILITARYSTP (60) 60" (96) 96" 1/8" thick</p>	 <p>S-T-O-P RPM50560STOP 60" High 1/8" thick</p>	 <p>STOP RPM50596STOP 96" High 1/8" thick</p>	 <p>YIELD RPM50536YIELD 36" High 1/8" thick</p>	 <p>1 Piece Stencil</p> <p>Sewer Grate RPM5032436SEWER 24"x36" 1/8" thick</p>
 <p>Compact Car RPM5033630COMCAR 36"x30" 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Motorcycle Parking RPM5033625MOTORPARK 36"x25" 1/8" thick</p>	 <p>1 Piece Stencil</p> <p>Electric Charging Station/Parking Stalls RPM50345ELECCHRG 45" Diameter 1/16" thick</p>	 <p>BUCKLE-UP! RPM5039628BUCKLE 96"x28" 1/8" thick</p>	 <p>Barricade Stripe RPM5030672BS 6"x72" 1/8" thick</p>
 <p>1 Piece Stencil</p> <p>Electric Charging Station Parking Stalls RPM5032056ELECCHRG 20"x56" 1/8" thick</p>	 <p>1 Piece Stencil</p> <p>Low-Emitting & Fuel Efficient Vehicle RPM5034824LOWEMFUELV 48"x24" 1/8" thick</p>	 <p>1 Piece Stencil</p> <p>Compact Car RPM5033648COMCAR 36"x48" 1/8" thick</p>	 <p>Circle RPM508XXCIRCLEPLAY Custom Size 4"-30" 1/8" thick</p>	 <p>Tic Tac Toe with 4 X' & 4 O's RPM5081212TTTKIT 12"x12" 1/8" thick</p>
 <p>Child Running RPM5032548CRUN 25"x48" 1/8" thick</p>	 <p>Pedestrian Crossing RPM5034060PEDCROSS 36"x60" 1/8" thick</p>	 <p>1 Piece Stencil</p> <p>No Pedestrians RPM50342NOPEDESTRIAN 42" Diameter 1/16" thick</p>	 <p>1 Piece Stencil</p> <p>Recycle RPM50336RECYCLE 36" Diameter 1/8" thick</p>	 <p>1 Piece Stencil</p> <p>No Smoking RPM50336NS 36" Diameter 1/8" thick</p>
 <p>DRIVE THRU THANK YOU McDonald's Kit RPM503MCDONALDSKIT 34" Letters 42" Circles 1/8" or 1/16" thick 2025 Catalog#18</p>	 <p>Leaf w/Roadway Low Emit Fuel RPM5033655LEAFROAD 36"x55" 1/16" thick</p>	 <p>Double Leaf - Low Emitting Fuels RPM5034040DBLELEAF 40"x40" 1/8" thick</p>	 <p>LOOK! Crosswalk Awareness RPM503(XX)LOOK (12) 12" or (16) 16" letters 1/8" thick</p>	 <p>Line Stencil RPM50104144LINE 4"x144" 1/16" thick</p> <p>Crosswalk Bar RPM501(XXXX)CROSSBAR 24" or 36" x72" 1/8" thick</p>

Federal Spec. Arrow Stencils

<p>Multi-Purpose 22" Straight Arrow RPMS0222ARROWS 1/8" thick</p>	<p>Multi-Purpose 24" Curved Arrow RPMS0224ARROWC 1/8" thick</p>	<p>1 Piece Stencil 5' Straight Arrow RPMS0205ARROWS 5' Curved Arrow RPMS0205ARROWC 1/8" thick</p>	<p>6' Curved & Straight Arrow ALL 3 PCS RPMS0206ARROWCS 6' Straight Arrow - 2 PCS RPMS0206ARROWS 6' Curved Arrow - 2 PCS RPMS0206ARROWC 1/8" thick</p>	<p>Arrow A RPMS0236ARROWASC 36" L x 18" W x 10" wide tail (Both Straight & Curve Arrow included) 1/8" thick</p> <p>Arrow B RPMS0236ARROWBSC 36" L x 24" W x 12" wide tail (Both Straight & Curve Arrow included) 1/8" thick</p> <p>48" Arrow C RPMS0248ARROWCSC 48" L x 24" W x 14" wide tail (Both Straight & Curve Arrow included) 1/8" thick</p>
<p>Curved Arrow RPMS0208ARROWCF 72" x 8" 1/8" thick</p>	<p>Curved/Straight Combo Tail RPMS021207ARROWCOMF Size: 44" x 7" 1/8" thick</p>	<p>Straight Arrow RPMS0295ARROWSF 38" x 9.5" 1/8" thick</p>		
<p>RPMSPA0236ARROWC Size: 36" x 144" 1/8" thick 2 Piece Stencils</p> <p>RPMSPA0220ARROWS Size: 20" x 144" 1/8" thick 2 Piece Stencils</p>	<p>California Loop RPMSCA01LOOPXXX (35 SIZES AVAILABLE) 1/8" thick</p>	<p>Lane Reduction Arrow RPMS0218ARROWLRF 18' long x 5'6" wide 1/8" thick</p>	<p>U-Turn Arrow RPMS0208ARROWUF 8' long x 9'2" wide 1/8" thick</p>	

Universal Arrow Stencils

<p>8' Straight Arrow RPMS0208ARROWS</p>	<p>8' Curved Arrow RPMS0208ARROWC 1/8" thick</p>	<p>4" Outlined Straight Arrow RPMS0204ARROWSOUT 1/8" thick</p>	<p>4" Outlined Curved Arrow RPMS0204ARROWCOUT 1/8" thick</p>	<p>Curved/Straight Arrow 6' Kit - 3PC RPMS0206ARROWKIT3 Straight Arrow - 37" Curve Arrow - 43" 1/8" thick</p>
<p>Arrow Kit - 2PC RPMS0242ARROWKIT2 20" Wide x 42" High 1/8" thick</p>	<p>1 Piece Stencil 6' Straight Thin Arrow RPMS0206ARROWST1</p>	<p>1 Piece Stencil 6' Arrow Combination RPMS0206ARROWCOM 1/8" thick</p>	<p>Universal Arrow Kit - 3PC RPMS02ARROWKITU3 1/8" thick</p>	<p>Curved/Straight Arrow Kit - 3PC RPMS0322ARROWKITCOM3 1/8" thick</p>



Word Stencils

4" High Letters

RPMS0504COM	COMPACT
RPMS0504CUS	CUSTOMER
RPMS0504FIRE	FIRE
RPMS0504GUEST	GUEST
RPMS0504H	HANDICAP
RPMS0504LANE	LANE
RPMS0504LOAD	LOADING
RPMS0504MGR	MANAGER
RPMS0504MIN	MIN
RPMS0504ND	NO DIVING
RPMS0504NP	NO PARKING
RPMS0504NROLL	NO ROLLER BLADING
RPMS0504NR	NO RUNNING
RPMS0504ONLY	ONLY
RPMS0504P	PARKING
RPMS0504RESI	RESIDENT
RPMS0504RES	RESERVED
RPMS0504SKT	SKATEBOARDING
RPMS0504VIS	VISITOR
RPMS0504WFWS	

**WAIT FOR
WALK SIGNAL**

RPMS0504ZONE ZONE

6" High Letters

RPMS0506ACC	ACCESSIBLE
RPMS0506COM	COMPACT
RPMS0506EXIT	EXIT
RPMS0506FIRE	FIRE
RPMS0506H	HANDICAP
RPMS0506LANE	LANE
RPMS0506LOAD	LOADING
RPMS0506ND	NO DIVING
RPMS0506NR	NO RUNNING
RPMS0506NSK	NO SKATEBOARDING
RPMS0506NS	NO SMOKING
RPMS0506NP	NO PARKING
RPMS0506ONLY	ONLY
RPMS0506P	PARKING
RPMS0506RES	RESERVED
RPMS0506SL	

STOP - LOOK

RPMS0506VAN VAN
 RPMS0506VIS VISITOR
 RPMS0506ZONE ZONE

8" High Letters

RPMS0508ASST	ASST
RPMS0508CARS	CARS
RPMS0508CHIEF	CHIEF
RPMS0508COM	COMPACT
RPMS0508CUS	CUSTOMER
RPMS0508DOC	DOCTOR
RPMS0508FIRE	FIRE
RPMS0508H	HANDICAP
RPMS0508LANE	LANE
RPMS0508LOAD	LOADING
RPMS0508MGR	MGR
RPMS0508NP	NO PARKING
RPMS0508ONLY	ONLY
RPMS0508P	PARKING
RPMS0508PRES	PRESIDENT
RPMS0508RES	RESERVED
RPMS0508SEN	SENIOR
RPMS0508STA	STAND
RPMS0508TAXI	TAXI
RPMS0508VICE	VICE
RPMS0508VIS	VISITOR
RPMS0508ZONE	ZONE

10" High Letters

RPMS0510ASST	ASST
RPMS0510CARS	CARS
RPMS0510CHIEF	CHIEF
RPMS0510COM	COMPACT
RPMS0510CUS	CUSTOMER
RPMS0510DOC	DOCTOR
RPMS0510FIRE	FIRE
RPMS0510H	HANDICAP
RPMS0510LANE	LANE
RPMS0510LOAD	LOADING
RPMS0510MGR	MANAGER
RPMS0510MGR	MGR
RPMS0510NP	NO PARKING
RPMS0510OW	ONE WAY
RPMS0510ONLY	ONLY
RPMS0510P	PARKING
RPMS0510PRES	PRESIDENT
RPMS0510RESC	RESERVED (CONDENSED)
RPMS0510RES	RESERVED
RPMS0510SEN	SENIOR
RPMS0510STA	STAND
RPMS0510STOP	STOP
RPMS0510TAXI	TAXI
RPMS0510VICE	VICE
RPMS0510VIS	VISITOR
RPMS0510ZONE	ZONE

9" High Letters

1 Piece Stencil RPMS0509NP	NO PARKING
1 Piece Stencil RPMS0509SS	SLOW SPEED

12" High Letters

RPMS0512COM	COMPACT
RPMS0512CUS	CUSTOMER
RPMS0512DO	DO
RPMS0512DRIVE	DRIVE
RPMS0512ENTER	ENTER
RPMS0512EXIT	EXIT
RPMS0512FIRE	FIRE
RPMS0512LANE	LANE
RPMS0512LOAD	LOADING
RPMS0512NO	NO
RPMS0512NOT	NOT
RPMS0512ONLY	ONLY
RPMS0512P	PARKING
RPMS0512RES	RESERVED
RPMS0512STOP	STOP
RPMS0512THRU	THRU
RPMS0512VIS	VISITOR
RPMS0512ZONE	ZONE

18" High Letters

RPMS0518DO	DO
RPMS0518DRIVE	DRIVE
RPMS0518ENTER	ENTER
RPMS0518EXIT	EXIT
RPMS0518FIRE	FIRE
RPMS0518IN	IN
RPMS0518LANE	LANE
RPMS0518NO	NO
RPMS0518NOT	NOT
RPMS0518ONE	ONE
RPMS0518ONLY	ONLY
RPMS0518OUT	OUT
RPMS0518P	PARKING
RPMS0518STOP	STOP
RPMS0518THRU	THRU
RPMS0518WAY	WAY
RPMS0518ZONE	ZONE

**ONE
WAY**

RPMS0510OW

24" High Letters

RPMS0524NO	NO
RPMS0524P	PARKING
RPMS0524DO	DO
RPMS0524NOT	NOT
RPMS0524FIRE	FIRE
RPMS0524LANE	LANE
RPMS0524ZONE	ZONE
RPMS0524ENTER	ENTER
RPMS0524EXIT	EXIT
RPMS0524DRIVE	DRIVE
RPMS0524THRU	THRU
RPMS0524LOAD	LOADING
RPMS0524ONE	ONE
RPMS0524WAY	WAY
RPMS0524STOP	STOP
RPMS0524ONLY	ONLY
RPMS0524SLOW	SLOW
RPMS0524AHEAD	AHEAD

48" High Letters

1 & 2 Piece Stencils • Made from Durable 1/8" Poly Material



 RPMS0548DRIVE -2pc	 RPMS0548DO -1pc	 RPMS0548LANE -1pc	 RPMS0548AHEAD -2pc	
 RPMS0548THRU -1pc	 RPMS0548NOT -1pc	 RPMS0548NO -1pc	 RPMS0548YIELD -2pc	 RPMS0548EXIT -1pc
 RPMS0548ONLY - 1pc	 RPMS0548ENTER - 2pc	 RPMS0548SLOW - 1pc	 RPMS0548STOP - 1pc	

Bicycle Lane Stencils

 Bike Lane (no helmet) RPMS03(XXX)BLANE (1733)17"x33" (2448) 24"x48" 1/8" thick	 Bike Trail RPMS036540BTRAIL 65"x40" 1/8" thick	 Bike Lane (w/helmet) RPMS0340(XX)BLANEH 40"x(60)" or (72)" 1/8" thick	 Bicycle Diamond RPMS033672BICDIA 36"x72" 1/8" thick	 Bike Shared Lane RPMS0340(XXX)SHAREBIC 40" x (111)" or (69)" 1/8" thick
---	--	---	---	---


Railroad Stencils

 6'6" RR XING (PENNDOT SPEC) "R" - RPMSPA0366RR "X" - RPMSPA03RRX X is 2 Piece Stencil 1/8" thick	 6' Fed "R" for Railroad XING RPMS0306RRXCROSS "X" for Railroad XING RPMS0320RRX X is 2 Piece Stencil 1/8" thick	 5' Fed "R" for Railroad XING RPMS0305RRXCROSS "X" for Railroad XING RPMS0320RRX 8ft wide x 20 ft high 1/8" thick X is 2 Piece Stencil
---	---	--


Handicap/Disabled Stencils

12" x 18" ADA SYMBOLS • 6" Wording • 1 Piece Stencils
• Made from Durable 1/8" Poly Material

 RPMS05ADANP	 RPMS05ADAVAN	 RPMS05ADAHP	 Active Handicap - 1/8" thick RPMS033628H 36"x28" Active Handicap (NY SPEC) RPMSNY034536H 45"x36" 1/8" thick	 Walmart ADA Handicap RPMS0508472WALADAH2 (8472) 84"x72" 1/8" thick
--	---	--	---	--



RPMS032032HB20"x32" Handicap Symbol w/Border
Stencils are 1/8" thick



RPMS031812H1 12"x18" Handicap Symbol (1.25" Stroke)
RPMS033224H2 32"x24" Handicap Symbol (2" stroke)
RPMS034133H25 41"x33" Handicap Symbol (2.5" stroke)
RPMS034236H35 42"x36" Handicap Symbol (3.5" stroke)
Stencils are 1/8" thick

Aluminum Barrier Mount Delineators



The Brite-Max Delineator is the best delineator on the market for combined safety and durability. The Aluminum body provides long life in all climates in both work zone and permanent installations.

- ◆ **PRODUCT ID:** BMJB(XXX)(X)(XX)(S/D)
- ◆ **Reflective Size (XXX):** (009) 3" x 3" **Tab Size:** 2"
(012) 4.25" x 3.5" **Tab Size:** 2" | (015) 3" x 5" **Tab Size:** 3"
(048) 6" x 8" **Tab Size:** 3" | (072) 6" x 12" **Tab Size:** 3"
(096) 8" x 12" **Tab Size:** 3" | (100) 10" x 10" **Tab Size:** 3"
- ◆ **3M[®] Reflective Sheeting (X):** (H) High Intensity Prismatic (3) DG3 Diamond Grade Cube
- ◆ **Quick Ship Colors (XX):** (WH) White | (YE) Yellow (FY) Fluorescent Yellow | (OR) Fluorescent Orange
- ◆ **Reflective Sides (S/D):** (S) Single-Sided | (D) Double-Sided
- ◆ **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- ◆ **Compatibility:** The Brite-Max Barrier Mount Delineators can be used for top or side mount applications on concrete barriers and wooden guardrail posts.



All non-stock standard reflective sheeting colors and types available by custom order. Call customer service at 1-800-367-1492 for details.

- ◆ Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas.

PAVEMENT MARKINGS



SCAN QR codes with Smart Phone camera to view product videos.

Key features of Portable Concrete Barrier Markers

- ◆ Brite-Max BMJBs are becoming DOT approved nationwide in states which prefer durable aluminum over plastic!
- ◆ Plastic PCBMs meet specifications nationwide.
- ◆ Also known as a "Jersey" Barrier Marker. Typical applications include temporary and permanent concrete barriers, concrete bridge parapets and wooden guardrail posts. BMJB bases are pre-drilled for either adhesive or bolt mounting.
- ◆ **Installation:** BMJBs have 3/8" holes pre-drilled for permanent 5/16" hardware installations. Use adhesives for a quick, reliable and less labor intensive installation. Standard pavement marking adhesives are available for purchase. Also, Dapco brand 795A Adhesive (RPMAEPOXYTUBE1P) is available through special order by calling customer service at 1-800-367-1492.




Portable Concrete Barrier Markers

- ◆ **PRODUCT ID:** RDBM(XXX)(X)(XX)(S/D)
- ◆ **Reflective Size (XXX):** (PCBM09) 9" sq in | (PCBM12) 12" sq in | (PCBM15) 15" sq in | (PCBML16) 32" sq in | (LITTLEDOG) 72" sq in | (BIGDOG) 96" sq in
- ◆ **3M[®] Reflective Sheeting (X):** (H) High Intensity Prismatic (3) DG3 Diamond Grade Cube | (D) Orange VIP Diamond Grade
- ◆ **Colors (XX):** (WH) White | (YE) Yellow | (OR) Fluorescent Orange
- ◆ **Reflective Sides (S/D):** (S) Single-Sided | (D) Double-Sided
- ◆ **Body Substrate:** UV-stabilized polymers for long life in both work zones and permanent installations.
- ◆ **Compatibility:** PCBM can be used for top and/or side mount applications.



PCBM-9

- HIP White or Yellow Sheeting
- Side or Top Mount



PCBM-12

- White or Yellow HIP -or- DG3 Sheeting
- Side or Top Mount



PCBM-15

- HIP White or Yellow Sheeting
- Top Mount Only



PCBM-L16

- HIP White or Yellow Sheeting
- Top Mount Only



LITTLE DOG

- DG Orange Fluorescent Sheeting
- Top Mount Only



BIG DOG

- DG Orange Fluorescent Sheeting
- Top Mount Only




Flexible Hinged Barrier Markers

- ◆ **PRODUCT ID:** RDBMPCBMT9(H)(XX)(S/D)
- ◆ **Reflective Sheeting Size:** 9 sq in of High Intensity Prismatic
- ◆ **3M[®] Reflective Sheeting:** (H) High Intensity Prismatic
- ◆ **Colors (XX):** (WH) White | (YE) Yellow
- ◆ **Reflective Sides (S/D):** (S) Single-Sided | (D) Double-Sided
- ◆ **Body Substrate:** UV-stabilized polymers for long life in both work zones and permanent installations.
- ◆ **Compatibility:** The PCBM-T9 is a hinged version of the PCBM-9 and is designed for use on top of movable barrier systems.



PCBM-T9 HIP Sheeting




Flexible Hinged Barrier Markers

- ◆ **PRODUCT ID:** RDGRDFT(H)(XX)(S/D)
- ◆ **Reflective Sheeting:** (H) 12" sq in of High Intensity Prismatic
- ◆ **Colors (XX):** (WH) White | (YE) Yellow
- ◆ **Reflective Sides (S/D):** (S) Single-Sided | (D) Double-Sided
- ◆ **Body Substrate:** Marker body made of rigid PVC with co-extruded 80 durometer polyurethane acting as working hinge.
- ◆ **Compatibility:** Designed for use on top of movable barrier systems.

FLEXTAB-12

HIP Sheeting



JD Cube Barrier Markers

- ◆ **PRODUCT ID:** RDBMJD(1/2)(XX)
- ◆ **Size:** approx 3" x 5.25" x 2.5"
- ◆ **Reflective Size:** approx 9.5" sq. in.
- ◆ **Reflective Sides (1/2):** (1) Single-Sided | (2) Double-Sided
- ◆ **Colors (XX):** (WH) White | (YE) Yellow
- ◆ **Body Substrate:** ABS and Acrylic
- ◆ The JD Cube is bright! Exceeds all state and federal brightness standards.



MUTCD Guidance

About Delineators

- ◆ Delineators are beneficial at locations such as at lane-reduction transitions and curves and provide effective guidance at night and during adverse weather conditions. Refer to the MUTCD for more information.
- ◆ Retroreflective elements for delineators shall have a minimum dimension of 3 inches.
- ◆ Delineators are considered guidance devices rather than warning devices.
- ◆ Delineators may be used on long continuous sections of highway or through short stretches where there are changes in horizontal alignment.

Color Definitions

- ◆ **WHITE:** Lane markings or to mark the right pavement edge.
- ◆ **YELLOW:** Separate traffic moving in opposite directions, or mark the left pavement edge on one-way roadways.
- ◆ **RED:** Used to warn motorists of "Do Not Enter" or "Wrong Way". Also, delineators shall be red when used on a truck escape ramp.
- ◆ **BLUE:** Used to mark the location of fire hydrants on the shoulder or at the curb.
- ◆ **GREEN:** Used for snowplow markings.
- ◆ **ORANGE:** Used in construction work zone areas.

Brite-Max Butterfly Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.

The Aluminum body of Brite-Max Delineators provides long life in all climates and provide effective guidance at night, in low light and adverse weather conditions.



- ◆ **PRODUCT ID:** BMGRD(XXX)(1/2)(X)(XX)
- ◆ **Installation Type (XXX):** (567) Slot installs on existing guardrail bolt (818) Hole installs on new guardrail
- ◆ **Reflectivity:** Provides 8.5" square inches of reflectivity.
- ◆ **Reflective Sides (1/2):** (1) Single-Sided* | (2) Double-Sided
- ◆ **3M Reflective Sheeting (X):** (H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- ◆ ***NOTE:** Industry Standard for Single-Sided Reflective placement on the side that bends towards the fork side as shown in images. Custom orders for non-standard single-sided reflective placement is available by custom order, call 1-800-367-1492.
- ◆ **Reflective Colors (XX):** (WH) White | (YE) Yellow | (FYE) Fluorescent Yellow
- ◆ **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- ◆ **Compatibility:** Butterfly shape fits in the center channel for protection from accidental damage or vandalism.
- ◆ Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.
- ◆ **MUTCD Guidance:** Meets the minimum MUTCD requirements for reflectivity.
- ◆ Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.



W-Beam/Butterfly Guardrail Delineators

- ◆ **W-Beam/Butterfly Style Reflectors** provide effective guidance at night, in low light and adverse weather conditions.
- ◆ **Compatibility:** Fit in the center channel of guardrails for protection from accidental damage or vandalism.



RDGRD-18

Round Steel - Bolt On

- ◆ **PRODUCT ID:** RDGRD18(X)(XX)
- ◆ **Reflectivity:** Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- ◆ **Reflective Sides (X) Colors (XX):** (1)(WH) Single-Sided White (1)(YE) Single-Sided Yellow (2)(WY) Double-Sided White/Yellow Bi-Directional
- ◆ **Size:** 3.25" Diameter
- ◆ **Body Substrate:** Galvanized steel bracket w/plastic reflector



RDGRD-AGR

Round Poly - Glue On

- ◆ **PRODUCT ID:** RDGRDAGR(X)(XX)
- ◆ **Reflectivity:** Provides 7" sq in of reflectivity. Meets or exceeds photometric standards.
- ◆ **Reflective Sides (X):** (1) One-Sided | (2) Double-Sided
- ◆ **Colors (XX):** (WH) White | (YE) Yellow
- ◆ **Size:** 3.25" Diameter
- ◆ **Body Substrate:** Polycarbonate bracket w/plastic reflector



RDGRD-567

Butterfly Steel - Bolt On

- ◆ **PRODUCT ID:** RDGRD567(X)(H)(XX)
- ◆ **Reflective Sheeting:** 8" sq in of (H) High Intensity Prismatic
- ◆ **Reflective Sides (X) Colors (XX):** (1)(WH) Single-Sided White (1)(YE) Single-Sided Yellow (2)(WH) Double-Sided White (2)(YE) Double-Sided Yellow (2)(WHYE) Double-Sided White/Yellow Bi-Directional
- ◆ **Body Substrate:** Galvanized Steel



RDGRD-717

Butterfly Poly - Bolt On

- ◆ **PRODUCT ID:** RDGRD(XXX)(X) (H) (XX)
- ◆ **Reflective Sheeting:** 8" sq in of (H) High Intensity Prismatic
- ◆ **Install Type (XXX):** (717) Bolt Slot | (721) Glue-On
- ◆ **Reflective Sides (X):** (1) Single-Sided | (2) Double-Sided
- ◆ **Colors (XX):** (WH) White | (YE) Yellow
- ◆ **Body Substrate:** Polycarbonate

RDGRD-721

Butterfly Poly - Glue On



Brite-Max A-Style Barrier/Guardrail Delineators

SCAN QR codes with Smart Phone camera to view product videos.

Brite-MAX

The Brite-Max A-Style Delineators offer a unique style for the ultimate in delineation.



BMGA-04
Barrier Top Mount Only



BMGA-025
Barrier Top or Side Mount
Guardrail Mount

- ◆ **PRODUCT ID: BMG(ASTYLE)(X)(XX)(S/D)**
- ◆ **A-STYLE (A04)**
Reflectivity: 18.5" sq in
Body Size: 10.375" x 4" x 4" in bent position.
Installation: (2) 4" x 1.25" mounting surfaces, (2) 1/4" diameter holes for fasteners and (6) 1/4" x 1 1/4" obround holes to assist with adhesion.
Compatibility: Concrete barriers top mounting only.
- ◆ **A-STYLE (A025)**
Reflectivity: 11" sq in
Body Size: 6.5" x 4" x 2.5" in bent position.
Installation: (2) 4" x 3/4" mounting surfaces, (2) 1/4" diameter holes for fasteners and (4) 3/16" x 3/4" obround holes to assist with adhesion.
Compatibility: Concrete barriers mounting on top and/or on the side or guardrail post mount.
- ◆ **3M[®] Reflective Sheeting (X):**
(H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- ◆ **Reflective Colors (XX): (WH) White | (YE) Yellow (FYE) Fluorescent Yellow**
- ◆ **Reflective Sides (S/D): (S) Single-Sided | (D) Double-Sided**
- ◆ **Body Substrate:** .080" Aluminum provides long life in all climates in both work zone and permanent installations.
- ◆ **MUTCD Guidance:** Meets the minimum MUTCD requirements for reflectivity.
- ◆ **NOTE:** Adhesive and hardware, sold separately.
- ◆ Utilize Brite-Max A-Style Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. Call customer service at 1-800-367-1492 for details.




Brite-Max Utility-View Reflectors

- ◆ **PRODUCT ID: BMUV(X)(XX)(XXXX)**
- ◆ **3M[®] Reflective Sheeting (X):**
(H) High Intensity Prismatic | (3) DG3 Diamond Grade Cube
- ◆ **Colors (XX): (YE) Yellow | (FY) Fluorescent Yellow | (WH) White (RE) Red | (OR) Fluorescent Orange | (FG) Fluorescent Yellow-Green**
- ◆ **Size (XXXX): (01536) 1.5" x 36" | (01560) 1.5" x 60" | (0436) 4" x 36" (0460) 4" x 60" | (0636) 6" x 36" | (0660) 6" x 60"**
- ◆ **Material:** .040" Aluminum
- ◆ The flexible bands are designed to wrap around utility poles, as well as marking transformer covers, and other potential hazards for pedestrians and motorists. Suitable for both rural and urban areas.
- ◆ **Compatibility:** 36" long reflectors fit 11.46" diameter utility poles and 60" long reflectors fit 19.09" diameter utility poles.
- ◆ **Installation:** Reflectors can be cut with tin snips to mark poles with other diameters. The .040" aluminum is both rigid and flexible, which allows quick and easy installation around wood utility poles using roof nails, staples, or screws. A combination of these fasteners as well as adhesives can be used to mount them to other surfaces. Tools, hardware and adhesives, sold separately.
- ◆ Utility-View Reflectors can be ordered with VHB tape on the back, in other colors and with reflective or non-reflective numbers to better identify locations.

Brite-MAX

Utility-View Reflective Flexible Bands help increase safety by increasing visibility both day and night.



Brite-Max Guardrail Delineators



Multi-View



Illuminate invisible guardrails at night with bright reflective markers that provide clear delineation.

The Brite-Max Multi-View Delineator is the best delineator on the market for combined safety and durability.



Single-View

- ◆ **PRODUCT ID: BMGS(XXXX)(X)(XX)(S/D)**
- ◆ **Single-View Sizes (XXXX): (0415)** 4" x 15" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity
(0427) 4" x 27" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity
(0327) 3" x 27" body with 3" x 12" reflective sheeting provides 36" square inches of reflectivity
- ◆ **Multi-View Sizes (XXXX):**
(MV0415) 3.75" x 15" x .75" body with 4" x 8" reflective sheeting provides 32" square inches of reflectivity
(MV0427) 3.75" x 27" x .75" body with 4" x 12" reflective sheeting provides 48" square inches of reflectivity
- ◆ **3M Reflective Sheeting (X):**
(H) High Intensity Prismatic | **(3)** DG3 Diamond Grade Cube
- ◆ **Colors (XX): (WH)** White | **(YE)** Yellow | **(FY)** Fluorescent Yellow
- ◆ **Reflective Sides (S/D): (S)** Single-Sided | **(D)** Double-Sided
- ◆ **Body Substrate:** Non-hinged .080" Aluminum provides long life in all climates in both work zone and permanent installations.

- ◆ The **Single-View** is a durable, economical marker that provides an efficient way to delineate guardrails day and night.
- ◆ The long term durability of aluminum backing plus the extreme angularity of the **Multi-View** profile combine to form an unbeatable product.
- ◆ **Compatibility:** Easy to install on wooden guardrail posts. Guardrail reflectors can be either adhesively or bolt mounted to metal guardrails.
- ◆ **NOTE:** Adhesive and hardware, sold separately.
- ◆ Utilize Brite-Max Delineators for many other purposes such as utilities, incident management, parks and recreation areas. Standard reflective sheeting colors available by custom order. *Call customer service at 1-800-367-1492 for details.*



Guardrail Mount Delineators

Fits over steel I-beam guardrail posts



- I-Flex Hinged**
- ◆ **PRODUCT ID:** RDGRDIFLEX12(H)(XX)(S/D)
 - ◆ **Reflective Sheeting:** 3" x 4" with 12" sq in **(H)** High Intensity Prismatic
 - ◆ **Reflective Colors (XX)** **(WH)** White | **(YE)** Yellow
 - ◆ **Sides (S/D) :** **(S)** Single | **(D)** Double
 - ◆ **Bi-Directional: (WHYE)(D)** Double-Sided White/Yellow
 - ◆ **Body Substrate:** Resin body & polyurethane hinge



- S-Flex Hinged**
- ◆ **PRODUCT ID:** RDGRDSFLEX (H)(XX)(S/D)
 - ◆ **Reflective Sheeting:** **(H)** High Intensity Prismatic
 - ◆ **Reflective Colors (XX)** **(WH)** White | **(YE)** Yellow
 - ◆ **Sides (S/D) :** **(S)** Single-Sided | **(D)** Double-Sided
 - ◆ **Body Size:** 4" x 8.75"
 - ◆ **Body Substrate:** Resin body & polyurethane hinge



- Flex-Rail Hinged**
- ◆ **PRODUCT ID:** RDGRDFR(X)(H)(XX)(S/D)
 - ◆ **Body Size (X): (3)** 3" x 5.75" with 12" sq in of sheeting or **(4)** 4" x 5.75" with 16" sq in of sheeting
 - ◆ **Reflective Sheeting:** **(H)** High Intensity Prismatic
 - ◆ **Reflective Colors (XX)** **(WH)** White | **(YE)** Yellow
 - ◆ **Sides (S/D) :** **(S)** Single | **(D)** Double
 - ◆ **Body Substrate:** PVC body & polyurethane hinge




- Straight-Flex Non-Hinged**
- ◆ **PRODUCT ID:** RDGRP(OPTIONS)
 - ◆ **Body Color:** White
 - ◆ **Body Size:** 3" x 13"
 - ◆ **Reflective Sheeting:** High Intensity Prismatic
 - ◆ **Reflective Colors:** White | Yellow
 - ◆ **Sides:** Single | Double
 - ◆ **Reflective Sizes:** 3" x 5"
 - ◆ **Body Substrate:** Resin



- Flex-Post Non-Hinged**
- ◆ **PRODUCT ID:** RDGRPF(OPTIONS)
 - ◆ **Body Colors:** Yellow, White, Grey
 - ◆ **Body Sizes:** 3"x27" | 4"x27"
 - ◆ **Profiles:** 3" Dual Curve or 3" or 4" Single Curve
 - ◆ **Reflective Sheeting:** High Intensity Prismatic
 - ◆ **Reflective Colors:** White, Yellow
 - ◆ **Reflective Sizes:** 3" x 8" | 3" x 12"



Ground Mount Flex Delineators & Markers




Boundary Marker

Economical survey marker is designed for marking trails and boundaries.

RPOFDGGBS(##)(XX)

Lengths (##):
(66) 66" | (72) 72"

Color (XX):
(OR) Orange




Utilimark

Design with a thicker middle for easier installation into hard soil.

RPOFDGGFT(##)(XX)

Lengths (##):
(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown
(YE) Yellow (WH) White
(OR) Orange | (RE) Red
(GR) Green | (BU) Blue



Triple Rail

Use as a roadway delineator or as a marker for buried utilities.

RPOFDGGTF(##)(XX)

Lengths(##): (62) 62"
(66) 66" | (72) 72"

Colors (XX): (BR) Brown
(YE) Yellow (WH) White
(OR) Orange | (RE) Red
(GR) Green | (BU) Blue



Boundary Marker

Use Boundary Marker, Utilimark or Triple Rail Markers for marking property. Over 90 legends available.

Boundary Decals

RPOFDGGZD(R/V)(XX)

(R) High Intensity Prismatic
(V) Non-Reflective Vinyl

Legends (XX):

(WPSM) Witness Post Survey Marker
(PB) Property Boundary
(ROW) Right of Way

Optional Anchors



Fiberglass Anchor

RPOFDGGZAGAI

For stability in soft or sandy conditions. Includes (1) one pre-installed fiberglass anchor.

Fiberglass Anchor Kit

RPOFDGGZAGAK


Includes (10) ten anchors plus rivets for installation onto flexible markers.



Rivet Gun

RHRBALMGUN

For installation of anchors to flexible markers with kit rivets.



Recreation Decals

Standard & Customized Decals Available

Available for agencies such as National Park Service, Bureau of Land Management, Corps of Engineers, Department of the Interior, Fish and Wildlife Service, NOAA, Bureau of Indian Affairs, and National Forest Service. Call for details.



911 Marker

Utilimark and Triple Rail Markers are ideal as an emergency 911 marker.

4" Reflective Die Cut Series B Letters & Numbers

DC(H)WHL04B

(H) High Intensity Prismatic.
Other sizes and options available.



Fire Hydrant Marker

Use Utilimark Marker as a Fire Hydrant Marker to locate hydrants in low visibility areas.

Fire Hydrant Decal

RPOFDGGZD(R/V)FH

(R) High Intensity Prismatic
(V) Non-Reflective Vinyl



Reflective Decals

Add Reflective Sheeting Decals to Ground Mount Delineators.

RPOFDGGZRS(H)(X)(####)

Colors (X):
(W) White | (Y) Yellow

Sizes (####):
(0303) 3" x 3" | (0306) 3" x 6"
(0309) 3" x 9" | (0312) 3" x 12"

Reflective Sheeting :

(H) High Intensity Prismatic



Fiberglass Snow Pole Markers

Composite fiberglass snow poles improve roadway demarcation for motorists and snow removal crews.

RDSNOWGR(XXX)(##)

Thickness (XXX): (316) 3/16" | (38) 3/8"

Lengths (##): (72) 72" | (84) 84" | (96) 96"



Snow Pole Decals

RDSNOWGZDV(XX)

(WL) Water Line
(SM) Survey Marker
(TC) Telephone Cable
(WM) Water Meter
(SFM) Sewage Force Main
(GS) Gas Service
(B) Boundary
(CU) Custom Decal

Installation and Removal Tools Also Available. Call for Details.



Choose from one of the 3 most popular Tubular Markers



- ◆ **RPOFDSNTM236WH2W**
White Body/White Sheeting
- ◆ **RPOFDSNTM236WH2Y**
White Body/Yellow Sheeting
- ◆ **RPOFDSNTM236YE2Y**
Yellow Body/Yellow Sheeting

Standard Features:

Surface Mount Base w/One Pin System, 2.25" OD tube, 36" tall Marker and 2 HIP reflective bands.

Option: use one of our Easy Order Checklists found below to customize your order.



Tubular Markers and Tube Delineators are highly visible day or night, remain flexible at extreme temperatures, and return upright after impact. Approved by most state DOT's.



Ground Mount Tube Delineator



Surface Mount Tube Delineator



Ground Mount Tubular Marker



Surface Mount Tubular Marker

Easy Order Checklist - Standard Options

Follow the steps below to build your own standard tubular marker or tube delineator to suit your specific needs.

STEP 1 Choose a Mounting Style

- Ground Mount Base** - 2-Part System: 1. Drivable Ground Anchor and 2. Replaceable Flex Delineator
- Surface Mount Base** - One Pin System: Simple installation base is included with replaceable tube for low maintenance cost.

STEP 2 Choose a Tube Style

- Tubular Marker** - 2.25" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes.
- Tubular Marker** - 3" OD tube for use as a channelizing device. Comes with 2 HIP reflective stripes. (available in 36" height only)
- Tube Delineator** - 2.25" OD tube for use as a delineator. Comes with 3" x 12" HIP reflective decals.

STEP 3 Choose a Height

Height: 36" 42" 48"

STEP 4 Choose a Tube Color

Body Color: White Yellow Orange

STEP 5 Choose HIP Reflective Color

Tube Delineators

- Side 1: White Yellow
Side 2: NONE White Yellow

Tubular Markers

- 2 Bands: White Yellow

In accordance with MUTCD Tubular Markers versus Tube Delineators

Delineator: a retroreflective device mounted on the roadway surface or at the side of the roadway in a series to indicate the alignment of the roadway, especially at night or in adverse weather.

Tubular Markers may be effectively used for emphasis of pavement marking patterns including • opposing lane dividers of traffic • dividing traffic when two or more lanes are kept open in the same direction • channelizing traffic in exit only applications • urban turn restrictions • indicating changes of alignment in the roadway • delineating edge of pavement drop off where space limitations do not allow the use of larger systems.

- ◆ Shall be made of a material that can be struck without causing vehicle damage.
- ◆ Day and low speed roadways (40 MPH or less). Requirements: 18" minimum height with at least (1) one 3" retro-reflective stripe.
- ◆ Night and high speed roadways (45 MPH or higher) Requirements: 28" minimum height with (2) two retro-reflective stripes that are between 2" - 3" wide.
- ◆ Channelizer Stripes shall begin 2" from the top and have 2" - 6" between stripes
- ◆ Marker Tube Diameter shall be a minimum of 2" with 2" - 3" outside diameters being the most common.
- ◆ Tubular Markers shall have permanently affixed bases or have weighted portable bases.
- ◆ Lane separators shall be crashworthy.
- ◆ In TTC work zones, Tubular Markers should only be used where space restrictions do not allow more visible devices.

Helpful Hint:

- ◆ White Reflective Sheeting separates same direction traffic flow or supplements right edge white lines.
- ◆ Yellow Reflective Sheeting separates opposite direction traffic flow or supplements left edge yellow lines.

Tubular Markers & Tube Delineators



Patented reactive spring system allows markers to withstand multiple impacts. The premium level of durability translates into an extended life cycle, decreased product maintenance costs, and reduced labor/personnel service demands.


IMPACT recovery SYSTEMS™



Tube Delineators

Tubular Markers

PART 2: Easy Order Checklist - Mounting Bases



PART 1: Easy Order Checklist - Premium Tops

Follow the steps below to **build your own multi-purpose premium tubular marker or tube delineator** to suit your specific needs.

STEP 1 Choose a Tube Style

- Tubular Marker** - 2.375" OD tube for use as a channelizing device. Short squeezed top keeps out weather and debris. Comes with 2 bands of HIP reflective stripes.
- Tube Delineator** - 2.375" OD tube is flattened into a long squeezed top for use as a delineator. Comes with 1 or 2, 3" x 12" HIP reflective decals.

NOTE: The 2.375" Multi-Purpose Post is most commonly used with 3" and 4" Tuff Post also available.

STEP 2 Choose a Height

Height: 36" 48"

STEP 3 Choose a Tube Color

Body Color: White Yellow Orange

STEP 4 Choose a Reflective Color

Tube Delineators

Side 1: White Yellow Orange

Side 2: NONE White Yellow Orange

Tubular Markers

2 Bands: White Yellow

Orange

STEP 5 Choose a Mounting Style

Mounting Style: Fixed Quick Release Drivable



Features Impact Recovery System's exclusive patented, anti-twist reactive spring system.

Bases & Accessories for Quick Release Mounting Style

- Quick Release Base** - Surface Mount
Body Color: Black Yellow White
- Portable One Base** - 100% Recycled Rubber
- Anchor Kit** includes 4 lag screws (installs 1 base)
See Marker Adhesives on page 105 for alternate anchor systems.
- Quick Release Replacement Pin**
- Quick Release Lane Separator** - 40" long
Curb Style: Tuff Curb Tuff Curb XLP
Body Color: White Yellow
Reflectors: 2-Way Red/White 1 Way White
 2-Way White/White 2-Way Yellow/Yellow
- Lane Separator Tuff Curb End Cap** - 18" long
Body Color: White Yellow

Bases & Accessories for Fixed Mounting Style

- Fixed Base** - Surface Mount Body Color: Black Yellow White
- Anchor Kit** includes 4 lag screws (installs 1 base)
See Marker Adhesives on page 105 for alternate anchor systems.
- Fixed Lane Separator** - 40" long
Curb Style: Tuff Curb Tuff Curb XLP
Body Color: White Yellow
Reflectors: 2-Way Red/White 1 Way White
 2-Way White/White 2-Way Yellow/Yellow
- Lane Separator Tuff Curb End Cap** - 18" long
Body Color: Yellow White

Bases for Drivable Mounting Style

- Drivable Base** - Ground Mount

PAVEMENT MARKINGS

Custom Products Corporation

P.O. Box 54091
Jackson, MS 39288-4091
www.cpcsigns.com



PRST STD
U.S. Postage
PAID
Custom Products
Corporation

PM01-CAT18-2025



Mail:
P.O. Box 54091
Jackson, MS 39288-4091

Shipping:
1120 Flowood Dr.
Jackson, MS 39232

EMAIL
sales@cpcsigns.com



Sales:
1-800-367-1492 (Voice)
1-601-932-5854 (Voice)
1-800-206-3444 (Fax)
1-601-932-7178 (Fax)

find us on social media



CPCGo! - mobile app

WEBSITE
www.cpcsigns.com