






1-800-367-1492 • www.cpcsigns.com



Parks, Recreation and Cultural Interest Products

General Application Signs




Accommodations and Services Signs



*Examples of Prohibition Signs with Supplemental Plaques

Supplemental Plaques




Land, Water & Winter Recreation Signs



National Forest Service Signs




NFS Use Only: The symbols above were in the 2003 MUTCD but are not in the 2009 MUTCD. Use is approved for National Forest Service (NFS) roads and facilities only. The symbols below are unique to the NFS and have been approved for NFS roads and facilities only. *Optional plaques examples shown. Plaques may be used with symbol signs.





Available Sign Sizes and MUTCD Guidance:	
6" x 6", 9" x 9"	For Use Off Road
12" x 8", 12" x 9", 12" x 12"	For Use on Low Volume Roads - 15 MPH and under
16" x 9", 18" x 18"	for Use on Low Volume Roads - 20-25 MPH and under
16" x 12", 21" x 15", 24" x 24", 30" x 30"	For Use on High Volume Roads - 30 MPH and above

PARKS, RECREATION & CULTURAL INTEREST PRODUCTS

Examples of Optional Shape for Area Guide Signs



Examples of Area Guide Signs for Expressways and Freeways



Trail Markers & Decals



Double Flat

Used on trails, secondary roads, or as an emergency 911 marker.

RPOFDGGDF(##)(XX)

Lengths (##):
(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown | (WH) White | (YE) Yellow



Boundary Marker

Economical survey marker is designed for marking trails and boundaries.

RPOFDGGBS(##)(XX)

Lengths (##):
(66) 66" | (72) 72"

Color (XX): (OR) Orange



Utilimark

Design with a thicker middle for easier installation into hard soil.

RPOFDGGFT(##)(XX)

Lengths (##):
(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown | (YE) Yellow | (WH) White | (OR) Orange | (RE) Red | (GR) Green | (BU) Blue




Triple Rail

Use as a roadway delineator or as a marker for buried utilities.

RPOFDGGTF(##)(XX)

Lengths (##):
(62) 62" | (66) 66" | (72) 72"

Colors (XX): (BR) Brown | (YE) Yellow | (WH) White | (OR) Orange | (RE) Red | (GR) Green | (BU) Blue



Decal Sheets come with 6 logos per page plus 3 free arrows. Specify symbol number when ordering. Choose from such agencies as National Park Service, Bureau of Land Management, Corps of Engineers, Department of the Interior, Fish and Wildlife Service, NOAA, Bureau of Indian Affairs, and National Forest Service or any Guide Symbol.



Standard & Customized Decals Available



Flood Warning Signs



JUAFFLD51218(X)A
JUAFFLD51824(X)A



JUAFFLD61218(X)A
JUAFFLD61824(X)A



JUAFHWM11812(X)A



JUAFFLD7A1812(X)A
JUAFFLD7A2418(X)A



JUAFFLD23624(X)A



JUAFFLD13624(X)A

Speed Bumps & Parking Curbs

Recycled Rubber Speed Bumps & Parking Curbs



- Made of 100% recycled rubber tires
- Embedded reflective glass beads
- Removable, flexible and durable
- Installs with 14" rebar spikes (1/2" masonry bit required)

Stock#	Description	Size	Spikes	Weight
RPMRRSB48	Speed Bump	4' x 2.25" x 11"	3	35 lbs.
RPMRRSB72	Speed Bump	6' x 2.25" x 11"	5	52 lbs.
RPMRRPC6YBK	Yellow Parking Curb	6' x 6" x 4.25"	4	36 lbs.
RPMRRPC6BUBK	Handicap Blue Parking Curb	6' x 6" x 4.25"	4	36 lbs.
RPMRRSPIKE	Rebar Spike Pointed	14"		1.22 lbs.



JUAFG36A1218(X)AC



JUAFG351212(X)AC

MORE Orange Roll-Up and Rigid* Signs Available
Check out our website for a full line of legends.

* Rigid Aluminum Codes Shown



JUAFG362418(X)AC



JUAFW1110A3030(X)A
JUAFW1110A3636(X)A



JUAFW1110B3030(X)A
JUAFW1110B3636(X)A



JUAFW1110D3030(X)A
JUAFW1110D3636(X)A



JUAFW1110C3030(X)A
JUAFW1110C3636(X)A

Construction Warning Signs


Horizontal and Vertical Route Markers



Up to 4 characters: HORIZONTAL - JUAFFM17H(SIZE VARIES)(X)A



5-7 Characters: HORIZONTAL - JUAFFM17H(SIZE VARIES)(X)A



VERTICAL - S(6 x varies)FM17V(X)A


Examples of National Trail Markers



Trail Difficulty Symbols




Easiest DD-1, More Difficult DD-2, Most Difficult DD-3



Trail Blaze JUAFTB1BU0507HA Aluminum or Decal. More colors available.



Letter & Numbers Decal Packs Available in Standard Sizes



Trail Markers & Decals



Marking Tape

RSP810(X)

- 3 mil : 1 3/16" x 150'
- Economical, strong, and disposable

Marking Flags

- 4" x 5" - 21" Wire staff
- Glo Colors: Orange (OR), Green (GR), Pink (PK), Yellow (YL), and Blue (BL) (min qty:100)



Inverted Tip Marking Paint

- 20 oz. Krylon
- Sold by Case (12 Cans)
- Water-based and Solvent-based
- Standard and Fluorescent Colors Available



MIX-n-MATCH colors in case

12" Hand-held Wand RPMPTIPHWAND

Type I & II Barricades

Econocade® Type I and Type II Barricade



The Econocade Barricade can be purchased in a variety of colors.



RSPB1PPPE2WHE0808
TYPE II

- ◆ One piece solid construction
- ◆ Size: 24.4" x 42.6"
- ◆ Easy to handle, pack, and transport.
- ◆ Rust free and impact resistant.
- ◆ Bottom rail can carry a sand bag.
- ◆ Two flashing light receptacles
- ◆ White in Stock. Also available in Orange, Yellow, Red, Blue and Green.
- ◆ MASH Passed and meets MUTCD Standards



RSPB1PPPE1WHE08
TYPE I

Specifications	Standard	Additional Options Available
Body Color	White	500 Piece Minimum: Orange, Red, Yellow, Green or Blue
Reflectivity	ENG	HIP -or- DG
Reflective Area Type I Barricade	8" x 24" Top Panel	12" x 24" Top Panel
Reflective Area Type II Barricade	8" x 24" Top Panel 8" x 24" Bottom Panel	12" x 24" Top Panel 8" x 24" Bottom Panel
Usage	Type I or Type II Barricade	Safety Signage
Stencil	NONE	Recommended for Type I Only

Type III Barricades

Telespar® Welded Riser Breakaway System Kits



Breakaway Kit #1 (shown)
Breakaway Kit #2 (same design but includes Quick Release Pins)

Kit #1 Welded Riser Design



- ◆ **Kit Code: RSPB3ZBUS1**
- ◆ (2) Two - 5' Telespar® Feet with 6" Welded Risers
- ◆ (2) Two - 5' Telespar® Uprights
- ◆ (1) One - Hardware Kit - Board to Square Post Upright

Kit #2 Welded Riser Design with Quick Release Pins



- ◆ **Kit Code: RSPB3ZBUS1QR**
- ◆ (2) Two - 5' Telespar® Feet with 6" Welded Risers
- ◆ (2) Two - 5' Telespar® Uprights
- ◆ (1) One - Hardware Kit - Board to Square Post Upright
- ◆ (2) Quick Release Pins

- ◆ **Breakaway System Kits** allow quick removal of uprights from feet or bases for short term or permanent placement. **Barricade Boards**, Sold Separately on page 83.
- ◆ These kits are easy to assemble and replace parts, if necessary.
- ◆ The **Telespar® Square Posts** shape provides superior wind load capabilities and inhibits warping. Galvanized, hot rolled high carbon steel. Pre-punched mounting 7/16" holes. Upright accepts a flashing barricade light.

Volcano Rubber Base Breakaway System Kits



Kit #3 Volcano Base & Telespar® Posts

- ◆ **Kit Code: RSPB3ZBUS2S**
- ◆ (2) Two - Volcano Bases
- ◆ (2) Two - 5' Telespar® Uprights
- ◆ (1) One - Hardware Kit - Board to Square Post Upright
- ◆ (2) Quick Release Pins

- ◆ **Breakaway System Kits** allow quick removal of uprights from feet or bases for short term or permanent placement. **Barricade Boards**, Sold Separately on page 83.
- ◆ These kits are easy to assemble and replace parts, if necessary.
- ◆ The **Telespar® Square Posts** shape provides superior wind load capabilities and inhibits warping. Galvanized, hot rolled high carbon steel. Pre-punched mounting 7/16" holes. Upright accepts a flashing barricade light.

- ◆ **Volcano Bases** are a durable, thick recycled rubber base with steel insert for square post attachment.

- ◆ **Power Posts** are lightweight and impact resistant square plastic posts that will never rust. Posts have universal pre-drilled mounting holes for Type III boards and flashing barricade lights.



Kit #4 Volcano Base & Power Posts

- ◆ **Kit Code: RSPB3ZBUS2P**
- ◆ (2) Two - Volcano Bases
- ◆ (2) Two - 5' 3" Power Post® Uprights
- ◆ (1) One - Hardware Kit - Board to Square Post Upright
- ◆ (2) Quick Release Pins

See our expansive line of standard traffic signs at www.cpcsigns.com




JUAFW818D2424(X)A JUAFW83B3030(X)A JUAFW88A2424(X)A JUAFW814A2424(X)A JUAFW818C2424(X)A JUAFW34AX3030(X)A JUAFW35AX3030(X)A JUAFW36AX3030(X)A JUAFW51A3030(X)A
 JUAFW818D3030(X)A JUAFW83B3636(X)A JUAFW88A3030(X)A JUAFW814A3030(X)A JUAFW818C3030(X)A JUAFW34AX3636(X)A JUAFW35AX3636(X)A JUAFW36AX3636(X)A JUAFW51A3636(X)A
 JUAFW818D3636(X)A JUAFW88A3636(X)A JUAFW818C3636(X)A



JUAFW51B3030(X)A JUAFW51C3030(X)A JUAFW51D3030(X)A JUAFW814B2424(X)A JUAFW818A2424(X)A JUAFW818B2424(X)A JUAFW141A2424(X)A JUAFW116A2424(X)A
 JUAFW51B3636(X)A JUAFW51C3636(X)A JUAFW51D3636(X)A JUAFW814B3030(X)A JUAFW818A3030(X)A JUAFW818B3030(X)A JUAFW141A3030(X)A JUAFW116A3030(X)A
 JUAFW818A3636(X)A JUAFW818B3636(X)A



JUAFW874836(X)A
 JUAFW876048(X)A
 JUAFW877254(X)A



JUAFW814C6624(X)A
 JUAFW814C8030(X)A



JUAFW51E3618(X)A
 JUAFW51E6030(X)A



JUAFW51F3624(X)A



JUAFW818B3624(X)A



JUAFW814D4830(X)A
 JUAFW814D6042(X)A

Road Closed & Restrictive Traffic Prohibition Signs



JUAFR114A6030(X)A



JUAFR114B6030(X)A



JUAFR114C3618(X)A
 JUAFR114C6030(X)A



JUAFR511A3024(X)A



JUAFR511B2430(X)A



S2424R53(X)A



JUAFR131A4230(X)A
 JUAFR131A6048(X)A


MORE Custom & Standard Legends Available




JUAFR1714818(X)A
 JUAFR1718430(X)A



JUAFM3S1812(X)A
 JUAFM4S2418(X)A



JUAFM151218(X)A
 JUAFM251824(X)A



JUAFR512A6024(X)A
 JUAFR512A9642(X)A


Delineators, End of Road & Object Markers




3.25" Plastic Back with Center Mounting Hole

RD1314BR - Red
 RD1314BW - White
 RD1314BY - Yellow
 RD1314BG - Green
 RD1314BB - Blue

TYPE I OBJECT MARKERS



S1818OM11HBA
 Yellow HIP w/ Yellow plastic reflectors




S1818OM12HA
 Black w/ Yellow HIP reflectors



BA080HYE1818D
 OM1-3 HIP Yellow



S1818OM41HBA
 Red HIP w/ Red plastic reflectors




S1818OM42HA
 Black w/ Red HIP reflectors



BA080HRE1818D
 OM4-3 HIP Red

END OF ROADWAY MARKERS

TYPE II OBJECT MARKERS




S1206 OM22HYHA
 S1206 OM21HHBA



S0612 OM22VYHA
 S0612 OM21VHBA

BARRICADE MARKERS



Aluminum (A) or Decal Face* (D)
 Sizes Available: 12" x 36" and 8" x 24"
 Sheeting: (H) Hi-Intensity

*Decal Faces do NOT have radius corners

TYPE III OBJECT MARKERS



OM3L OM3R OM3C

PARKS, RECREATION & CULTURAL INTEREST PRODUCTS

Sign Stands

PARKS, RECREATION & CULTURAL INTEREST PRODUCTS



30TRI Tri-pod Stand

RPOTTCE30TRI - Universal Brackets

NO Spring

- ◆ For use with 36" or 48" Roll-Up or Rigid Signs in no wind to low wind speed conditions on low volume, rural or 2-lane roads.
- ◆ 16 GA steel construction with a powder coat orange finish.
- ◆ Above Grade Clearance of 12".
- ◆ Folded Dimensions: 62" x 4.5" x 3"
- ◆ Open Footprint: 46" x 60"
- ◆ Weight: 12 lbs.



SZ412 Compact Stand

NO Spring



- ◆ For use with 36" Roll-Up Signs in no wind to low wind speed conditions on low volume, rural or 2-lane roads.
- ◆ Above Grade Clearance of 12".
- ◆ Less than 1 cubic foot when stored.
- ◆ Weight: 20 lbs.



WM5012SS Compact WindMaster® Stand

- ◆ For use with 36" & 48" Roll-Up Signs in no wind to high wind speed conditions on low volume, rural or 2-lane roads.
- ◆ Above Grade Clearance of 12".
- ◆ Requires 1 cubic foot of storage space.
- ◆ Weight: 20 lbs.

Screw Lock

RPOTTCS1WWM5012SS



Single Spring



WM4818K Mid-Size Stand

WindMaster® RPOTTCS2WM4818(KX)

K1 - Roll Up
K2 - Rigid
K3 - Dual

- ◆ Above Grade Clearance of 18".
- ◆ Weight: 32 lbs.
- ◆ For use with 36" & 48" Roll-Up and Rigid Signs in no wind to high wind speed conditions on low to medium volume, 2 or 4-lane roads. 3 Flag holder included.



Dual Springs

Safety Flags



Quick SHIP

RSPFLAGVINYL1824
18x18 • 24" dowel

RSPFLAGMESH1824
18x18 • 24" dowel
RSPFLAGVINYL2436
• 24x24 • 36" dowel

- ◆ 18" or 24" Fluorescent Red/Orange vinyl coated nylon or mesh available
- ◆ 24" flag required for flagging operations
- ◆ 18" or 24" flag suitable to mount above a traffic control sign or device
- ◆ 3/4" wood dowels



Quick SHIP

Zephyr Stand


- ◆ For use with 36" & 48" Roll-Up Signs in no wind to low wind speed conditions on low volume, rural or 2-lane roads.
- ◆ Above Grade Clearance of 12".
- ◆ Recycled rubber base folds to 4" high & has stacking lugs for easy transport & storage.
- ◆ Molded in carrying handles.
- ◆ Weight: 38 lbs.

RPOTTCCR26000USH - Universal Bracket

Pilot Car Safety

Vehicle Hitch Mount Sign Holder

- ◆ Transforms standard 2" square vehicle hitches into a sign holder.
- ◆ Universal screw lock attaches to fiberglass rib on a roll-up sign. (Roll-up Signs are Sold Separately)
- ◆ Ideal for rolling crews.
- ◆ Weight: 8 lbs
- ◆ Product ID: RPOTTLA43921



SMV Emblem

RVSSMV10H Aluminum *ASAE/ANSI approved*
RVSSMV10 Aluminum | RVSSMV20 Decal

Quick SHIP



S3618G204(X)AC



Conspicuity Tape

- ◆ 2" x 50 yds with red and white pattern repeats
- ◆ Meets all requirements for marking vehicles

RVSCT983320250

Barricade Lights



Type A, C, and 3 Way

- ◆ Flasher, steady burn & OFF
- ◆ "D" cell
- ◆ High efficiency LED bulbs
- ◆ Redesigned rugged and durable case

RSPBL3LDYY Yellow Lens
RSPBL3LDY Red Lens



Type A, C, and 3 Way Solar Assist LED

- ◆ Flasher, steady burn, and OFF
- ◆ 3 Volt high efficiency lights
- ◆ LED bulbs
- ◆ Internal solar panels trickle charge "D" cell alkaline batteries to give a superior long lasting more reliable power source.

RSPBL3LDYYSA Yellow Lens



Type B Solar LED

- ◆ Daytime Use
- ◆ High Intensity Flashing
- ◆ LED bulbs
- ◆ Power Options: Solar panel trickle charges "D" Cell -or- Fully Solar Power Battery

RSPBLBL3YYSA Yellow Lens | D Cell Solar
RSPBLBL3RYSA Red Lens | D Cell Solar
RSPBLBLSYY - Yellow Lens | Fully Solar



Type A & C Solar LED

- ◆ 4-5 year expected life.
- ◆ LED bulbs
- ◆ True Solar Powered light with rechargeable NiMH rechargeable battery included

RSPBL3LSYY Yellow Lens
RSPBL3LSRY Red Lens



Type B LED

- ◆ Detachable lens available upon request
- ◆ 6 Volt battery
- ◆ LED bulb

RSPBLBL6YY Yellow Lens
RSPBLBL6RY Red Lens



Traffic Cones & Cone Bars

Traffic Cones

- ◆ Flexible Bright Fluorescent Orange, Lime, Blue or White PVC
- ◆ Many Sizes and Reflective Collars available.
- ◆ Some sizes require minimum quantity order, call for details.

RSPCC1803WLN	RSPCC1803WON	RSPCC1803WLR06	RSPCC1803WOR06	RSPCC2807SOR46	RSPCC2810SOR46	RSPCC2807WON	RSPCC2807WOR46	RSPCC2810WOR46	RSPCC2807WLN	RSPCC2807WLR46	RSPCC2807WHN	RSPCC2807WHR46	RSPCC2807WBUN	RSPCC2807WBR46	RSPCC3610WON	RSPCC3610WOR46	RSPCC3612WOR46	RSPCC3610WLR46	RSPCC3610WLN
18" 3# Wide Body Lime No Reflective	18" 3# Wide Body Orange No Reflective	18" 3# Wide Body Lime REFLECTIVE 6"	18" 3# Wide Body Orange Reflective 6"	28" 7# Slim Body Orange Reflective 4" & 6"	28" 10# Slim Body Orange Reflective 4" & 6"	28" 7# Wide Body Orange No Reflective	28" 7# Wide Body Orange Reflective 4" & 6"	28" 10# Wide Body Orange Reflective 4" & 6"	28" 7# Wide Body Lime No Reflective	28" 7# Wide Body Lime Reflective 4" & 6"	28" 7# Wide Body White No Reflective	28" 7# Wide Body White Reflective 4" & 6"	28" 7# Wide Body Blue No Reflective	28" 7# Wide Body Blue Reflective 4" & 6"	36" 10# Wide Body Orange No Reflective	36" 10# Wide Body Orange Reflective 4" & 6"	36" 12# Wide Body Orange Reflective 4" & 6"	36" 10# Wide Body Lime Reflective 4" & 6"	36" 10# Wide Body Lime No Reflective



Cone Bars provide an Instant Barrier in Seconds!!

RSPCCZCB6OW - Orange/White
RSPCCZCB6YB - Yellow/Black

- ◆ Use on Cones and Knob-top Delineators
- ◆ Extends from 3.8'-6'
- ◆ Ultra lightweight - 1.35 lbs.
- ◆ Engineer Grade Reflective
- ◆ Made from ABS Plastic and are reusable



PARKS, RECREATION & CULTURAL INTEREST PRODUCTS

Incident Management Kits

RSPIMKIT(XX) Kit Includes:

- ◆ Wrap and Roll MDI Compact Sign Stand
- ◆ Fluorescent Pink Compact Sign (Ribs included) with ACCIDENT AHEAD Legend in (36) 36" -or- (48) 48". 48" kit is suitable for all roadways including interstates.
- ◆ 5-Point Breakaway Lime XL Economy Vest
- ◆ 6.5" x 4" Red Highway Road LED Flare
- ◆ 14" Red Traffic Baton ◆ Storage Bag for Kit



Add Collapsible Cones to IM Kit


(Set of 5) **Collapsible Cones** are MUTCD compliant and includes a heavy-duty storage bag.

RSPCC28RCOLLAPSE5PK

Roll-Up Signs for Forest Service

USDA Forest Service roll-up signs are available in Pink Reflective. Source: Sign & Poster Guidelines for Forest Service (2013). May be used by jurisdictions other than USDA Forest Service as well. Ribs sold separately. *Artwork charges may apply.*

Available in 36" x 36" (36) and 48" x 48" (48) sizes with vinyl pockets.



Call for a Customized Quote



RMSIMF3618JUAFG205H




RMSIMF5436JUAFG219H



RMSIMF5436JUAFG218H

Part #	Roll-Up Sign Ribs Size
RMSR36	36" Ribs
RMSR48	48" Ribs
RMSR36TCR36	36" Heavy Duty Ribs
RMSR48TCR48	48" Heavy Duty Ribs
RMSR3618	36" x 18" Ribs
RMSR3624	36" x 24" Ribs



Traffic Batons

Batons are Weather Resistant
Batteries last up to 100 hours.
LED lights visible up to 3,000 yards away & last over 100,000 hours.



- 14" Long Baton Red** RSAGFXG410RE
- ◆ 3 Functions: red flashing, warning, and steady
 - ◆ Requires 2 X C batteries (not included)
- 15" Long Baton Red** RSAGFXG411TWRE
- ◆ 4 Functions: white flashlight, white flashlight with red flashing, and red flashing/steady
 - ◆ Requires 2 X D batteries (not included)



- 21" Long Traffic Baton Red/Green/Blue** RSAGFXG408RGB
- ◆ 6 Functions: flashing and steady in red, green & blue
 - ◆ Requires 3 X C batteries (not included)

5-Point Breakaway Vests

3rd Party Certified – Meets ANSI/ISEA 207-2006

Class 3 Type R Standards



Premium 5-P Vest
RSAGV35PBLSSZM(XX)N - Lime
Specify Size (XX): (ML) fits M-L, (XL2X) fits XL-2XL, (3X5X) fits 3XL-5XL

3rd Party Certified – Meets ANSI/ISEA 107-2015 **Class 2 Standards**, NFPA Standards for Fire Trucks and MUTCD Standards for Flaggers



Economy 5-P Vest
RSAGV5E(X)SSZM(XX)N

5-Point Breakaway Vests are an excellent choice for extreme work environments around moving machinery and equipment to prevent pulling workers into hazards. Choose an **Economy 5-Point Vest** or **Premium 5-Point Vest** in Lime or Orange.

Colors (X): (L) Lime, (O) Orange
Sizes (XX): (L), (XL), (2X)



Premium 5-P Vest
RSAGV5P(X)SSZM(XX)N

Are your First Responders Compliant?

The NFPA (National Fire Protection Agency) requires that all fire trucks shall carry one 5-Point Breakaway ANSI/ISEA 201 Class 2 Vest for each seating position on the truck.

PARKS, RECREATION & CULTURAL INTEREST PRODUCTS

Storage Bags


Storage Bags

for 2 (two) Standard Roll-Up Signs with Ribs.
Specify Size when Ordering.



RMSHD36
RMSHD48

Standard Roll-Up Signs are available in many legends. Quick Ship legends shown. Ribs sold separately.



Part #	Roll-Up Sign Ribs Size
RMSR36	36" Ribs
RMSR36TCR36	36" Heavy Duty Ribs
RMSR48	48" Ribs
RMSR48TCR48	48" Heavy Duty Ribs

Roll-up Sign Legends shown on page 85 are also available in the fluorescent pink reflective material.
Artwork charges may apply. Call for details and a customized quote.

Pink Reflective is the approved MUTCD color material for all Incident Management areas.

Folding Flag Assembly for use with any Roll-Up Sign with Ribs. (2) two 18" flags included.



RMSZFFA2

Compact Sign System

Custom Products offers the MDI System that is a completely self-contained sign system that deploys quickly for greater safety and efficiency in traffic incident management areas. This system is ideal for storing in police and fire vehicles. Add Carry Cases to protect your Stand and Signs during storage for longer product life.



RPOTTCS23612DLK

From Stored to Fully Deployed in Seconds

The patented MDI Compact® Sign system features sign faces that have hinged, integrated cross bracing with a single trigger release mechanism for rapid deployment and take-down. When the incident is terminated, the MDI Compact® Sign and cross brace folds down and wraps around undeployed sign stand for easy storage.


Wrap & Roll System
MDI Compact® Roll-Up sign combines with a Traffic Master® sign stand.

Storage Bag

Storage Bag for MDI Compact System or Compact Roll-Up Signs.



RMSHD48CSSB
For Compact System Only



RMSIMCS(XX)AAHH RMSIMCS(XX)ATAH RMSIMCS(XX)W34H RMSIMCS(XX)W202VAH RMSIMCS(XX)EMAH RMSIMCS(XX)ESAHH RMSIMCS(XX)FAKOH

Compact Roll-Up Signs come pre-installed with hinged, integrated cross bracing to work in conjunction with the MDI Compact Sign System.

Arrows provided as overlay patch may be turned as needed. Roll-up sign sizes (XX) : (36) 36" or (48) 48"



RMSIMCS(XX)MAH RMSIMCS(XX)FTIPH RMSIMCS(XX)PTIPH RMSIMCS(XX)W203H RMSIMCS(XX)W203AHH RMSIMCS(XX)R11H RMSIMCS(XX)TTAHH


PARKS, RECREATION & CULTURAL INTEREST PRODUCTS

Custom Products Corporation

P.O. Box 54091
Jackson, MS 39288-4091
www.cpcsigns.com

PRST STD
U.S. Postage
PAID
Custom Products
Corporation

RECCULTURE02 - 2023



Mail:

P.O. Box 54091
Jackson, MS 39288-4091

Shipping:

1120 Flowood Dr.
Jackson, MS 39232

EMAIL

sales@cpcsigns.com



JACKSON
MISSISSIPPI

HOURS OF OPERATION

7:30 am - 5:00 pm CST

Sales:

1-800-367-1492 (Voice)
1-601-932-5854 (Voice)
1-800-206-3444 (Fax)
1-601-932-7178 (Fax)

WEBSITE

www.cpcsigns.com