

1-800-367-1492 · www.cpcsigns.com

HUGE

INVENTORY

of everyday

supplies



Sign Shop Supplies



YEARS SINCE 19

Reflective Roll Conversion

Don't buy \$3000 worth of reflective and protective overlay (aka graffiti overlay) to fabricate \$500 worth of signs Ever Again! Lower your inventory and improve your sign shop's cash flow, by purchasing reflective roll material by the square foot. (1 sq ft min on stock items to unlimited)

- Quick Shipments with many Colors and Widths available.
- Reflective ASTM types III, IV, XI available. Other types may be available on request.
- Certifications for materials available from manufacturer. Also Available: EC Film, Protective Overlays, Magnetics & Sheeted Blanks

High Intensity Prismatic (HI

3M[™] 3930 meets all requirements for ASTM Type III and IV. HIP is the most common type of reflective sheeting today due to the combination of its minimum retro-reflectivity, exceptional warranty, and afford-ability!

Ouick

22	RSH (393X)	A
s	COLOR	SIZE

Common Sizes	1800 sq ft MOQ*	Colors	COLOR	SIZE
6" x 50 yds	Yellow, Red, Orange, Blue, Green, Brown	White	(393 <mark>0</mark>) Yellow (3	393 1)
9" x 50 yds	Yellow, Red, Orange, Blue, Green, Brown		893 <mark>2</mark>) Orange (3 (393 <mark>5</mark>) Green (39	
24" x 50 yds	Brown		Brown (393 <mark>9</mark>)	
30" x 50 yds	Blue, Brown		er sizes available. Son	
36" x 50 yds	N/A	and sizes i	may incur a slit and/o	r cut fee.
48" x 50 yds	N/A	*MOQ :	= Minimum Order Que	antity

Specialty & Flexible Reflectives



Common Sizes

24" x 50 yds | 30" x 50 yds

48" x 50 yds

NOTE: Some sizes in colors may not

be available. Some colors and

izes may incur a slit and/or cut fee

We stock Nikkalite® Series 48000 Flexible pressure sensitive in many colors. The Best Engineer Grade for Plotting, Weeding, and Digital Printing! Nikkalite Series 48000 Engineer Grade meets all requirements for ASTM Type I reflective. Unpunched. We also distribute 3M[™] 680 and Avery Graphics specialty reflectives.



This is How

We Roll...


Buy Reflective

Material by the

Square Foot!

Engineer Grade Prismatic

all for D









Nikkalite® 8100 Series Engineer Grade meets all requirements for ASTM Type I reflective and is ideal for flat surfaces. 8100 Series has a durable acrylic outer layer and is not suitable for most digital printers.

RSH(81XX)P(2450)

pecialty reflectives.						
pecially reflectives.	RSH (48XXX)(2450)	UN-Punched Roll Sizes	Colors	COLOR SIZE		
Colors	Colors COLOR SIZE		24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds Bed (8105) Blue (8106)			
Black (48003) Brown (48 Dark Red (48025) Ruby Red		48" CUT*				
Blue (48006) Sky/Lt Blue (48" x 50 yds 48" CUT*	Brown (8109)			
White (48012) Yellow (480			ster roll cut in any combination of sizes e colors and sizes may incur a slit and/o			

Diamond Grade



Meets ASTM reflective:

3M[™] Diamond Grade Cubed Series 4000 Type XI | 3M[™] 3924 Type VIII

3M ^m Diamond Grade Cube	3M ^{···} Diamond Grade Cubed Series 4000 Type XI 3M ^{····} 3924 Type VIII						
Sheeting Description	Common Sizes	1800 sq ft MOQ*	Colors	COLOR SIZE			
	6" x 50 yds 9" x 50 yds	White, Yellow, Red, Blue, Green, Brown					
DG3 4090 Series (Type XI)	24" x 50 yds 30" x 50 yds Red, Green, Brown		White (4090) Yellow (4091)				
DG3 4090 Series (Type XI)	36" x 50 yds	Red		Red (4092) Blue (4095) Green (4097) Brown (4099)			
	48" x 50 yds	48" x 50 yds Red, Brown					
DG Fluorescent Colors 24" x 50 yds 30" x 50 yds 4080 Series - DG3 36" x 50 yds 48" x 50 yds		N/A	-	llow-Green (<mark>4083</mark>) (4081) Orange (4084)			
Fluorescent Orange 3924 Series (Type VIII)	24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds	N/A	Fluore	escent Orange (<mark>3924</mark>)			

SIGN SHOP SUPPLIES



Buy Reflective Sheeting by the Square Foot or Roll. - Call for Availability -



3M[™] Electro Cut[™] Film Series 1170 is a durable, transparent acrylic color film that allows traffic signs to be made on a computer plotter while maintaining the sheeting warranty.

Electro Cu	Electro Cut Film Series 1170 & Premium Vinyl Series 7725-012					
Product	Common Sizes	1800 sq ft MOQ*	Colors	COLOR SIZE		
	18" x 50 yds	18" x 50 yds Red, Blue, Brown		170) Yellow (1171)		
EC Film Series 1170	24" x 50 yds	Yellow Blue (1175) Green (1				
	30" x 50 yds			175) Green (1177)		
	36" x 50 yds		Black (1	178) Brown (1179)		
	48" x 50 yds	N/A				
Black Premium Vinyl Series 7725-012	24" x 50 yds 30" x 50 yds 36" x 50 yds 48" x 50 yds NOTE: Other sizes available.	N/A	В	lack (7725-012)		

NOTE: Other sizes available. Some colors and sizes may incur a slit and/or cut fee. *MOQ = Minimum Order Quantity

3M[™] Premium Protective Overlay Film Series 1160i Premium is a durable, UV and graffiti resistant protective overlay film, with a clear

pressure-sensitive adhesive. It is applied as a protective overlay to signs made from 3M[™] Reflective Sheetings.

Many types of defacement from vandalism can be cleaned from this film to restore function and appearance of the overlayed sign.

Protective Overlay Film 😵

Electro Cut[™] Film

Product Sizes Colors PREMIUM 24" x 50 yds Protective Overlay Clear 30" x 50 yds Film Series 1160i (1160I) with premask or 36" x 50 yds (1160IA) . 1160iA w/o 48" x 50 yds premask

NOTE: Other sizes available. Some colors and sizes may incur a slit and/or cut fee. MOQ = Minimum Order Quantity Increments may be very large, call for details.

Vinyl Graphic Films

One stop shop for all your vinyl and special effect film needs!





Find Application Tapes, Tools & Accessories on page 96

We carry all the products you need for a smooth application.







Transfer & Prespacing Tapes

3M[™] Clear Transfer Tape (TPM-5)

For use with 3M Series 1170 electronic cuttable film, designed to be used to transfer prepositioned copy.

3M[™] Prespacing Tape SCPS-2

This prespace tape is specially formulated for use with large format screen printed and electronically cut graphics to ease the application of small text.

Call for available sizes and details on Transfer and Pre-spacing tapes.

Application Tapes





100 Yard Rolls

Width

4.25"

6.5"

8.5"

12"

ltem #

RSHZAC1026S

RSHZAC1027S

RSHZAC1028S

RSHZAC1029S

Application Tape **R-Tape Conform Series Application Tape**

The original high tack

application tape that lays

flat and sticks to the liner -

resists tunneling, wrinkling,



100 Yard Rolls

	RSHZAC1029S	12"		nneling, wrinkling,		Item #	Width	
	RSHZAC1030S	14"	5	curling! Excellent		RSHZA1024S	2.25"	
	RSHZAC1033S RSHZAC1034S	24" 30"	for ready	to-apply graphics.		RSHZA1025S	3.25"	
	KSHZAC10345	30				RSHZA1026S	4.25"	
					TAPE	RSHZA1027S	6.5"	5
					The	RSHZA1028S	8.5"	AC
Application Tools	Λ.	anlic	atio	n Fluids	-	RSHZA1029S	10.5"	PA
Application Tools		plic	alioi	i riulus	R-Tape	RSHZA1030S	12"	HI-TAC PAPER
					ApliTape	RSHZA1031S	14"	20
		Ouick			Series	RSHZA1033S	24"	
	344	Quick SHIP	-		is available in	RSHZA1034S	30"	
		\smile			White and Clear	RSHZA1017S	6.5"	
					as well as a wide	RSHZA1018105S	10.5"	
		-	-		variety of sizes.	RSHZA101812S	12"	
		- D			Other Cines	RSHZA1021S	14"	
RSHZTS0059 3M™ Gold	and the second se				Other Sizes Available	RSHZA1022S	24"	CLEAR
Nylon Squeegee		ltem#	Dese	ription	Call for	RSHZA1022T30S	30"	R
Quick	RSHZT0015 1" Rivet Brush	Rapid-	Fac Applic	ation Fluid	Quotation	RSHZA1022T36S	36"	
Shir						RSHZA1022T48S	48"	
	RSHZT0016	RSHZ10	0035 320	z. Bottle w/Sprayer				
	3" Rivet Brush	RSHZ10	0025 1 G	allon Bottle		the first the second se		
		Adhesi	ve Remov	l Formula		and a		
RSHZTS1008 RSHZT	1006S	RSHZ04	114 32 0	z. Bottle w/Sprayer		and have	-	
White Squeegee 4" R	oller	RSHZ04	15 1G	allon Bottle				
Material (ACM) Aluminum surface painted w Kynar 500 PVDF Thermoplastic cor BONELIGHT KM Abritum Compatible Material Aluminum	e			(ACN Alur ACN	n Aluminum Com A) is made of two ninum bonded to I's flat rigid surface	sheets of .021 a thermoplastic		
	Best for Com				tance ensures lon	g-term performa	ance	
	RBACM3MM4			- unu	durability.			
Both Side:	s - Gloss White witl	I PVC Pro	lective Lay	📕 🔶 Use	for indoor and ou	tdoor applicatio	ns.	
Best for Temporary Traffic Construction RBACM3MM4896WHAL - 48" x 96" Side 1 - Matte W Side 2 - Matte W		e PVC Pro		er				
Magnetics					Pla	te Blank	s Qui	ck
Magnum Magnetics Magnetic Material • .030" Matte White • Available by the sq ft or by the roll (24" x 25')			STEPSON GO		.02 paintee	License Plate Blanks 5"Aluminum, 12" x d d White, rounded co and slotted holes.	6", orners,	


RSHMAG2425



RBA0251206WWCT

2025 | Catalog#18

4



SIGN SHOP SUPPLIES

Custom Sign Blanks



How many Business or Entrance Signs go Unnoticed?



Custom Shapes &

Sizes!

Extension of the second second


TRAFFIC SIGNS TRAFFIC CONTROL DEVICES ORNAMENTAL STREET SIGNS CUSTOM SIGNS & DECALS SIGN SHOP SUPPLIES SALES COUNTER We are your *Single Source* for Custom Legend Signs (CLS) and Blanks, *as well as ALL* your Traffic Sign needs.

Raw Materials Av	ailable
Bare Aluminum Blanks	.080 Aluminum
Engineer Grade Reflective	.063 Aluminum
High Intensity Reflective	.040 Aluminum
Diamond Grade Reflective	.100 Aluminum
DG3	.125 Aluminum
Fluorescent Prismatic Reflective	Corrugated Plastic
Painted blanks	3MM ACM .040 Aluminum .080 Aluminum
Computer Routed	Other substrates available by request

- We provide bare, sheeted or painted blank in Aluminum, Plastic or ACM cut to custom size and shape!
- Our team can add Text & Graphics with applied computer cut vinyl, -or- digital, thermal or screen printing.
- Prompt manufacturing and *fast* shipment.
- Sold by the square foot.

HELPFUL HINT: For little or no extra cost you can upgrade plywood or baked enamel signs to reflective .080 Aluminum. They will last longer and draw much more attention to the signs both day and night.

Create your signs with one of the many CPC shapes below. See pages 26-27 & 100-101 for available sizes.



	Alodined Aluminu			Alodined Aluminum Sheets
The second se	Item	Size	Gauge	Gauges: .063"125" Sizes: up to 48" x 144"
	BA0634896NN	48" x 96"	.063"	Sizes. up to 40 x 144
	RBA0804896H32	48" x 96"	.080"	
A 1998	RBA08048120H32	48" x 120"	.080"	
	BA10030120NN	30" x 120"	.100"	
	BA10036144NN	36" x 144"	.100"	
	BA1004896NN	48" x 96"	.100"	
	BA10048120NN	48" x 120"	.100"	
	BA10048144NN	48" x 144"	.100"	
	BA12530120NN	30" x 120"	.125"	
	BA12536144NN	36" x 144"	.125"	
	BA1254896NN	48" x 96"	.125"	
	BA12548120NN	48" x 120"	.125"	Painted Aluminum Sheets
	BA12548144NN	48" x 144"	.125"	Painted White Both Sides
	Aluminum Sheets	(painted White	both sides)	Gauges: .040"
	Item	Size	Gauge	Sizes: up to 48" x 120"
	BA040BWH4896NN	48" x 96"	.040"	
	BA040BWH48120NN	48" x 120"	.040"	
	RBA0804896WWNN	48" x 96"	.080"	NOTE: Aluminum Sheets must ship motor freight.
				Skid charge may apply
Pre-Cut .040" Pair	nted Aluminum Blank			ANKS BLANKS are NOT punched or radiused.
ltem	Size Co	olor		You may add "Traffic" or "OSHA" style punch
RBA0401218WWNN	12" x 18" White	e/White		and radius for a small fee.
RBA0401824WWNN	18" x 24" White	/White		All blanks come with
RBA0402436WWNN	24" x 36" White	e/White	-	PVC protective film on one side.
RBA0401007WWNN	10" x 7" White	e/White		
RBA0401007YYNN	10" x 7" Yellow	/Yellow		
RBA0401410WWNN	14" x 10" White	e/White	-	
RBA0401410YYNN		/Yellow		
RBA0402014WWNN		e/White		
RBA0402014YYNN		/Yellow	-	ANKS
BA040TRAFFIC	ADD 3/8" Holes for Po			TRAFFIC OSHA
BA040OSHA	ADD 3/16" Holes in (and N	IO Holes. Radius Corners Radius Corners and 2 Holes. and 4 Holes.
Standard Punch Holes			Standar Radius	3" Radius
			Corners	1 1/2" Radius
3/16" Screw	, Nail Punch, or Wall M	lount.		3/4" Radius Also Available
1/4" Screw o	or Fence Punch		/ (ISS Punch 1/2" Radius 5/8" Radius
3/8" Sign Po	ost or Bolt Mount			1/2" Radius
Other Hole Size	s available by request.			3/16" Hole 2 1/4" Radius

2025 | Catalog#18

7

Aluminum Sheets

Sheeted Aluminum Blanks

When Ordering Blanks **REMEMBER** Specify Width first and Height second

 Standard reflective traffic sign blanks come with radius corners, .080" aluminum, 3/8" hole punch, and Alodine coating to meet Federal specifications.

Use for

Screen Printing

or with Overlay Film or Vinyl

- Standard street name sign blanks are sheeted with High Intensity Prismatic (H) and have radius corners, .080" aluminum, NO hole punch, and Alodine coating to meet Federal specifications.
- Standard Routed street name sign blanks are sheeted with High Intensity Prismatic (H) and have routed shape, .080" aluminum, NO hole punch, and Alodine coating to meet Federal specifications.
- Yellow Diamonds may also be ordered with High Intensity Prismatic (H), Diamond Grade Cubed (3) or Fluorescent Diamond Grade Cubed(3)(Y).
- Orange Diamonds may also be ordered with High Intensity Prismatic (H), Fluorescent 3924S Diamond Grade (D) or Fluorescent 4084 Diamond Grade Cubed(3).
- Other shapes, colors, reflective types, and aluminum thicknesses are available. Call for a quote.

Rectangles	w/Engineer Grade	w/HIP	Squares w/HIP
	Size	Size	Size
•	12x6R	12x6R	24x24S
		12x9R	24x245 30x30S
	12x18R	12x18R	
	18x12R	18x12R	
White	18x24R	18x24R	
		24x12R	
	24x18R	24x18R	White
		24x30R	
		30x24R	
BA080(X)WH(XXXX)R		30x36R	BA080(X)WH(XXXX)S

Yellow Diamonds		ı/ HIP HYE)	' Diamond ade Cubed (3YE)	w/ Fluorescent Diamond Grade Cubed (3FY)
		Size	Size	Size
	24	4x24D	24x24D	24x24D
Yellow	30)x30D	30x30D	30x30D
	36	5x36D	36x36D	36x36D

BA080(XXX)(XXXX)D w/ 3924S w/ 4084 FYG Orange w/ Fluorescent Diamond w/ HIP Diamond Diamond Diamonds Diamonds Grade Cubed Grade **Grade Cubed** Size Size Size Size 24x24D 24x24D 24x24D 30x30D 30x30D 30x30D 30x30D 36x36D **FYG** Orange 36x36D 36x36D 36x36D 48x48D 48x48D 48x48D 2 Post Mount 2 Post Mount 2 Post Mount BA0803FG(XXXX)D BA080(X)OR(XXXX)D

Flat Bla	des	She	eted Aluminum Street Name Blanks	Extrude	d Blades
	HIP ze		Available Colors: Blue, Green,		HIP ze
6x18F	9x24F		Brown and	6x18E	9x24E
6x24F	9x30F	BA080	White.	6x24E	9x30E
6x30F	9x36F			6x30E	9x36E
6x36F	9x42F		All Reflective Street Name	6x36E	9x42E
6x42F	9x48F		Sign Blanks are Double	6x42E	9x48E
6x48F	9x54F		Sided. Call for quote	6x48E	9x54E
	9x60F	BE090	on Single Sided.		9x60E

Sheeted Aluminum Standard Routed Street Name Blanks

The below Routed Street Name Sign Blanks are examples of blanks available in our ornamental product line. See pages 22-27 for more info.

Product ID	Size
OSIS11001CHWH	36x13.5
OSIS11001JHWH	30x11

Product ID	Size
OSIS11016CHWH	36x15
OSIS11016JHWH	30x11.82

Product ID	Size
OSIS11003CHWH	36x12
OSIS11003JHWH	30x9.25

())	L

Product ID	Size
OSIS11004CHWH	36x14.25
OSIS11004JHWH	30x11.5




- Traffic sign blanks come with radius corners, .080" aluminum, 3/8" hole punch, and Alodine coating to meet Federal specifications.
- Other thicknesses, shapes, and sizes of aluminum are available. Call for a quote!

Aluminum Blanks


Quick SHIP

REMEMBER Specify Width first and Height second, When Ordering Any Blanks, *except* Street Name Sign Blanks. For Street Name Sign Blanks, specify Height first and Width second.



2025 | Catalog#18

We make a variety of border blanks made with H High Intensity Prismatic on .080" aluminum. Most are in stock.



2025 | Catalog#18



Page 107

Check out our website or Call for details.

2025 | Catalog#18

11

Page 107

JTILITY SAFETY PRODUCTS


Custom Products Corporation

P.O. Box 54091 Jackson, MS 39288-4091



PRST STD U.S. Postage **PAID** Custom Products Corporation

SIGN SHOP SUPPLIES - CAT18-2025



Mail: P.O. Box 54091 Jackson, MS 39288-4091

> **Shipping:** 1120 Flowood Dr. Jackson, MS 39232

EMAIL sales@cpcsigns.com



You

Tube

CPCGo! - mobile app

Download on the App Store

find us on social media

Sales: 1-800-367-1492 (Voice) 1-601-932-5854 (Voice) 1-800-206-3444 (Fax) 1-601-932-7178 (Fax)

> WEBSITE www.cpcsigns.com