

POSTS • BRACKETS • HARDWARE



- ✓ *Manufacturer Direct*
- ✓ *Competitively Priced*
- ✓ *Huge Inventory*
- ✓ *Great Lead Times*

Choose U-Channel, Square, or Round Post Systems. Look for the colored stars to easily see compatibility.



SAVINGS TIP: *Add brackets to your orders for Roll Goods, Signs, Blanks, etc. to meet our free freight policy easier.*



Distributed by:



U-Channel Posts & Accessories




U-CHANNEL

SQUARE

ROUND

UNIVERSAL



1.12GR

1.12GA

2GR

2GA

3GA


- ◆ U-Channel posts are manufactured from high tensile steel.
- ◆ Available in your choice of hot dip Galvanized or Green paint finish.
- ◆ Punched full length with 3/8" holes on 1" centers.
- ◆ Measured by length and pounds per foot.
- ◆ Other lengths and weights available in 50 piece bundles.
- ◆ Call for a quote.

NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

Stock #	Size	Finish
RPOCG0352*	3.5FT • 2LB	Galvanized
RPOCG061	6FT • 1.12LB	Galvanized
RPOCG071	7FT • 1.12LB	Galvanized
RPOCG062	6FT • 2LB	Galvanized
RPOCG082	8FT • 2LB	Galvanized
RPOCG0925	9FT • 2.5LB	Galvanized
RPOCG102	10FT • 2LB	Galvanized
RPOCG122	12FT • 2LB	Galvanized
RPOCG123	12FT • 3LB	Galvanized
RPOCG143	14FT • 3LB	Galvanized
RPOCP0352*	3.5FT • 2LB	Green
RPOCP061	6FT • 1.12LB	Green
RPOCP062	6FT • 2LB	Green
RPOCP072	7FT • 2LB	Green
RPOCP082	8FT • 2LB	Green
RPOCP102	10FT • 2LB	Green
RPOCP122	12FT • 2LB	Green

Sign Saver

Place between sign and post and sign will not bend from over tightening.



BA080SAVER

Anchor Plate

Galvanized anchor plate keeps post firmly in place.



BA080APLATEUCH

* Base Posts for Breakaway Feature




U-Channel Break-A-Way Systems



Safety Splice System

- ◆ Ingeniously simple design by Chicago Heights Steel.
- ◆ FHWA & AASHTO approved.
- ◆ Posts to 4 lbs.
- ◆ Two special bolts & spacers join base post to top post.

RPOCZSAFETYSPLICE for 1 to 2-1/2 lb posts
RPOCZSAFETYSPLICE3 for 3 to 4 lb posts



Lap Splice System

- ◆ Economical breakaway system by Marion Steel.
- ◆ FHWA & AASHTO approved.
- ◆ Posts to 4 lbs. Two special bolts & spacers join base post to top post.


RPOCZLAPSPICE Silver for 2 to 2-1/2 lb posts 1/2" x 3/4" x 5"
RPOCZLAPSPICE Gold for 3 to 4 lb posts 1/2" x 3/4" x 5"



Snap'n Safe Coupler



RPOCZSNAPNSAFE



Snap'n Safe Coupler

- ◆ Made of cast gray iron, and withstands winds of 120 mph.
- ◆ EASY INSTALLATION: Simply insert Coupler in anchor and bottom of sign post and assemble with (4) bolts.
- ◆ Installation hardware included.
- ◆ For U-Channel Posts 2 to 4 lbs.



Snap'n Safe Surface Mount



RPOCZSMUSNAPNSAFE

Snap'n Safe Surface Mount

- ◆ Made of cast gray iron, and withstands winds of 120 mph.
- ◆ EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) bolts.
- ◆ Installation hardware included.
- ◆ For U-Channel Posts 2 to 4 lbs.



Surface Mount Breakaway Base



Universal Stub for Round, U-Channel and Square Post 1.75" or larger

RPOGPBSB100 -15" Diameter Surface Mount Breakaway System




RPOGPBSB100ZRS Replacement Stub for Surface Mount Breakaway System



Surface Mount Anchor Screws for Concrete
RHSMSCA1240 - 1/2" x 4"
RHSMSCA3825 - 3/8" x 2-1/2"

Surface Mount Anchor Screws for Asphalt
RHSMSCA3840 - 3/8" x 4"

Rivets & Rivet Gun



Cherry-Mate Rivets

RHRBALM8BP18 - #18 Rivet for 1.12# U-Channel Post
RHRBALM8BP26 - #26 Rivet for 2# U-Channel Post
RHRBALM8BP30 - #30 Rivet for 2.5# U-Channel Post
RHRBALM8BP34 - #34 Rivet for 3-4# U-Channel Post

Rivet Gun



RHRBALMGUN Rivet Gun






U-Channel Brackets • Hardware • Tools



RPBM317(F/X)

Decorative Sign Top Finial



Econo Brackets

3-3/8" slot for Flat Sign Blades.

Includes hardware.



RPB390
Crosspiece (100/box)



RPBROKPRUF1
180° Cap (100/box)



RPB990(F/X)
Crosspiece
(50/box)



RPB457(F/X)
45° Universal
(100/box)



RPB91U(F/X)-NU180
180° Cap
(50/box)




RPB91U(F/X)-OL90
90° Cap
(50/box)

Vandal Resistant Bracket Hardware



RHBVPA12T43
12 Point Tool For RHBVPA12



RPB412C(F/X)
Crosspiece (10/box)



RPB412U(F/X)OL90
90° Cap (30/box)



RPB412U(F/X)NU180
180° Cap (30/box)

Jumbo Brackets

12" slot for Flat (F) or Extruded (X) sign blades.

Includes hardware.

Bracket Hardware • Tools (May Be ORDERED Individually)



RHBHP76
Button Head
Vandal Resistant
Bolt (100/Box)



RHBVPA12
12 Point
Vandal Resistant
Bolt (100/Box)



RHBSK56
Standard Set Screw
(100/Box)




RHBSK56
Stainless Steel Set Screw
(100/Box)



RHBPRP38
Center Pin Set Screw
(100/Box)



RHBSKT100
Allen Wrench Tool
For Set Screws



RHBSKF100
Allen Wrench Tool
For Set Screws

Semi-Custom Hardware Systems



Make aluminum sign installation easy by using one of our semi-customized hardware systems. Choose a bolt, nut and washer style in each system to create your own semi-custom packages. Typically Sold in Boxes of 100

Pre-Packaged Hardware

Make aluminum sign installation easy by using one of our hardware packages. Each package is pre-sized to ensure adequate fit to the post.

Standard System



RHBS1625H
5/16" x 2-1/2"
Zinc Hex Bolt



RHW516NYLON
5/16"
Nylon Washer



RHW516LOC
5/16"
Zinc Lock Washer



RHN516
5/16"
Zinc Nut

Vandal Resistant System



RHBS1625OW
One-Way
Tamper Bolt
5/16" x 2-1/2"



RHBS1625C
5/16" x 2-1/2"
RHBS1630CAT
5/16" x 3"
Zinc Carriage Bolt



RHW516NYLON
5/16" Nylon Washer




RHN516VPA - Econo
5/16" Breakaway
Vandal Proof Nut
RHN516VPAPREMIUM
5/16" Breakaway
Vandal Proof Nut
Made In The U.S.A.

Tufnut Vandal Resistant System



RHTB3
5/16" x 3"



RHTB25
5/16" x 2-1/2"
Tuf Bolt



RHW516NYLON
5/16" Nylon Washer



RHTN31
5/16" Tufnut

Special System

Optional Washer & Nuts for Semi-Custom Systems



RHN516FLUTEDA
5/16"
Fluted Tamper
Resistant Nut



RHTN31
5/16"
Tufnut



RHW516
5/16"
Zinc Washer



RHN516FLUTEDT2
Tool For Fluted Nut

Econo Hexhead Packages



Package for mounting signs to
1.12# delineator posts
RH0112E01
1 sign to post
RH0112E10
10 signs to posts

Package for mounting signs to
2-3# u-channel posts
RH023E01
1 sign to post
RH023E10
10 signs to posts

Vandal Resistant Packages



Package for mounting signs to
1.12# delineator posts
RH0112V01
1 sign to post
RH0112V10
10 signs to posts

Package for mounting signs to
2-3# u-channel posts
RH023V01
1 sign to post
RH023V10
10 signs to posts

Vandal Resistant Packages




Package for mounting signs to
1.12# delineator posts
RH0112PSV01
1 sign to post
RH0112PSV10
10 signs to posts

Package for mounting signs to
2-3# u-channel posts
RH023PSV01
1 sign to post
RH023PSV10
10 signs to posts



Round Posts and Brackets



2-3/8" OD Round Smooth Steel Posts

ITEM CODE	Length	Gauge
RPORG10	10' (120")	16 Gauge (.065")
RPORG12	12' (144")	16 Gauge (.065")

NOTE: THESE POSTS MUST SHIP TRUCK LINE.

3" OD Round Fluted Aluminum Posts

ITEM CODE	Length	Wall Thickness
XRORTALRF1253120	10' (120")	.125"
XRORTALRF1253144	12' (144")	.125"
XRORTALRF1253168	14' (168")	.125"



POZ-LOC® Socket System



POZ-LOC® Socket System - a simple, cost effective way to install small signs without digging, concrete, threading, or nuts and bolts. Simple to use, a socket assembly includes a 27" socket and wedge. *Post is NOT included.*

RPORZPOZLOCWSW - Assembly (includes Socket & Wedge)

RPORZPOZLOCZSOCKET - Socket
RPORZPOZLOCZWEDGE - Wedge



Universal Stub for Round, U-Channel and Square Post 1.75" or larger

RPOGPBSB100 - 15" Diameter Surface Mount Breakaway System



RPOGPBSB100ZRS
Replacement Stub for Surface Mount Breakaway System



RPORZSM238SB200
For use with 2-3/8" OD Round Post Surface Mount Assembly

Surface Mount Anchor Screws for Concrete

RHSMSCA1240 - 1/2" x 4"
RHSMSCA3825 - 3/8" x 2-1/2"

Surface Mount Anchor

Screws for Asphalt
RHSMSCA3840 - 3/8" x 4"



Snap'n Safe Coupler




Snap'n Safe Coupler

- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply insert Coupler in anchor and tighten with set screws.
- Installation hardware included.

RPORZSNAPNSAFE238081 for 8 to 12 gauge steel 2-3/8" round posts
RPORZSNAPNSAFE238131 for 13 to 16 gauge steel 2-3/8" round posts



Snap'n Safe Surface Mount




Snap'n Safe Surface Mount

- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) bolts.
- Installation hardware included.

RPORZSM238SNAPNSAFE
for 8 to 16 gauge steel 2-3/8" round posts



Round Post V-Loc Anchors



- Flush Mount helps prevent vehicle rollovers.
- NCHRP-350 APPROVED allows product to breakaway when hit.
- Guaranteed Re-usability saves time and money.
- Stabilizer Bar & Bolt for anti-twist and turning.
- Yield and release method allocates time for post to pop up, allows drivers to drive thru.

Breakaway System V-Loc Kits		
ITEM CODE	Ground Type	For Post Size
RPORZVR123820R	Old Concrete	2-3/8" O.D.
RPORZVR323R	Soft Soil	
RPORZVRB23VR2	Soil	
RPORZVRB23VR2B	Soil w/clean-out bar	
RPORZVR1P330RNC	New Concrete	3" O.D.
RPORZVR330R	Soft Soil	
RPORZVR330RC	Existing Concrete	

NOTE: V-loc soil mounts do not require concrete, saving time on the job-site.



Anchor Plate



BA080APLATE238
Fits 2-3/8" to 3" Diameter Posts
7.75" x 6.0"
0.3 Lbs Net Wt.

Solve your round post anchoring problem with these anchor plates designed to keep post from turning and reducing the need for concrete.



RH141HEX
Self Tapping Metal Screw (2 Required)

RH141HEXSETTER
Driver For Screws





Econo Brackets

ROK-PRUF Econo Brackets with
3-3/8" Slot for Flat Blades.
Includes hardware.

ORDER
Individually
or in Boxes
of 100




RPB390
Crosspiece



RPBROKPRUF2
2-3/8" OD
Round Post Cap

5-1/2" slot for Flat (F) or Extruded (X) sign blades. *Includes hardware.*



RPB922(F/X) 2-3/8" OD
RPB993(F/X) 3" OD
Post Cap (50/box)



RPB990(F/X)
Crosspiece
(50/box)



RPB457(F/X)
45° Universal
(100/box)

Sign Top Finial




RPBM317(F/X)
Decorative Sign
Top Finial



Jumbo Brackets

12" slot for Flat (F) or Extruded (X) sign blades.
Includes hardware.



RPB412C(F/X)
Crosspiece (10/box)



RPB412R(F/X) 2 3/8" OD
RPB412R(F/X) 3" OD
Round Post Cap (25/box)

Vandal Resistant

(May Be ORDERED Individually)

Bracket Hardware • Tools



RHBHP76
Button Head Vandal
Resistant Bolt
(100/Box)



RHBVPA12
12 Point Vandal
Resistant Bolt
(100/Box)



RHBVPA12T43
12 Point Tool
For RHBVPA12



RHBSK56
Standard
Set Screw
(100/Box)




RHBSK56
Stainless Steel
Set Screw
(100/Box)



RHBPRP38
Center Pin
Set Screw
(100/Box)



RHBSSKT100
Allen Wrench Tool
For Set Screws



RHBSSKF100
Allen Wrench Tool
For Set Screws



Brackets & Clamps



(Set of 2)
Back to Back Bracket
RPBZBB832
for 2-3/8" O.D. Post

For mounting sign
to round post.



(Set of 2) Single Bracket
RPBZ238 for 2 3/8" O.D. Post



(Set of 2) U-Bolt Clamps
RPBZUBCLAMP238
for 2 3/8" O.D. Post Bracket
RPBZUBCLAMP3
for 3" O.D. Post Bracket
RPBZUBCLAMP4
for 4" O.D. Post Bracket

Round Post Caps




Closure Cap
RPBPRCLCAP for
2-3/8" O.D. Post
RPBPRCLCAP3
for 3" OD Post



Dome Cap
RPBPRCDC250
for 2-3/8" O.D. Post
RPBPRCDC300
for 2-7/8" O.D. Post



Wing Brackets




Bell Wing Bracket
RPBCTBW12 - 12" (50/Box)
(Requires single strap)
RPBCTBW18 - 18" (50/Box)
RPBCTBW24 - 24" (25/Box)
Sign attaches with 5/16" bolts.
Hardware NOT Included.



RPBCT8 - 14.5" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)



RPBCT800 - 24" Long
Flat or Extruded
Cantilever Wing Bracket
(15/Box)




RPBCT4
4.5" x 2.5"
Flat Blades
Bell Wing
Bracket
(50/Box)



RPBCT830 - 30" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)

Strap or
Bolt to Post
or Wall



RPBCT836 - 36" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)

Chain Link Fence Bracket



3" x 3" Sign Saver
BA080SAVER

Installing **Sign Savers** between the sign
and a chain link fence prevents bending
of signs from over tightening.

Complete Hardware Packages
include all Hardware and Sign Savers
necessary to mount signs to chain link fences.
RH0112PSV01 - 1 sign to fence
RH0112PSV10 - 10 signs to fence



Punched Square Posts, Hardware & Break-A-Way Systems



Galvanized Steel
Galvanized Steel Post

1.75" Square Punched		
Punched full length with 7/16" holes on 1" centers.		
ITEM CODE	Length	Gauge
RSPB3ZBUZTU60	5' (60")	14 Gauge
RSPB3ZBUZTC70	5.8' (70")	14 Gauge
RP0SG0814175	8' (96")	14 Gauge
RP0SG1014175	10' (120")	14 Gauge
RP0SG1214175	12' (144")	14 Gauge
2" Square Punched		
ITEM CODE	Length	Gauge
RP0SG08142	8' (96")	14 Gauge
RP0SG10142	10' (120")	14 Gauge
RP0SG12142	12' (144")	14 Gauge




NOTE: POSTS TALLER THAN 8' MUST SHIP TRUCK LINE.

- Superior torsional strength with easy, safe installation by hand or with power equipment.
- Convenient sign mounting before installation.
- Versatile, 4-sided sign mounting, at any height.
- Punched full length with 7/16" holes on 1" centers.
- Fast and economical replacement of damaged posts.
- Re-usable materials.
- FHWA-approved yielding capability.
- Other sizes, gauges, & lengths available.

Breakaway Anchor Installation

A POZ-LOC® Performance Post anchor can be driven into the ground first, allowing crews to work at ground level for quicker, cost-effective installations or replacement of damaged sign posts.



Corner bolt to mount top post to base post, up to 2.5"



Anchor Plate


Galvanized anchor plate keeps post firmly in place.



BA080APLATEUCH



Snap'n Safe Coupler



Snap'n Safe Coupler



- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply insert Coupler in anchor and bottom of sign post and assemble with (4) corner bolts.
- Installation hardware included.
- Device couples square anchor with square post.

RPOSZSNAPNSAFE175 couples 2" square anchor to 1.75" square posts
RPOSZSNAPNSAFE2 couples 2.25" square anchor to 2" square posts
RPOSZSNAPNSAFE225 couples 2.5" square anchor to 2.25" square posts
RPOSZSNAPNSAFE25 couples 3" square anchor to 2.5" square posts



Snap'n Safe Surface Mount



Snap'n Safe Surface Mount



- Made of cast gray iron, and withstands winds of 120 mph.
- EASY INSTALLATION: Simply drill (3) holes in concrete using the base as guide. Secure coupler to concrete with (3) bolts. Attach sign post with (2) corner bolts.
- Installation hardware included.

RPOSZSM175SNAPNSAFE for 1.75" square posts
RPOSZSM20SNAPNSAFE for 2" square posts
RPOSZSM225SNAPNSAFE for 2.25" square posts
RPOSZSM25SNAPNSAFE for 2.5" square posts

Rivets & Rivet Gun



Cherry-Mate Rivets

RHRBALM8BP26 - #26 Rivet for 1.5" Square Post
RHRBALM8BP30 - #30 Rivet for 1.75" Square Post
RHRBALM8BP34 - #34 Rivet for 2" Square Post

RHRBPVCSP150
PVC Spacer: 1/2" x 1-1/2" for #30 Rivet

RHRBPVCSP175
PVC Spacer: 1/2" x 1-3/4" for #34 Rivet



RHRBALMGUN
Rivet Gun

Surface Mount Breakaway Bases



Universal Stub for Round, U-Channel and Square Post 1.75" or larger

RPOGPBSB100 - 15" Diameter Surface Mount Breakaway System



RPOGPBSB100ZRS
Replacement Stub for Surface Mount Breakaway System


Surface Mount Anchor Screws for Concrete

RHSMSCA1240 - 1/2" x 4"

RHSMSCA3825 - 3/8" x 2-1/2"

Surface Mount Anchor Screws for Asphalt

RHSMSCA3840 - 3/8" x 4"



RPOSZCBM175250G
Barrier Mount for 1.75" to 2.5" square posts

RPOSZMBASESQ17525
Surface Mount for 1.75" to 2.5" square posts






RPB827(F/X)
4" x 4"
Wood Post

**3-1/2" slot for
Flat (F) or
Extruded (X)
sign blades.**

*Includes sign
to bracket
mounting
hardware.*



RPB975Q(F/X)
2" Square Post Cap
RPB1345Q(F/X)
1-3/4" Square Post Cap
(50/box)



RPB990(F/X)
Crosspiece
(50/box)

**5-1/2" slot for
Flat (F) or
Extruded (X)
sign blades.**

Includes hardware.



RPB457(F/X)
45° Universal
(100/box)


Sign Top Finial



RPBM317(F/X)
Decorative Sign
Top Finial

**12" slot for Flat (F)
or Extruded (X)
sign blades.**

Includes hardware.



RPB412C(F/X)
Crosspiece (10/box)

Jumbo Brackets



RPB4125Q(F/X)2
2" Square Post Cap(30/box)
RPB4125Q(F/X)134
1 3/4" Square Post Cap (30/box)

*Includes sign to bracket
mounting hardware.*

Vandal Resistant

(May Be ORDERED Individually)

Bracket Hardware • Tools



RHBVPA12T43
12 Point Tool For RHBVPA12



RHBHP76
Button Head Vandal
Resistant Bolt
(100/Box)



RHBVPA12
12 Point Vandal
Resistant Bolt
(100/Box)



RHBSSK56
Standard Set Screw
(100/Box)




RHBSSK56
Stainless Steel Set Screw
(100/Box)



RHBPRP38
Center Pin Set Screw
(100/Box)



RHBSSKT100
Allen Wrench Tool
For Set Screws



RHBSSKF100
Allen Wrench Tool
For Set Screws

Drive Rivets



Economy Universal Head

RHRDRIVEA38E125NS - Aluminum
RHRDRIVEA38E125W(XX) - Painted Colors Aluminum



- ◆ Grip Range of .125" to .250"
- ◆ Fits 3/8" Hole Diameter
- ◆ Shank: 5/8" Length
- ◆ .093" Nylon Washer included
- ◆ Head: Universal 3/4" Diameter
- ◆ Drive Rivet is designed specifically for the sign to square post application and 12 GA or 14 GA post to single 12 GA anchor

Flush/Tapered Head

RHRDRIVES38P140W - Steel
RHRDRIVEA38P140W(XX) - Aluminum
(XX) Colors to Match Sheeting Available



- ◆ Grip Range of .140" to .330"
- ◆ Fits 3/8" Hole Diameter
- ◆ Shank: 5/8" Length
- ◆ .093" Nylon Washer included
- ◆ Head: Flush/Tapered 1" diameter
- ◆ Drive Rivet is designed specifically for the sign to square post application and 12 GA or 14 GA post to single 12 GA anchor



Universal Head

RHRDRIVES38P140N - Steel (NO Washer)
RHRDRIVEA38P140W - Aluminum w/Steel Pin (.093" Nylon Washer included)



- ◆ Grip Range of .140" - .330"
- ◆ Fits 3/8" hole diameter
- ◆ Head: 7/8" diameter

Flush/Tapered Head Long Shank

RHRDRIVEA38P140WL - Aluminum



- ◆ All the same features as the premium flush/tapered drive rivets with a longer shank than any other drive rivet.
- ◆ Long Shank: 3/4" Length
- ◆ .093" Nylon Washer included
- ◆ Most popular and well liked by customers



Gas Post Drivers

If you are looking for the power you need for tough jobs combined with the flexibility of being able to drive almost anything, look no further. The multitude of configurations that Rhino's Chuck-Lok™ system allows you to quickly change between is incredibly impressive.



GPD-45 Multi Pro


Item Code: **RPEDNGPD45**
Comes with 1", 1-3/4", and 2" Chuck-Lok™ Adapters



3 Chuck Adapters included

Additional chucks and drive caps sold separately

- ◆ The 2-1/2" chuck is perfect for Round Posts up to 2-3/8".
- ◆ Includes 2", 1-3/4", and 1" chuck adapters for driving T-Posts & ground rods.
- ◆ Ergonomically Balanced, cushion grip handles frame the GPD-45, providing increased maneuverability and usability.
- ◆ Comes with Rhino's CIS vibration dampening handles.
- ◆ Handle-mounted stop switch.
- ◆ Ergonomically designed handle with an integrated throttle.
- ◆ Prime bulb, for easy starting.
- ◆ Legendary reliability: Honda GX35 4-stroke industrial engine. This tool has passed the stringent Honda US Certification process.
- ◆ Steel skid plate protects the engine and provides rugged durability.



GPD-45 Multi Pro XA

Item Code: **RPEDNGPD45XA**
Comes with 1", 1-3/4", and 2" Chuck-Lok™ Adapters

Item Code: **RPEDNGPD45XAU**
Comes with U-Channel Chuck

- ◆ This driver is best suited to primarily driving U-Channel.
- ◆ The XA model was designed at the request of sign installers, municipalities, and rental houses.
- ◆ The XA model is the Multi Pro with the extended anvil and longer Chuck-Lok already installed.
- ◆ This makes it truly a 4 bolt change to switch to channel posts, square tubes, and back to rounds.
- ◆ The XA weighs in only 7lbs heavier than the standard Multi Pro and is primarily designed for higher productivity and U-channel sign installers.

2-1/2" Master Chuck-Lok™ for use with all GPD-45 Post Driver Models


RPEDGPDZCH25AMC 2-1/2" Master Chuck-Lok™ w/Locking Nut

Post Drive Chuck Adapters for use with the 2-1/2" Master Chuck-Lok™

RPEDZCH25A1	1" ID Chuck-Lok™ Adapter for posts 0" to 7/8" Best suited for driving electrical ground rod.
RPEDZCH25A175	1-3/4" ID Chuck-Lok™ Adapter for posts 1-1/8" to 1-5/8"
RPEDZCH25A2	2" ID Chuck-Lok™ Adapter for posts 1-3/8" to 1-7/8"
RPEDZCH25ATS	Tent Stake Chuck-Lok™ Adapter Ideally suited for the rigors of tent stake installation.

Gas Post Driver Lubricant

RPEDNGPD45ZPDL Gas Operated Post Driver Lubricant - 12 Pack




Multi-Pro Municipality Post Drive Kit

RPEDGPD45DRIVEKIT	Multi-Pro Municipality Drive Kit includes: <ul style="list-style-type: none"> • Short Chuck Tube (RPEDZCH25ASB) • 1-3/4" Square Anchor Drive Cap for 1-1/2" ID Posts (RPEDZCH25ASBD175) • 2" Square Anchor Drive Cap for 1-3/4" ID Posts (RPEDZCH25ASBD2) • 2-1/4" Square Post Anchor Drive Cap for 2" ID Posts (RPEDZCH25ASBD225) • 2-1/2" Square Post Anchor Drive Cap for 2-1/4" ID Posts (RPEDZCH25ASBD25) • U-Channel Post Slotted Chuck (RPEDZCH25ASC) • U-Channel Post Anvil (RPEDZCH25AEA)
--------------------------	---



Multi-Pro U-Channel Post Drive Kit

RPEDZCH25ACK	U-Channel Post Drive Kit includes: <ul style="list-style-type: none"> • Slotted Chuck Adapter (RPEDZCH25ASC) • Extended Anvil Chuck Adapter (RPEDZCH25AEA)
---------------------	---



Multi-Pro Square Post Drive Kits

RPEDZCH25STDK175	Multi-Pro 1-3/4" Square Tube Drive Kit includes: <ul style="list-style-type: none"> • Short Chuck Tube • 1-3/4" Square Anchor Drive Cap for 1-3/4" ID Post
RPEDZCH25STDK2	Multi-Pro 2" Square Tube Drive Kit includes: <ul style="list-style-type: none"> • Short Chuck Tube • 2" Square Anchor Drive Cap for 2" ID Post
RPEDZCH25STDK225	Multi-Pro 2-1/4" Square Tube Drive Kit includes: <ul style="list-style-type: none"> • Short Chuck Tube • 2-1/4" Square Anchor Drive Cap for 2-1/4" ID Post
RPEDGPD45STDK25	Multi-Pro 2-1/2" Square Tube Drive Kit includes: <ul style="list-style-type: none"> • Short Chuck Tube • 2-1/2" Square Anchor Drive Cap for 2-1/4" ID Post

PD-55 Medium-Duty Post Driver



Item Code: **RPEDPD55**
Air Consumption: 42 CFM @ 90psi
(1.19m³/min @ 6.21Bar)
Weight: Approx. 54.6 lbs. (24.8kg)



Chuck Adapters



- ◆ Easily operated by one man and is the perfect choice for driving all types of steel posts!
- ◆ Drivers are fast, safe, portable, and will increase productivity while reducing costs!
- ◆ For nearly forty years, the legendary PD-55 and its predecessor the PD-50 have been the productivity leaders in post driving.
- ◆ At just 54 pounds, the brutally tough PD-55 is capable of handling your toughest applications quickly and efficiently.
- ◆ The PD-55 is ideally suited for driving t-posts, ground rod, tent stakes, grape stakes, delineator posts, form pins and fence posts up to 3-3/4".

3-7/8" ID Master Chuck for use with the PD-55 Medium-Duty Post Driver	
RPEDZCH378	3 7/8" ID Master Chuck (included w/RPEDPD55)

Post Drive Chuck Adapters for use with the 3-7/8" ID Master Chuck

RPEDZCH378A10	1" ID Chuck Adapter for posts from 0" to 7/8". Best suited for driving electrical ground rod.
RPEDZCH378A15	1-1/2" ID Chuck Adapter for posts 7/8" to 1-3/8"
RPEDZCH378A20	2" ID Chuck Adapter for posts 1-3/8" to 1-7/8"
RPEDZCH378A20H	2" ID Heavy-Duty Chuck Adapter for posts from 1-3/8" to 1-7/8". Ideal for tent stake installation.
RPEDZCH378A25	2-1/2" ID Chuck Adapter for posts 1-7/8" to 2-3/8"
RPEDZCH378A30	3" ID Chuck Adapter for posts 2-3/8" to 2-7/8"
RPEDZCH378A35	3-1/2" ID Chuck Adapter for posts 2-7/8" to 3-1/8"
RPEDZCH378AC112	1.2-1.5# U-Channel Post Drive Chuck Adapter accommodates 1.2 to 1.5 lb. U-Channel Posts
RPEDZCH378AC2	2-2.75# U-Channel Post Drive Chuck Adapter accommodates 2 to 2-3/4 lb. U-Channel Posts
RPEDZCH378AC3	3-4# U-Channel Post Drive Chuck Adapter accommodates 3 to 4 lb. U-Channel Posts
RPEDZCH40626	4" x 4" Wood Post Drive Chuck (4-1/16" x 4-1/16")

Schedule 40 Pipe Drive Caps for use with the 3-7/8" ID Master Chuck

RPEDZCH378AS40D2	2" Schedule 40 Pipe Drive Cap w/T-Bar & Clip
RPEDZCH378AS40D25	2-1/2" Schedule 40 Pipe Drive Cap w/T-Bar & Clip
RPEDZCH378AS40D3	3" Schedule 40 Pipe Drive Cap w/T-Bar & Clip

U-Channel Post Breakaway Anchor Driver for use with the 3-7/8" ID Master Chuck

RPEDZCH378ACB	U-Channel Post Anchor Drive Chuck Adapter
Drive Cap for use with the U-Channel Post Breakaway Anchor Drive Chuck Adapter	
RPEDZCH378ACBD	U-Channel Drive Cap

Square Post Breakaway Anchor Drive Chuck Adapter & Puller for use with the 3-7/8" ID Master Chuck

RPEDZCH378ASB	Square Post Drive Chuck Adapter
RPEDZSP	Square Post Stub Puller Chuck Adapter

Drive Caps (Low Drive Extension) for use with the Square Post Breakaway Anchor Chuck Adapter

RPEDZCH378ASBD125	1-1/4" Square Drive Cap (1" pin)
RPEDZCH378ASBD15	1-1/2" Square Drive Cap (1-1/4" pin)
RPEDZCH378ASBD175	1-3/4" Square Drive Cap (1-1/2" pin)
RPEDZCH378ASBD2	2" Square Drive Cap (1-3/4" pin)
RPEDZCH378ASBD225	2-1/4" Square Drive Cap (2" pin)
RPEDZCH378ASBD25	2-1/2" Square Drive Cap (2-1/4" pin)



Filter Regulator



Filter Regulator Carrier



Air Hose Assembly



Air Hose Whip



Complete Transport Kit

Accessories for the PD-55 Medium-Duty Post Driver

RPEDPD55ZFRL	Filter Regulator Lubricator
RPEDPD55ZFRLC	Carrier for Filter Regulator Lubricator
RPEDPD55ZHA100	Air Hose Assembly with 100' of 3/4" Diameter Hose
RPEDPD55ZHA25	Air Hose Assembly with 25' of 3/4" Diameter Hose
RPEDPD55ZHAXX	Air Hose Assembly with Custom Length of 3/4" Diameter Hose
RPEDPD55ZHQC	Air Hose Quick Coupler
RPEDPD55ZHQCSC	Quick Coupler Safety Clips
RPEDPD55ZHWH09	Air Hose Whip 5' 9"
RPEDPD55ZHWH152	Air Hose Whip 15' 2"
RPEDPD55ZTPORTCART	Transport Cart Only

Kits for the PD-55 Medium-Duty Post Driver

RPEDPD55ZKTV	Throttle Valve Kit with 5' Hose Whip
RPEDPD55ZKTV16	Throttle Valve Kit with 16' Hose Whip
RPEDPD55ZTPORTKIT	Complete Transport Kit includes the following items:

• PD-55 Post Driver • PDT-55 Transport Cart • 4 Chuck Adapters (chuck selection is customizable to fit your needs) • 15'2" Air Hose • Throttle Valve Kit • Filter-Regulator Lubricator • Extra Washers & Bolts • Extra Safety Clips • 1 qt Non-Detergent Oil • Operating & Safety Instructions

Replacement Parts for the PD-55 Medium-Duty Post Driver

RPEDPD55ZZBODY	Replacement Body
RPEDPD55ZZFILTER	Replacement Filter
RPEDPD55ZZGASKET	Replacement Gasket
RPEDPD55ZZLUBRICATOR	Replacement Lubricator
RPEDPD55ZZPISTON	Replacement Piston
RPEDPD55ZZREGULATOR	Replacement Regulator
RPEDPD55ZZTOPCOVER	Replacement Top Cover Assembly

Hydraulic Post Driver (Chuck-Lok™)



HPD 60 Medium-Duty Post Driver with 2-1/2" Master Chuck-Lok™

Item Code: **RPEDYHPD6025**

Oil flow, gpm: 8

Working psi: 1750 | Max. return psi: 220

Blow frequency, bpm: 1380 | Blow energy, lb/ft: 70

Vibration level (3 axis) m/s²: <9.6

Weight: Approx. 60.5 lbs. | Length (w/o Chuck): 26"



Chuck Adapters

2-1/2" Master Chuck-Lok™ for use with the HPD 60 Medium-Duty Post Driver

RPEDZCH25	2-1/2" Chuck-Lok™ w/Locking Nut (included w/ RPEDYHPD6025)
------------------	--

Post Drive Chuck Adapters for use with the 2-1/2" Master Chuck-Lok™

RPEDZCH25A1	1" ID Chuck-Lok™ Adapter for posts 0" to 7/8" Best suited for driving electrical ground rod.
RPEDZCH25A175	1-3/4" ID Chuck-Lok™ Adapter for posts 1-1/8" to 1-5/8"
RPEDZCH25A2	2" ID Chuck-Lok™ Adapter for posts 1-3/8" to 1-7/8"

Large Chuck Adapter Plate for use with the 2-1/2" Master Chuck-Lok™

RPEDZCH25LP	Large Chuck Adapter Plate Required to modify the Chuck-Lok™ system to accept larger chucks
--------------------	--

U-Channel Post Drive Kit for use with the 2-1/2" Master Chuck-Lok™

RPEDZCH25ACK	U-Channel Post Drive Kit includes: • Slotted Chuck Adapter (RPEDZCH25ASC) • Extended Anvil Chuck Adapter (RPEDZCH25AEA)
---------------------	---



Chipping Hammer

Cut Off Saw Blade is NOT Included

HBR60 Breaker

Hand Core Drill

Earth Auger

HBR90 Breaker

HWP2 Water Pump

HWP3 Water Pump

HWP4 Water Pump

- ◆ The Rhino® HPD 60, a high-performance hydraulic post driver, is perfect for fencing, road signs, farm, ranch, forestry, vineyards, guardrail, anchors, tent stakes – essentially any driving job. Capable of driving nearly any post profile, this driver is a hydraulic powerhouse! For taller applications utilize the remote valve.
- ◆ Unlike other hydraulic drivers, the RHINO® HPD 60 is nearly maintenance free. Continuous component lubrication keeps maintenance at a minimum and extends tool life.
- ◆ The RHINO® HPD 60 can be used with the HPP 13V or HPP 18V Power Packs as well as other hydraulic power systems such as utility truck or mini excavator with the use of Rhino's flow control devices.



Rhino Hydraulic Flex Power Packs are superior to other brands due to the cooling system that allows the hydraulic pressure to remain stronger than the competition once it gets hot.

Power Packs & Accessories for use with HPD-60 Medium-Duty Post Driver

RPEDYZHPP13	HPP 13V Hydraulic Flex Power Pack
RPEDYZHPP18V	HPP 18V Hydraulic Flex Power Pack
RPEDYZHPPOFD	Hydraulic Oil Flow Divider allows tool to be powered with other sources such as a skid steer or mini excavator (not necessary if using Rhino Power Packs). (Includes 12" Hose Whip)
RPEDYZHERV	Hydraulic Remote Valve (Includes 6" Hose Whip and 6' Hose)
RPEDYZHEH20	Hydraulic Extension Hose 20 ft
RPEDYZHEH33	Hydraulic Extension Hose 30 ft

Hydraulic Tools for use with the HPP 13V™ or HPP 18V™ Power Packs

RPEDYHCS14	14" Hydraulic Cut Off Saw
RPEDYHCS16	16" Hydraulic Cut Off Saw
RPEDYHCS18	18" Hydraulic Cut Off Saw
RPEDYHCS20	20" Hydraulic Cut Off Saw
RPEDYHBR22	HBR22 Hydraulic Chipping Hammer
RPEDYHBR60106	HBR60 Hydraulic Breaker with 1-1/4" x 6" -or- 1-1/8" x 6" Shank
RPEDYHBR6011256	HBR60 Hydraulic Breaker with 1-1/8" (1.125") x 6" Shank
RPEDYHBR601256	HBR60 Hydraulic Breaker with 1-1/4" (1.25") x 4" Shank
RPEDYHBR9011256	HBR90 Hydraulic Breaker with 1-1/8" (1.125") x 6" Shank
RPEDYHBR901256	HBR90 Hydraulic Breaker with 1-1/4" (1.25") x 6" Shank
RPEDYHCD14	Hydraulic Hand Core Drill with 1" - 4" Drill Diameter
RPEDYHCD214	Hydraulic Hand Core Drill with 2" - 14" Drill Diameter
RPEDYHED	HED Earth Auger
RPEDYHWP2	HWP2 Hydraulic Water Pump with 2" x 33' Discharge Hose
RPEDYHWP3	HWP3 Hydraulic Water Pump with 3" x 33' Discharge Hose
RPEDYHWP4	HWP4 Hydraulic Water Pump with 4" x 33' Discharge Hose



HPD 60 Medium-Duty Post Driver

Item Code: **RPEDYHPD60378**

Oil flow, gpm: 8

Working psi: 1750 | Max. return psi: 220

Blow frequency, bpm: 1380 | Blow energy, lb/ft: 70

Vibration level (3 axis) m/s²: <9.6

Weight: Approx. 60.5 lbs. | Length (w/o Chuck): 26"



Chuck
Adapters

3-7/8" ID Master Chuck for use with the HPD 60 Medium-Duty Post Driver

RPEDZCH378	3 7/8" ID Master Chuck (included w/ RPEDYHPD60378)
------------	--

Post Drive Chuck Adapters for use with the 3-7/8" ID Master Chuck

RPEDZCH378A10	1" ID Chuck Adapter for posts from 0" to 7/8". Best suited for driving electrical ground rod.
RPEDZCH378A15	1-1/2" ID Chuck Adapter for posts 7/8" to 1-3/8"
RPEDZCH378A20	2" ID Chuck Adapter for posts 1-3/8" to 1-7/8"
RPEDZCH378A20H	2" ID Heavy-Duty Chuck Adapter for posts from 1-3/8" to 1-7/8". Ideal for tent stake installation.
RPEDZCH378A25	2-1/2" ID Chuck Adapter for posts 1-7/8" to 2-3/8"
RPEDZCH378A30	3" ID Chuck Adapter for posts 2-3/8" to 2-7/8"
RPEDZCH378A35	3-1/2" ID Chuck Adapter for posts 2-7/8" to 3-1/8"
RPEDZCH378AC112	1-1.5# U-Channel Post Drive Chuck Adapter accommodates 1 to 1-1/2 lb. U-Channel Posts
RPEDZCH378AC2	2 to 2-3/4" U-Channel Post Drive Chuck Adapter accommodates 2 to 2-3/4 lb. U-Channel Posts
RPEDZCH378AC3	3-4# U-Channel Post Drive Chuck Adapter accommodates 3 to 4 lb. U-Channel Posts

Schedule 40 Pipe Drive Caps for use with the 3-7/8" ID Master Chuck

RPEDZCH378AS40D2	2" Schedule 40 Pipe Drive Cap w/T-Bar & Clip
RPEDZCH378AS40D25	2-1/2" Schedule 40 Pipe Drive Cap w/T-Bar & Clip
RPEDZCH378AS40D3	3" Schedule 40 Pipe Drive Cap w/T-Bar & Clip

U-Channel Post Breakaway Anchor Driver for use with the 3-7/8" ID Master Chuck

RPEDZCH378ACB	U-Channel Post Anchor Drive Chuck Adapter
---------------	---

Drive Cap for use with the U-Channel Post Breakaway Anchor Drive Chuck Adapter

RPEDZCH378ACBD	U-Channel Drive Cap
----------------	---------------------

Square Post Breakaway Anchor Drive Chuck Adapter & Puller for use with the 3-7/8" ID Master Chuck

RPEDZCH378ASB	Square Post Driver Chuck Adapter
---------------	----------------------------------

Drive Caps (Low Drive Extension) for use with the Square Post Breakaway Anchor Chuck Adapter

RPEDZCH378ASBD125	1-1/4" Square Drive Cap (1" pin)
RPEDZCH378ASBD15	1-1/2" Square Drive Cap (1-1/4" pin)
RPEDZCH378ASBD175	1-3/4" Square Drive Cap (1-1/2" pin)
RPEDZCH378ASBD2	2" Square Drive Cap (1-3/4" pin)
RPEDZCH378ASBD225	2-1/4" Square Drive Cap (2" pin)
RPEDZCH378ASBD25	2-1/2" Square Drive Cap (2-1/4" pin)

- ◆ The Rhino® HPD 60 is a high-performance hydraulic post driver is perfect for fencing, road signs, farm, ranch, forestry, vineyards, guardrail, anchors, tent stakes – essentially any driving job. Capable of driving nearly any post profile, this driver is a hydraulic powerhouse! For taller applications utilize the remote valve.
- ◆ Unlike other hydraulic drivers the RHINO® HPD 60 is nearly maintenance free. Continuous component lubrication keeps maintenance at a minimum and extends tool life.
- ◆ The RHINO® HPD 60 can be used with the HPP 13V or HPP 18V Power Packs as well as other hydraulic power systems such as utility truck or mini excavator with the use of Rhino's flow control devices.



Rhino Hydraulic Flex Power Packs are superior to other brands due to the cooling system that allows the hydraulic pressure to remain stronger than the competition once it gets hot.

Power Packs & Accessories for use with HPD-60 Medium-Duty Post Driver

RPEDYZHPP13	HPP 13V Hydraulic Flex Power Pack
RPEDYZHPP18V	HPP 18V Hydraulic Flex Power Pack
RPEDYZHPPOFD	Hydraulic Oil Flow Divider allows tool to be powered with other sources such as a skid steer or mini excavator. (Includes 12" Hose Whip)
RPEDYZHERV	Hydraulic Remote Valve (Includes 6" Hose Whip and 6' Hose)
RPEDYZHEH20	Hydraulic Extension Hose 20 ft
RPEDYZHEH33	Hydraulic Extension Hose 30 ft

Hydraulic Tools for use with the HPP 13V™ or HPP 18V™ Power Packs

RPEDYHCS14	14" Hydraulic Cut Off Saw
RPEDYHCS16	16" Hydraulic Cut Off Saw
RPEDYHCS18	18" Hydraulic Cut Off Saw
RPEDYHCS20	20" Hydraulic Cut Off Saw
RPEDYHBR22	HBR22 Hydraulic Chipping Hammer
RPEDYHBR60106	HBR60 Hydraulic Breaker with 1-1/4" x 6" -or- 1-1/8" x 6" Shank
RPEDYHBR6011256	HBR60 Hydraulic Breaker with 1-1/8" (1.125") x 6" Shank
RPEDYHBR601256	HBR60 Hydraulic Breaker with 1-1/4" (1.25") x 6" Shank
RPEDYHBR9011256	HBR90 Hydraulic Breaker with 1-1/8" (1.125") x 6" Shank
RPEDYHBR901256	HBR90 Hydraulic Breaker with 1-1/4" (1.25") x 6" Shank
RPEDYHCD14	Hydraulic Hand Core Drill 1" - 4" Drill Diameter
RPEDYHCD214	Hydraulic Hand Core Drill 2" - 14" Drill Diameter
RPEDYHED	HED Earth Auger
RPEDYHWP2	HWP2 Hydraulic Water Pump with 2" x 33' Discharge Hose
RPEDYHWP3	HWP3 Hydraulic Water Pump with 3" x 33' Discharge Hose
RPEDYHWP4	HWP4 Hydraulic Water Pump with 4" x 33' Discharge Hose



Manual Drive Caps & Post Drivers

U-CHANNEL  SQUARE  ROUND  UNIVERSAL 



RPEDMHDH8
One Man Post Driver
Heavy Duty
60.25" Long | 43.7 Lbs.
4.125" I.D.



RPEDCHRP100
Steel Drive Cap for
2-3/8" Round Posts
Weight: 3 Lbs



RPEDCH30100
Steel Drive Cap for
2 lb. U-Channel
Weight: 4.5 Lbs



RPEDCH17BIGBOYDRIVE
Big Boy Drive Cap
for 3 to 4 lb. U-Channel
Weight: 18 Lbs



RPEDCHDRCAP214SQ
Drive Cap for 2.25" & 2.5"
Square Post
RPEDCHDRCAP200SQ
Drive Cap for 2" Square Post

Manual Post Pullers



RPEPPL3
PL-3 Hydraulic Post Puller Jack



RPEPUJACK
U-Jack
U-Channel & Square
Post Puller (Detachable
puller NOT required)
RPEPUJACKPIN
Replacement Pin for U-Jack



RPEPH7
Jack Base and
Heavy Duty Handle
(Puller Not Included)



RPEPH4A
Detachable Puller
Use with RPEPH7

Accessories for PL-3 and MP-3

RPEPMP3Z220422
(A) Chain Assembly
for MP-3

RPEPPL3HP070416
Replacement Handle
for PL-3

RPEPPL3Z071040
(B) Detachable Post Grabber
for PL-3/MP-3

RPEPPL3Z071041
Detachable Panel Post Grabber
for PL-3/MP-3

RPEPPL3Z071042
Detachable Tent Stake Grabber
for PL-3/MP-3



Rhino® Jack
RPEPMP3
(includes jack
and handle only)

Rhino® Jack
RPEPMP3AG
(includes jack,
handle with
chain and
post grabber)



JackJaw® Extractors make an easy task of pulling stakes and posts driven in soil. JackJaws can not be used for removing post embedded in concrete - soil installations only. With a couple pumps of the handle, stakes and posts break loose. The jaw and lever mechanism allow you to pull stakes and posts straight up out of the ground without bending them, preserving the posts and stakes for hundreds of repeated uses.

JackJaw® 300 Series 16:1 mechanical advantage

RPEPJACKJJ0300 (u-channel)
RPEPJACKJJ0304 (2 to 2-1/2" square)
RPEPJACKJJ0305 (2-1/4" to 3" round)
RPEPJACKJJ0310 (1-1/4" to 2" square)
RPEPJACKJJ0311 (3-1/4" to 3 1/2" square)
RPEPJACKJJ0315 (1 3/4" to 2 1/4" square)
RPEPJACKJJ0350 (1/2" to 3-1/2" wood)

JackJaw® 400 Series with Folding Handle 16:1 mechanical advantage

RPEPJACKJJ0400 (u-channels/gas probe)
RPEPJACKJJ0404 (2" to 2 1/2" square)
RPEPJACKJJ0405 (2.25" to 3" O.D. round)

JackJaw® 500 Series Super Puller 28:1 mechanical advantage

RPEPJACKJJ0500 (u-channels)
RPEPJACKJJ0504 (2 to 2-1/2" square)
RPEPJACKJJ0505 (2-1/4" to 3" round)
RPEPJACKJJ0510 (1-1/4" to 2" square)
RPEPJACKJJ0511 (3-1/4" to 3-1/2" square)
RPEPJACKJJ0515 (1-3/4" to 2-1/4" square)
RPEPJACKJJ0550 (1/2" to 3-1/2" wood)



JackJaw® 300 Conversion Kits

RPEPJACKJJZKSC300 convert to u-channel posts
RPEPJACKJJZKSC304 convert to 2"-2.5" square posts
RPEPJACKJJZKSC305 convert to 2.25"-3" round posts
RPEPJACKJJZKSC310 convert to 1.25"-2" square posts

JackJaw® Conversion Kits

JackJaw® 500 Conversion Kits

RPEPJACKJJZKSC500 convert to u-channel posts
RPEPJACKJJZKSC504 convert to 2"-2.5" square posts
RPEPJACKJJZKSC305 convert to 2.25"-3" round posts

JackJaw® Parts & Accessories



Replacement Jaws
RPEPJACKJJZKCA0006 (includes hardware)
for JackJaw® 300, 400 or 500 Series



Comfort Grip
RPEPJACKJJZAC0001
for JackJaw® Handles



Link Arm Kit
RPEPJACKJJZKLI0300PR
to upgrade single blade to clevis
for JackJaw® 300 & 500 Series


Heavy Nylon Carry Bags

RPEPJACKJJZPA0008
for JackJaw® 400 Series
RPEPJACKJJZPA0009
for JackJaw® 300 & 500 Series

Brackets for Signal or Utility Pole Mounting




RPBCT4
4.5" x 2.5"
Flat Blades
Bell Wing
Bracket
(50/Box)



RPBCT8 - 14.5" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)



RPBCT800 - 24" Long
Flat or Extruded
Cantilever Wing Bracket
(15/Box)



RPBCT830 - 30" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)

Strap or
Bolt to Post
or Wall




RPBCT836 - 36" Long
Flat or Extruded
Cantilever Wing Bracket
(10/Box)



Bell Wing Bracket
RPBCTBW12 - 12" (50/Box)
(Requires single strap)

RPBCTBW18 - 18" (50/Box)
RPBCTBW24 - 24" (25/Box)
Sign attaches with 5/16" bolts.
Hardware NOT Included.

**Bracket
Hardware &
Tools Sold
Separately**



RHSLA
Snap Lock Assembly



RHBSKT100
Allen Wrench Tool
For Set Screws
and RHBHP76



RHBSKT56
Stainless Steel
Set Screw
(100/Box)



RHSSH8
5/16"
Stainless Steel
Nut




RHSSHB516
5/16" x 18 x 3/4"
Stainless Steel
Bolt

Stainless Steel Strapping

Special
Stainless Steel
Alloys Available
for Saltwater
Environments.
Call for Details

Buckle Bracket Package



RHSBB7
Each package contains
everything needed,
including hardware, to
mount 1 sign to a post
that is 4" - 12" in diameter.

Snap Lock Assembly Packages



RHSLAMINUSPKG



RHSLAMINUSPK2



RHSLAPLUSPKG



RHSLAPLUSPK2




RHSLACANTILEVERPKG



RHSLACANTILEVERPK2

Screw type hose clamp style for sign mounting.
Needs only a screwdriver to tighten.

Build Your Own Package




RHSSBPLUS4
Plus 4 Sign Bracket
For Posts Over
4" in Diameter



RHSSBMINUS4
Minus 4 Sign Bracket
For Posts 4" in
Diameter or Less



RHSSBC
Cantilever Sign Bracket




RHSLA Snap Lock Assembly - 9/16" x 40" strap fits
post from 1-3/4" to 12-1/4" in diameter.



RHSS3420 3/4" x .020" x 200'
RHSS3425 3/4" x .025" x 100'
RHSS3430 3/4" x .030" x 100'
Stainless Steel Strapping



RHSSHB3465
Buckle for .030" or
thicker strapping



RHSSHB506
Wing Seal for .025" or
thinner strapping



RHSSH8 5/16"
Stainless Steel Nut
(Only required for
cantilever bracket)



RHSSHB516
5/16" x 18 x 3/4"
Stainless Steel Bolt

Strapping Tools



RHSSTMODEL C1
Strap Cutter



RHSSTMODEL P1
Ratchet Type
Strapping Tool



RHSSTMODEL C001
Spinner Type Strapping Tool

Brackets for Overhead Span Wire Mounting



RPBOHGR80

LIGHT-DUTY


- ◆ Made from cast aluminum
- ◆ Swivels 360°
- ◆ Recommended for Traffic Signs ONLY - up to 24" x 30"
- ◆ Mounts on cables up to 3/8"
- ◆ Unassembled



RPBOHCOMM77

MEDIUM-DUTY

- ◆ Made from plated steel and aluminum
- ◆ Swivels 360-degrees and adjusts for tilt.
- ◆ Mounts on cables up to 3/8"
- ◆ Pre-assembled for quick installation



Allows Sign to Swing Freely in the Wind.

RPBOHCPCSWING

HEAVY-DUTY



• **IN STOCK** •
May Be
ORDERED
Individually
or in a
Box of 10

Sign Length	Number of Brackets	Inset Distance from Edge of Sign
up to 42"	1	centered
42" - 66"	2	3"
67" - 84"	2	6"
85" - 102"	2	12"
103" - 120"	2	16"
over 120"	3	centered & 16"


- ◆ Heavy-duty, 4 and 8 gauge steel
- ◆ 3-way adjustable
- ◆ Net weight 4.8 lbs.
- ◆ Mounts on cables up to 3/8"
- ◆ Pre-assembled for quick hassle free installation



Overhead Mast Arm "Mast-o-Brackets"



HEAVY-DUTY



Main Cable Mount Assembly

RPBOHMWCMZ8214 - The main assembly is the bracket at the center of the Mast-O-Bracket system.

Cable Assembly

RPBOHMWCMZ8213 - (2 required per mount)
Length: 50" including threaded connector, 1.5" long 3/8"-16 TPI and 1.375" long 5/16" HEX. Nylon locking nut with washer provided. Free end of cable welded to prevent fraying.

Sign Mounting Clamp

The number of sign mounting clamps are determined by the length of sign and should be spaced accordingly. Refer to chart (shown at left).

RPBOHMWCMZ8300 - 8" Sign Mounting Clamp for using 12" signs with the Mast-o-Bracket.

RPBOHMWCMZ8301 - 16" Sign Mounting Clamp for using 18" or larger signs with the Mast-o-Bracket.

Schedule 40 Pipe (1.5" Diameter - No Slot)

RPBOHMWCMZP24 - 24" long pipe for up to 36" sign

RPBOHMWCMZP36 - 36" long pipe for 37" - 48" sign


RPBOHMWCMZP40 - 40" long pipe for 49" - 66" sign

RPBOHMWCMZP60 - 60" long pipe for 67" - 84" sign

RPBOHMWCMZP72 - 72" long pipe for 85" - 96" sign

RPBOHMWCMZP84 - 84" long pipe for up to 97" - 120" sign

KIT ITEM #	Fits Signs Sizes	Main Cable Mount Assembly KIT QTY	50" Cable Assemblies KIT QTY	1.5" diameter Schedule 40 Pipe LENGTH	16" long Sign Mounting Clamps KIT QUANTITY
RPBOHMWCM30036	up to 36"	1	2	24" long	2
RPBOHMWCM30048	37" - 48"	1	2	36" long	2
RPBOHMWCM30066	49" - 66"	1	2	40" long	2
RPBOHMWCM30084	67" - 84"	1	2	60" long	4
RPBOHMWCM30096	85" - 96"	1	2	72" long	4
RPBOHMWCM30120	97" - 120"	1	2	84" long	4



Attachment to Mast Arm Options:

Use Stainless Steel Cables with Hardware provided in kits. Other cable lengths available. All kits come unassembled. Call for quote.





MEDIUM-DUTY

RPBOHCOM88

- ◆ Medium-Duty, made from plated steel and aluminum
- ◆ Use stainless steel strapping for mounting (sold separately)
- ◆ Pre-assembled for quick hassle free installation
- ◆ May be ordered individually or in a box of 10

MORE Brackets, Strapping, Hardware & Tools Available

RHSLA
Snap Lock Assembly



RHSS3430
3/4"x.030"x100'
Stainless Steel Strapping

X-Tube Flexible Sign Posts

- ◆ Lightweight, durable plastic sign posts bend when struck, rebound to vertical position and won't damage vehicles like steel posts.
- ◆ The white X-Tube Post is a 1.75" square post supported by two internal, corner-to-corner reinforcing cross beams.
- ◆ Made from UV-stabilized polymers, the posts offer superior impact resistance and withstand all weather conditions.
- ◆ Surface Mount Base accepts both the X- and Y-Tubes or 1.75" square steel tube and locks securely in place with a simple bolt or quick-release pin.

RPOFPSPXTUBEWH(XXX) - White Sign Post, drilled for 12" x 18" sign
48" (048) | 60" (060) | 72" (072) | 78" (078) | 84" (084) | 96" (096) | 108" (108)

RPOFPSPZXTUBECAP - Black Post Cap

RPOFZPXTUBEBASE800QR - Quick Release Pin



Surface Mount
Anchor Screws for Concrete
RHSMSCA1240 - 1/2" x 4"
RHSMSCA3825 - 3/8" x 2-1/2"



RPOFPSPZXTUBEBASE
Surface Mount Base



RPOFZPXTUBEBASEYETI
"The Yeti" 40# Portable Base

Pedestal Base




RPOGP4
14" Cast Iron
Base With 4' Pipe.
Weighs 27 lbs.

Cast Iron Pedestal Bases are drilled for mounting signs:
- 12" x 18"
- 18" x 24"
- 24" x 24"

Hardware Package
for mounting sign to
GP Pedestal
RH6GPE01





RPOGP5WHEELKIT
Optional Wheel Kit
attaches to Cast Iron
Pedestal Base to make
the base portable and
easy to transport.
Hardware Included.



**Add-On
Brite-Max
Post Reflectors**
for enhanced
safety and
visibility!



For Maximum
Visibility use
Fluorescent Yellow
Chevrons.
Call for a quote.




Item #	Description
RPBCAB2	Chevron Adjustable Bracket fits 12" x 18", 18" x 24" and 24" x 30" Chevrons
RPBCAB3	Chevron Adjustable Bracket fits 24"x30" and 30"x36" Chevrons
S1824W18(H)A	18" x 24" Chevron Sign
S2430W18(H)A	24" x 30" Chevron Sign
RPOCG123	12FT • 3LB Galvanized U-Channel Post
RHB51625C	5/16" x 2-1/2" Zinc Carriage Bolt
RHW516NYLON	5/16" Nylon Washer
RHN516VPA	5/16" Breakaway Vandal Proof Nut
BA080(H) (YE)0530BMMV	5" x 30" Yellow High Intensity Brite-Max Multi-View Reflector

IMPACT recovery SYSTEMS™

Sta-Rite Flexible Sign Posts

- For permanent use within parking lots and garages or where occasional bumping by vehicles can damage traditional signposts causing costly repairs or replacement.
- Premium Flexible Post is constructed of white powder coated aluminum.
- Outer optional, durable plastic, yellow bollard prevents bumper damage to post and simulates a formidable concrete barrier for added conspicuity.
- Asphalt, concrete, or in-ground installation. (*Bases Sold Separately*)
- Unit has a reactive spring assembly that allows the signpost to be bumped by vehicles, rebound, and return upright.
- Complete with two (2) brackets and required bracket hardware.
- Black post black cap is included.
- Supports signs up to: • Aluminum 12" x 18" • HDPE (plastic) up to 18" x 24"



ITEM CODE	Post Height	for Base Style	Bollard
RPOFPSISRB060Q	60"	Quick Release	Includes Bollard
RPOFPSISRB060F	60"	Fixed	
RPOFPSISRB078F	78"	Fixed	
RPOFPSISRB102F	102"	Fixed	
RPOFPSISRN060Q	60"	Quick Release	NO Bollard
RPOFPSISRN060F	60"	Fixed	
RPOFPSISRN078Q	78"	Quick Release	
RPOFPSISRN078F	78"	Fixed	
RPOFPSISRN078D	78"	Drivable	
RPOFPSISRN102F	102"	Fixed	




Flexible Sign Posts

- Standard version of the Sta-Rite Aluminum posts.
- Post is made of white HDPE (hi-density plastic)
- Post black cap is included.
- No sign holes punched in posts. (*Bases Sold Separately*)
- Supports signs up to:
 - Aluminum 12" x 18"
 - HDPE up to 18" x 24"

ITEM CODE	Post Height	Post Color	for Base Style
RPOFPSISPDH060QN	60"	White	Quick Release
RPOFPSISPDH060FN	60"		Fixed
RPOFPSISPDH066QN	66"		Quick Release
RPOFPSISPDH066FN	66"		Fixed
RPOFPSISPDH066DN	66"		Drivable
RPOFPSISPYE060FN	60"	Yellow	Fixed
RPOFPSISPYE060QN	60"		Quick Release
RPOFPSISPOR060FN	60"	Orange	Fixed
RPOFPSISPOR066FN	66"		Fixed

Flexible Sign Post Bases

ITEM CODE	Description
RPOFZISMFBK	Fixed Black Base
RPOFZIRFBASEBK	Quick Release Black Base
RPOFZIDB218SQ12	Drivable Base
RPOFZIRPBASE	Quick Release Portable One Base
RHSMSSLS12	Anchor Kit includes 4 Lag Screws for attaching base to ground



Drivable Base



Fixed Base



Quick Release Base



Anchor Kit



Portable One Base

POSTS • BRACKETS • HARDWARE